

Nuclear Regulatory Commission

Pt. 20, App. A

§ 20.2301 Applications for exemptions.

The Commission may, upon application by a licensee or upon its own initiative, grant an exemption from the requirements of the regulations in this part if it determines the exemption is authorized by law and would not result in undue hazard to life or property.

§ 20.2302 Additional requirements.

The Commission may, by rule, regulation, or order, impose requirements on a licensee, in addition to those established in the regulations in this part, as it deems appropriate or necessary to protect health or to minimize danger to life or property.

Subpart O—Enforcement

§ 20.2401 Violations.

(a) The Commission may obtain an injunction or other court order to prevent a violation of the provisions of—

(1) The Atomic Energy Act of 1954, as amended;

(2) Title II of the Energy Reorganization Act of 1974, as amended; or

(3) A regulation or order issued pursuant to those Acts.

(b) The Commission may obtain a court order for the payment of a civil penalty imposed under section 234 of the Atomic Energy Act:

(1) For violations of—

(i) Sections 53, 57, 62, 63, 81, 82, 101, 103, 104, 107 or 109 of the Atomic Energy Act of 1954, as amended;

(ii) Section 206 of the Energy Reorganization Act;

(iii) Any rule, regulation, or order issued pursuant to the sections specified in paragraph (b)(1)(i) of this section; and

(iv) Any term, condition, or limitation of any license issued under the sections specified in paragraph (b)(1)(i) of this section.

(2) For any violation for which a license may be revoked under Section 186 of the Atomic Energy Act of 1954, as amended.

[56 FR 23408, May 21, 1991; 56 FR 61352, Dec. 3, 1991, as amended at 57 FR 55071, Nov. 24, 1992]

§ 20.2402 Criminal penalties.

(a) Section 223 of the Atomic Energy Act of 1954, as amended, provides for criminal sanctions for willful violation of, attempted violation of, or conspiracy to violate, any regulation issued under sections 161b, 161i, or 161o of the Act. For purposes of section 223, all the regulations in §§ 20.1001 through 20.2402 are issued under one or more of sections 161b, 161i, or 161o, except for the sections listed in paragraph (b) this section.

(b) The regulations in §§ 20.1001 through 20.2402 that are not issued under Sections 161b, 161i, or 161o for the purposes of Section 223 are as follows: §§ 20.1001, 20.1002, 20.1003, 20.1004, 20.1005, 20.1006, 20.1007, 20.1008, 20.1009, 20.1405, 20.1704, 20.1903, 20.1905, 20.2002, 20.2007, 20.2301, 20.2302, 20.2401, and 20.2402.

[57 FR 55071, Nov. 24, 1992, as amended at 62 FR 39089, July 21, 1997]

APPENDIX A TO PART 20.—ASSIGNED PROTECTION FACTORS FOR RESPIRATORS^a

	Operating mode	Assigned Protection Factors
I. Air Purifying Respirators [Particulate ^b only]: Filtering facepiece disposable ^d	Negative Pressure	(d)
Facepiece, half ^e	Negative Pressure	10
Facepiece, full	Negative Pressure	100
Facepiece, half	Powered air-purifying respirators	50
Facepiece, full	Powered air-purifying respirators	1000
Helmet/hood	Powered air-purifying respirators	1000
Facepiece, loose-fitting	Powered air-purifying respirators	25
II. Atmosphere supplying respirators [particulate, gases and vapors]: 1. Air-line respirator: Facepiece, half	Demand	10
Facepiece, half	Continuous Flow	50
Facepiece, half	Pressure Demand	50
Facepiece, full	Demand	100
Facepiece, full	Continuous Flow	1000
Facepiece, full	Pressure Demand	1000

	Operating mode	Assigned Protection Factors
Helmet/hood	Continuous Flow	1000
Facepiece, loose-fitting	Continuous Flow	25
Suit	Continuous Flow	(g)
2. Self-contained breathing Apparatus (SCBA):		
Facepiece, full	Demand	^b 100
Facepiece, full	Pressure Demand	ⁱ 10,000
Facepiece, full	Demand, Recirculating	^h 100
Facepiece, full	Positive Pressure Recirculating	ⁱ 10,000
III. Combination Respirators:		
Any combination of air-purifying and atmosphere-supplying respirators.	Assigned protection factor for type and mode of operation as listed above.	

^a These assigned protection factors apply only in a respiratory protection program that meets the requirements of this Part. They are applicable only to airborne radiological hazards and may not be appropriate to circumstances when chemical or other respiratory hazards exist instead of, or in addition to, radioactive hazards. Selection and use of respirators for such circumstances must also comply with Department of Labor regulations.

Radioactive contaminants for which the concentration values in Table 1, Column 3 of Appendix B to Part 20 are based on internal dose due to inhalation may, in addition, present external exposure hazards at higher concentrations. Under these circumstances, limitations on occupancy may have to be governed by external dose limits.

^b Air purifying respirators with APF <100 must be equipped with particulate filters that are at least 95 percent efficient. Air purifying respirators with APF = 100 must be equipped with particulate filters that are at least 99 percent efficient. Air purifying respirators with APFs >100 must be equipped with particulate filters that are at least 99.97 percent efficient.

^c The licensee may apply to the Commission for the use of an APF greater than 1 for sorbent cartridges as protection against airborne radioactive gases and vapors (e.g., radioiodine).

^d Licensees may permit individuals to use this type of respirator who have not been medically screened or fit tested on the device provided that no credit be taken for their use in estimating intake or dose. It is also recognized that it is difficult to perform an effective positive or negative pressure pre-use user seal check on this type of device. All other respiratory protection program requirements listed in § 20.1703 apply. An assigned protection factor has not been assigned for these devices. However, an APF equal to 10 may be used if the licensee can demonstrate a fit factor of at least 100 by use of a validated or evaluated, qualitative or quantitative fit test.

^e Under-chin type only. No distinction is made in this Appendix between elastomeric half-masks with replaceable cartridges and those designed with the filter medium as an integral part of the facepiece (e.g., disposable or reusable disposable). Both types are acceptable so long as the seal area of the latter contains some substantial type of seal-enhancing material such as rubber or plastic, the two or more suspension straps are adjustable, the filter medium is at least 95 percent efficient and all other requirements of this Part are met.

^f The assigned protection factors for gases and vapors are not applicable to radioactive contaminants that present an absorption or submersion hazard. For tritium oxide vapor, approximately one-third of the intake occurs by absorption through the skin so that an overall protection factor of 3 is appropriate when atmosphere-supplying respirators are used to protect against tritium oxide. Exposure to radioactive noble gases is not considered a significant respiratory hazard, and protective actions for these contaminants should be based on external (submersion) dose considerations.

^g No NIOSH approval schedule is currently available for atmospheric supplying suits. This equipment may be used in an acceptable respiratory protection program as long as all the other minimum program requirements, with the exception of fit testing, are met (i.e., § 20.1703).

^h The licensee should implement institutional controls to assure that these devices are not used in areas immediately dangerous to life or health (IDLH).

ⁱ This type of respirator may be used as an emergency device in unknown concentrations for protection against inhalation hazards. External radiation hazards and other limitations to permitted exposure such as skin absorption shall be taken into account in these circumstances. This device may not be used by any individual who experiences perceptible outward leakage of breathing gas while wearing the device.

[64 FR 54558, Oct. 7, 1999; 64 FR 55524, Oct. 13, 1999]

APPENDIX B TO PART 20—ANNUAL LIMITS ON INTAKE (ALIs) AND DERIVED AIR CONCENTRATIONS (DACs) OF RADIONUCLIDES FOR OCCUPATIONAL EXPOSURE; EFFLUENT CONCENTRATIONS; CONCENTRATIONS FOR RELEASE TO SEWERAGE

INTRODUCTION

For each radionuclide table 1 indicates the chemical form which is to be used for selecting the appropriate ALI or DAC value. The ALIs and DACs for inhalation are given for an aerosol with an activity median aerodynamic diameter (AMAD) of 1 μm and for three classes (D,W,Y) of radioactive material, which refer to their retention (approximately days, weeks or years) in the pulmonary region of the lung. This classifica-

tion applies to a range of clearance half-times of less than 10 days for D, for W from 10 to 100 days, and for Y greater than 100 days. The class (D, W, or Y) given in the column headed "Class" applies only to the inhalation ALIs and DACs given in table 1, columns 2 and 3. Table 2 provides concentration limits for airborne and liquid effluents released to the general environment. Table 3 provides concentration limits for discharges to sanitary sewer systems.

NOTATION

The values in tables 1, 2, and 3 are presented in the computer "E" notation. In this notation a value of 6E-02 represents a value of 6×10^{-2} or 0.06, 6E+2 represents 6×10^2 or 600, and 6E+0 represents 6×10^0 or 6.

TABLE 1 "OCCUPATIONAL"

Note that the columns in table 1, of this appendix captioned "Oral Ingestion ALI,"

Nuclear Regulatory Commission

Pt. 20, App. B

"Inhalation ALI," and "DAC," are applicable to occupational exposure to radioactive material.

The ALIs in this appendix are the annual intakes of a given radionuclide by "Reference Man" which would result in either (1) a committed effective dose equivalent of 5 rems (stochastic ALI) or (2) a committed dose equivalent of 50 rems to an organ or tissue (non-stochastic ALI). The stochastic ALIs were derived to result in a risk, due to irradiation of organs and tissues, comparable to the risk associated with deep dose equivalent to the whole body of 5 rems. The derivation includes multiplying the committed dose equivalent to an organ or tissue by a weighting factor, w_T . This weighting factor is the proportion of the risk of stochastic effects resulting from irradiation of the organ or tissue, T, to the total risk of stochastic effects when the whole body is irradiated uniformly. The values of w_T are listed under the definition of weighting factor in § 20.1003. The non-stochastic ALIs were derived to avoid non-stochastic effects, such as prompt damage to tissue or reduction in organ function.

A value of $w_T=0.06$ is applicable to each of the five organs or tissues in the "remainder" category receiving the highest dose equivalents, and the dose equivalents of all other remaining tissues may be disregarded. The following parts of the GI tract—stomach, small intestine, upper large intestine, and lower large intestine—are to be treated as four separate organs.

Note that the dose equivalents for extremities (hands and forearms, feet and lower legs), skin, and lens of the eye are not considered in computing the committed effective dose equivalent, but are subject to limits that must be met separately.

When an ALI is defined by the stochastic dose limit, this value alone, is given. When an ALI is determined by the non-stochastic dose limit to an organ, the organ or tissue to which the limit applies is shown, and the ALI for the stochastic limit is shown in parentheses. (Abbreviated organ or tissue designations are used: LLI wall = lower large intestine wall; St. wall = stomach wall; Blad wall = bladder wall; and Bone surf = bone surface.)

The use of the ALIs listed first, the more limiting of the stochastic and non-stochastic ALIs, will ensure that non-stochastic effects are avoided and that the risk of stochastic effects is limited to an acceptably low value. If, in a particular situation involving a radionuclide for which the non-stochastic ALI is limiting, use of that non-stochastic ALI is considered unduly conservative, the licensee may use the stochastic ALI to determine the committed effective dose equivalent. However, the licensee shall also ensure that the 50-rem dose equivalent limit for any organ or tissue is not exceeded by the sum of

the external deep dose equivalent plus the internal committed dose to that organ (not the effective dose). For the case where there is no external dose contribution, this would be demonstrated if the sum of the fractions of the nonstochastic ALIs (ALI_{ns}) that contribute to the committed dose equivalent to the organ receiving the highest dose does not exceed unity (i.e., Σ (intake (in μCi) of each radionuclide/ ALI_{ns}) < 1.0). If there is an external deep dose equivalent contribution of H_d then this sum must be less than $1 - (H_d/50)$ instead of being <1.0.

The derived air concentration (DAC) values are derived limits intended to control chronic occupational exposures. The relationship between the DAC and the ALI is given by: $DAC = ALI(\text{in } \mu\text{Ci})/(2000 \text{ hours per working year} \times 60 \text{ minutes/hour} \times 2 \times 10^4 \text{ ml per minute}) = [ALI/2.4 \times 10^6] \mu\text{Ci/ml}$, where $2 \times 10^4 \text{ ml}$ is the volume of air breathed per minute at work by "Reference Man" under working conditions of "light work."

The DAC values relate to one of two modes of exposure: either external submersion or the internal committed dose equivalents resulting from inhalation of radioactive materials. Derived air concentrations based upon submersion are for immersion in a semi-infinite cloud of uniform concentration and apply to each radionuclide separately.

The ALI and DAC values relate to exposure to the single radionuclide named, but also include contributions from the in-growth of any daughter radionuclide produced in the body by the decay of the parent. However, intakes that include both the parent and daughter radionuclides should be treated by the general method appropriate for mixtures.

The value of ALI and DAC do not apply directly when the individual both ingests and inhales a radionuclide, when the individual is exposed to a mixture of radionuclides by either inhalation or ingestion or both, or when the individual is exposed to both internal and external radiation (see § 20.1202). When an individual is exposed to radioactive materials which fall under several of the translocation classifications (i.e., Class D, Class W, or Class Y) of the same radionuclide, the exposure may be evaluated as if it were a mixture of different radionuclides.

It should be noted that the classification of a compound as Class D, W, or Y is based on the chemical form of the compound and does not take into account the radiological half-life of different radioisotopes. For this reason, values are given for Class D, W, and Y compounds, even for very short-lived radionuclides.

TABLE 2

The columns in table 2 of this appendix captioned "Effluents," "Air," and "Water," are applicable to the assessment and control of dose to the public, particularly in the implementation of the provisions of § 20.1302.

Pt. 20, App. B

The concentration values given in columns 1 and 2 of table 2 are equivalent to the radionuclide concentrations which, if inhaled or ingested continuously over the course of a year, would produce a total effective dose equivalent of 0.05 rem (50 millirem or 0.5 millisieverts).

Consideration of non-stochastic limits has not been included in deriving the air and water effluent concentration limits because non-stochastic effects are presumed not to occur at the dose levels established for individual members of the public. For radionuclides, where the non-stochastic limit was governing in deriving the occupational DAC, the stochastic ALI was used in deriving the corresponding airborne effluent limit in table 2. For this reason, the DAC and airborne effluent limits are not always proportional as was the case in appendix B to §§ 20.1–20.601.

The air concentration values listed in table 2, column 1, were derived by one of two methods. For those radionuclides for which the stochastic limit is governing, the occupational stochastic inhalation ALI was divided by 2.4×10^9 ml, relating the inhalation ALI to the DAC, as explained above, and then divided by a factor of 300. The factor of 300 includes the following components: a factor of 50 to relate the 5-rem annual occupational dose limit to the 0.1-rem limit for members of the public, a factor of 3 to adjust for the difference in exposure time and the inhalation rate for a worker and that for members of the public; and a factor of 2 to adjust the occupational values (derived for adults) so that they are applicable to other age groups.

For those radionuclides for which submersion (external dose) is limiting, the occupational DAC in table 1, column 3, was divided by 219. The factor of 219 is composed of a factor of 50, as described above, and a factor of 4.38 relating occupational exposure for 2,000 hours per year to full-time exposure (8,760 hours per year). Note that an additional factor of 2 for age considerations is not warranted in the submersion case.

The water concentrations were derived by taking the most restrictive occupational stochastic oral ingestion ALI and dividing by 7.3×10^7 . The factor of 7.3×10^7 (ml) includes the following components: the factors of 50 and 2 described above and a factor of 7.3×10^5 (ml) which is the annual water intake of "Reference Man."

Note 2 of this appendix provides groupings of radionuclides which are applicable to unknown mixtures of radionuclides. These groupings (including occupational inhalation ALIs and DACs, air and water effluent concentrations and sewerage) require demonstrating that the most limiting radionuclides in successive classes are absent. The limit for the unknown mixture is defined when the presence of one of the listed radio-

10 CFR Ch. I (1-1-01 Edition)

nuclides cannot be definitely excluded either from knowledge of the radionuclide composition of the source or from actual measurements.

TABLE 3 "SEWER DISPOSAL"

The monthly average concentrations for release to sanitary sewers are applicable to the provisions in §20.2003. The concentration values were derived by taking the most restrictive occupational stochastic oral ingestion ALI and dividing by 7.3×10^6 (ml). The factor of 7.3×10^6 (ml) is composed of a factor of 7.3×10^5 (ml), the annual water intake by "Reference Man," and a factor of 10, such that the concentrations, if the sewage released by the licensee were the only source of water ingested by a reference man during a year, would result in a committed effective dose equivalent of 0.5 rem.

LIST OF ELEMENTS

Name	Atomic	
	Symbol	No.
Actinium	Ac	89
Aluminum	Al	13
Americium	Am	95
Antimony	Sb	51
Argon	Ar	18
Arsenic	As	33
Astatine	At	85
Barium	Ba	56
Berkelium	Bk	97
Beryllium	Be	4
Bismuth	Bi	83
Bromine	Br	35
Cadmium	Cd	48
Calcium	Ca	20
Californium	Cf	98
Carbon	C	6
Cerium	Ce	58
Cesium	Cs	55
Chlorine	Cl	17
Chromium	Cr	24
Cobalt	Co	27
Copper	Cu	29
Curium	Cm	96
Dysprosium	Dy	66
Einsteinium	Es	99
Erbium	Er	68
Europium	Eu	63
Fermium	Fm	100
Fluorine	F	9
Francium	Fr	87
Gadolinium	Gd	64
Gallium	Ga	31
Germanium	Ge	32
Gold	Au	79
Hafnium	Hf	72
Holmium	Ho	67
Hydrogen	H	1
Indium	In	49
Iodine	I	53
Iridium	Ir	77
Iron	Fe	26
Krypton	Kr	36
Lanthanum	La	57
Lead	Pb	82
Lutetium	Lu	71
Magnesium	Mg	12

Nuclear Regulatory Commission

Pt. 20, App. B

LIST OF ELEMENTS—Continued

Name	Atomic	
	Symbol	No.
Manganese	Mn	25
Mendelevium	Md	101
Mercury	Hg	80
Molybdenum	Mo	42
Neodymium	Nd	60
Neptunium	Np	93
Nickel	Ni	28
Niobium	Nb	41
Osmium	Os	76
Palladium	Pd	46
Phosphorus	P	15
Platinum	Pt	78
Plutonium	Pu	94
Polonium	Po	84
Potassium	K	19
Praseodymium	Pr	59
Promethium	Pm	61
Protactinium	Pa	91
Radium	Ra	88
Radon	Rn	86
Rhenium	Re	75
Rhodium	Rh	45
Rubidium	Rb	37
Ruthenium	Ru	44
Samarium	Sm	62

LIST OF ELEMENTS—Continued

Name	Atomic	
	Symbol	No.
Scandium	Sc	21
Selenium	Se	34
Silicon	Si	14
Silver	Ag	47
Sodium	Na	11
Strontium	Sr	38
Sulfur	S	16
Tantalum	Ta	73
Technetium	Tc	43
Tellurium	Te	52
Terbium	Tb	65
Thallium	Tl	81
Thorium	Th	90
Thalium	Tm	69
Tin	Sn	50
Titanium	Ti	22
Tungsten	W	74
Uranium	U	92
Vanadium	V	23
Xenon	Xe	54
Ytterbium	Yb	70
Yttrium	Y	39
Zinc	Zn	30
Zirconium	Zr	40

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation	Col. 1	Col. 2	Col. 1	Col. 2
			AI (μCi)	DAC (μCi)	AII ($\mu\text{Ci}/\text{m}^3$)	DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
1	Hydrogen-3	Water, DAC includes skin absorption	8E+4	8E+4	2E-5	1E-7	1E-3	1E-2	
Gas (HT or T ₂) Submersion ³ : Use above values as HT and T ₂ oxidize in air and in the body to HTO									
4	Beryllium-7	W, all compounds except those given for Y	4E+4	2E+4	9E-6	3E-8	6E-4	6E-3	
		Y, oxides, halides and nitrates	-	2E+4	8E-6	3E-8	-	-	
4	Beryllium-10	W, see ⁷ Be	1E+3 (1E+3) LL1 wall	2E+2	6E-8	2E-10	-	-	
		Y, see ⁷ Be	-	1E+1	6E-9	2E-11	-	2E-4	
6	Carbon-11 ²	Monoxide Dioxide Compounds	- - 4E+5	2E+6 6E+5 4E+5	5E-4 3E-4 2E-8	2E-6 9E-7 6E-7	- - 6E-3	- - 6E-2	
6	Carbon-14	Monoxide Dioxide Compounds	- - 2E+3	2E+6 2E+5 2E+3	7E-4 9E-5 1E-6	2E-6 3E-7 3E-9	- - 3E-5	- - 3E-4	
9	Fluorine-18 ²	D, fluorides of W, Li, Na, K, Rb, Cs, and Fr	5E+4 5E+4	7E+4	3E-5	1E-7	-	-	
		W, fluorides of Be, Mg, Ca, Sr, Ba, Ra, Al, Ga, In, Tl, As, Sb, Bi, Fe, Ru, Os, Co, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, V, Nb, Ta, Mn, Tc, and Re	-	9E+4	4E-5	1E-7	-	-	
		Y, lanthanum fluoride	-	8E+4	3E-5	1E-7	-	-	
11	Sodium-22	D, all compounds	4E+2	6E+2	3E-7	9E-10	6E-6	6E-5	
11	Sodium-24	D, all compounds	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	
12	Magnesium-28	D, all compounds except those given for W	7E+2	2E+3	7E-7	2E-9	9E-6	9E-5	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	1E+3	5E-7	2E-9	-	-	
13	Aluminum-26	D, all compounds except those given for W	4E+2	6E+1	3E-8	9E-11	6E-6	6E-5	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	9E+1	4E-8	1E-10	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{mL}$)		
14	Silicon-31	D, all compounds except those given for W and Y	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
		W, oxides, hydroxides, carbides, and nitrates	-	3E+4	1E-5	5E-8	-	-	
		Y, aluminosilicate glass	-	3E+4	1E-5	4E-8	-	-	
14	Silicon-32	D, see ^{31}Si	2E+3 LLI wall (3E+3)	2E+2	1E-7	3E-10	-	-	
		W, see ^{31}Si	-	-	-	-	4E-5	4E-4	
		Y, see ^{31}Si	-	1E+2	5E-8	2E-10	-	-	
15	Phosphorus-32	D, all compounds except phosphates given for W	6E+2	9E+2	4E-7	1E-9	9E-6	9E-5	
		W, phosphates of Zn^{2+} , S^{2+} , Mg^{2+} , Fe^{3+} , Bi^{3+} , and lanthanides	-	4E+2	2E-7	5E-10	-	-	
		D, see ^{32}P	6E+3	8E+3	4E-6	1E-8	8E-5	8E-4	
15	Phosphorus-33	W, see ^{32}P	-	3E+3	1E-6	4E-9	-	-	
		Vapor	-	1E+4	6E-6	2E-8	-	-	
		D, sulfides and sulfates except those given for W	1E+4 LLI wall (8E+3)	2E+4	7E-6	2E-8	-	-	
16	Sulfur-35	W, elemental sulfur, sulfides of Sr, Ba, Ge, Sn, Pb, As, Sb, Bi, Cu, Ag, Au, Zn, Cd, Hg, W, and Mo. Sulfates of Ca, Sr, Ba, Ra, As, Sb, and Bi	6E+3	-	-	-	1E-4	1E-3	
		D, chlorides of H, Li, Na, K, Rb, Cs, and Fr	2E+3	2E+3	1E-6	3E-9	-	-	
		W, chlorides of lanthanides, Be, Mg, Ca, Sr, Ba, Ra, Al, Ga, In, Tl, Ge, Sn, Pb, As, Sb, Bi, Fe, Ru, Os, Co, Rh, Ir, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, Hf, V, Nb, Ta, Cr, Mo, W, Mn, Tc, and Re	-	2E+2	1E-7	3E-10	-	-	
17	Chlorine-36								

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration	
			ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	($\mu\text{Ci}/\text{m}^3$)	
17	Chlorine-38 ²	D, see ^{36}Cl	2E+4 St. wall (3E+4)	4E+4	2E-5	6E-8	-	-	
		W, see ^{36}Cl	-	5E+4	2E-5	6E-8	3E-4	3E-3	
17	Chlorine-39 ²	D, see ^{36}Cl	2E+4 St. wall (4E+4)	5E+4	2E-5	7E-8	-	-	
		W, see ^{36}Cl	-	6E+4	2E-5	8E-8	5E-4	5E-3	
18	Argon-37	Submersion ¹	-	-	1E+0	6E-3	-	-	
18	Argon-39	Submersion ¹	-	-	2E-4	8E-7	-	-	
18	Argon-41	Submersion ¹	-	-	3E-6	1E-8	-	-	
19	Potassium-40	D, all compounds	3E+2	4E+2	2E-7	6E-10	4E-6	4E-5	
19	Potassium-42	D, all compounds	5E+3	5E+3	2E-6	7E-9	6E-5	6E-4	
19	Potassium-43	D, all compounds	6E+3	9E+3	4E-6	1E-8	9E-5	9E-4	
19	Potassium-44 ²	D, all compounds	2E+4 St. wall (4E+4)	7E+4	3E-5	9E-8	-	-	
19	Potassium-45 ²	D, all compounds	3E+4 St. wall (5E+4)	1E+5	5E-5	2E-7	-	-	
20	Calcium-41	W, all compounds	3E+3 Bone surf (4E+3)	4E+3 Bone surf (4E+3)	2E-6	-	5E-9	6E-5	6E-4
20	Calcium-45	W, all compounds	2E+3	8E+2	4E-7	1E-9	2E-5	2E-4	
20	Calcium-47	W, all compounds	8E+2	9E+2	4E-7	1E-9	1E-5	1E-4	
21	Scandium-43	Y, all compounds	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
21	Scandium-44m	Y, all compounds	5E+2	7E+2	3E-7	1E-9	7E-6	7E-5	
21	Scandium-44	Y, all compounds	4E+3	1E+4	5E-6	2E-8	5E-5	5E-4	
21	Scandium-46	Y, all compounds	9E+2	2E+2	1E-7	3E-10	1E-5	1E-4	
21	Scandium-47	Y, all compounds	2E+3 LL wall (3E+3)	3E+3	1E-6	4E-9	-	-	
21	Scandium-48	Y, all compounds	8E+2	1E+3	6E-7	2E-9	1E-5	1E-4	
21	Scandium-49 ²	Y, all compounds	2E+4	5E+4	2E-5	8E-8	3E-4	3E-3	
22	Titanium-44	D, all compounds except those given for W and Y	3E+2	1E+1	5E-9	2E-11	4E-6	4E-5	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	3E+1	1E-8	4E-11	-	-	
		Y, SrTiO_3	-	6E+0	2E-9	8E-12	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 BAC ($\mu\text{Ci}/\text{ml}$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
22	Titanium-45	D, see ^{44}Ti W, see ^{44}Ti Y, see ^{44}Ti	9E+3	3E+4	1E-5	3E-8	1E-4	1E-3	-
23	Vanadium-47 ²	D, all compounds except those given for W W, oxides, hydroxides, carbides, and halides	3E+4 St. wall (3E+4)	8E+4	3E-5	1E-7	-	-	-
23	Vanadium-48	D, see ^{47}V W, see ^{47}V	6E+2	1E+3	5E-7	2E-9	9E-6	9E-5	-
23	Vanadium-49	D, see ^{47}V W, see ^{47}V	7E+4 LT wall (9E+4)	3E+4 Bone surf (3E+4) 2E+4	1E-5	-	1E-3	1E-2	-
24	Chromium-48	D, all compounds except those given for W and Y W, halides and nitrates Y, oxides and hydroxides	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4	-
24	Chromium-49 ²	D, see ^{48}Cr W, see ^{48}Cr Y, see ^{48}Cr	3E+4	8E+4	4E-5	1E-7	4E-4	4E-3	-
24	Chromium-51	D, see ^{48}Cr W, see ^{48}Cr Y, see ^{48}Cr	4E+4	5E+4	2E-5	6E-8	5E-4	5E-3	-
25	Manganese-51 ²	D, all compounds except those given for W W, oxides, hydroxides, halides, and nitrates	2E+4	5E+4	2E-5	7E-8	3E-4	3E-3	-
25	Manganese-52m ²	D, see ^{51}Mn W, see ^{51}Mn	3E+4 St. wall (4E+4)	9E+4	4E-5	1E-7	-	-	-
25	Manganese-52	D, see ^{51}Mn W, see ^{51}Mn	7E+2	1E+3	5E-7	2E-9	1E-5	1E-4	-
25	Manganese-53	D, see ^{51}Mn W, see ^{51}Mn	5E+4	1E+4 Bone surf (2E+4) 1E+4	5E-6	-	7E-4	7E-3	-
25	Manganese-54	D, see ^{51}Mn W, see ^{51}Mn	2E+3	8E+2	4E-7	1E-9	3E-5	3E-4	-
25	Manganese-56	D, see ^{51}Mn W, see ^{51}Mn	5E+3	2E+4	6E-6	2E-8	7E-5	7E-4	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Concentration ($\mu\text{Ci}/\text{m}^3$)	
26	Iron-52	D, all compounds except those given for W	9E+2	3E+3	1E-6	4E-9	1E-5	1E-4	
		W, oxides, hydroxides, and halides	-	2E+3	1E-6	3E-9	-	-	
26	Iron-55	D, see ^{52}Fe	9E+3	2E+3	8E-7	3E-9	1E-4	1E-3	
		W, see ^{52}Fe	-	4E+3	2E-6	6E-9	-	-	
26	Iron-59	D, see ^{52}Fe	8E+2	3E+2	1E-7	5E-10	1E-5	1E-4	
		W, see ^{52}Fe	-	5E+2	2E-7	7E-10	-	-	
26	Iron-60	D, see ^{52}Fe	3E+1	6E+0	3E-9	9E-12	4E-7	4E-6	
		W, see ^{52}Fe	-	2E+1	8E-9	3E-11	-	-	
27	Cobalt-55	W, all compounds except those given for Y	1E+3	3E+3	1E-6	4E-9	2E-5	2E-4	
		Y, oxides, hydroxides, halides, and nitrates	-	3E+3	1E-6	4E-9	-	-	
27	Cobalt-56	W, see ^{55}Co	5E+2	3E+2	1E-7	4E-10	6E-6	6E-5	
		Y, see ^{55}Co	4E+2	2E+2	8E-8	3E-10	-	-	
27	Cobalt-57	W, see ^{55}Co	8E+3	3E+3	1E-6	4E-9	6E-5	6E-4	
		Y, see ^{55}Co	4E+3	7E+2	3E-7	9E-10	-	-	
27	Cobalt-58m	W, see ^{55}Co	6E+4	9E+4	4E-5	1E-7	8E-4	8E-3	
		Y, see ^{55}Co	-	6E+4	3E-5	9E-8	-	-	
27	Cobalt-58	W, see ^{55}Co	2E+3	1E+3	5E-7	2E-9	2E-5	2E-4	
		Y, see ^{55}Co	1E+3	7E+2	3E-7	1E-9	-	-	
27	Cobalt-60m ²	W, see ^{55}Co	1E+6	4E+6	2E-3	6E-6	-	-	
		Y, see ^{55}Co	(1E+6)	-	-	-	2E-2	2E-1	
27	Cobalt-60	W, see ^{55}Co	5E+2	2E+2	7E-8	2E-10	3E-6	3E-5	
		Y, see ^{55}Co	2E+2	3E+1	1E-8	5E-11	-	-	
27	Cobalt-61 ²	W, see ^{55}Co	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3	
		Y, see ^{55}Co	2E+4	6E+4	2E-5	8E-8	-	-	
27	Cobalt-62m ²	W, see ^{55}Co	4E+4	2E+5	7E-5	2E-7	-	-	
		Y, see ^{55}Co	(5E+4)	-	-	-	7E-4	7E-3	
28	Nickel-56	D, all compounds except those given for W	1E+3	2E+3	8E-7	3E-9	2E-5	2E-4	
		W, oxides, hydroxides, and carbides Vapor	-	1E+3	5E-7	2E-9	-	-	
28	Nickel-57	D, see ^{56}Ni	2E+3	5E+3	2E-6	7E-9	2E-5	2E-4	
		W, see ^{56}Ni	-	3E+3	1E-6	4E-9	-	-	
		Vapor	-	6E+3	3E-6	9E-9	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Col. 2 Inhalation AI (μ Ci)	Col. 3 DAC (μ Ci/m ³)	Col. 1	Col. 2	Monthly Average Concentration (μ Ci/ml)	
						Air (μ Ci/ml)	Water (μ Ci/ml)		
28	Nickel-59	D, see ⁵⁹ Ni	2E-4	4E+3	2E-6	5E-9	3E-4	3E-3	
		W, see ⁵⁹ Ni	-	7E+3	3E-6	1E-8	-	-	
		Vapor	-	2E+3	8E-7	3E-9	-	-	
28	Nickel-63	D, see ⁵⁹ Ni	9E+3	2E+3	7E-7	2E-9	1E-4	1E-3	
		W, see ⁵⁹ Ni	-	3E+3	1E-6	4E-9	-	-	
		Vapor	-	8E+2	3E-7	1E-9	-	-	
28	Nickel-65	D, see ⁵⁹ Ni	8E+3	2E+4	1E-5	3E-8	1E-4	1E-3	
		W, see ⁵⁹ Ni	-	3E+4	1E-5	4E-8	-	-	
		Vapor	-	2E+4	7E-6	2E-8	-	-	
28	Nickel-66	D, see ⁵⁹ Ni	4E+2 LLI wall (5E+2)	2E+3	7E-7	2E-9	-	-	
		W, see ⁵⁹ Ni	-	-	-	-	6E-6	6E-5	
		Vapor	-	6E+2	3E-7	9E-10	-	-	
29	Copper-60 ²	D, all compounds except those given for W and Y	3E+4 St. wall (3E+4)	9E+4	4E-5	1E-7	-	-	
		W, sulfides, halides, and nitrates	-	1E+5	5E-5	2E-7	-	-	
		Y, oxides and hydroxides	-	1E+5	4E-5	1E-7	-	-	
29	Copper-61	D, see ⁶⁰ Cu	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
		W, see ⁶⁰ Cu	-	4E+4	2E-5	6E-8	-	-	
		Y, see ⁶⁰ Cu	-	4E+4	1E-5	5E-8	-	-	
29	Copper-64	D, see ⁶⁰ Cu	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
		W, see ⁶⁰ Cu	-	2E+4	1E-5	3E-8	-	-	
		Y, see ⁶⁰ Cu	-	2E+4	9E-6	3E-8	-	-	
29	Copper-67	D, see ⁶⁰ Cu	5E+3	8E+3	3E-6	1E-8	6E-5	6E-4	
		W, see ⁶⁰ Cu	-	5E+3	2E-6	7E-9	-	-	
		Y, see ⁶⁰ Cu	-	5E+3	2E-6	6E-9	-	-	
30	Zinc-62	Y, all compounds	1E+3	3E+3	1E-6	4E-9	2E-5	2E-4	
30	Zinc-63 ²	Y, all compounds	2E+4 St. wall (3E+4)	7E+4	3E-5	9E-8	-	-	
30	Zinc-65	Y, all compounds	4E+2	3E+2	1E-7	4E-10	5E-6	5E-5	
30	Zinc-69m	Y, all compounds	4E+3	7E+3	3E-6	1E-8	6E-5	6E-4	
30	Zinc-69 ²	Y, all compounds	6E+4	1E+5	6E-5	2E-7	8E-4	8E-3	
30	Zinc-71m	Y, all compounds	6E+3	2E+4	7E-6	2E-8	8E-5	8E-4	
30	Zinc-72	Y, all compounds	1E+3	1E+3	5E-7	2E-9	1E-5	1E-4	
31	Gallium-65 ²	D, all compounds except those given for W	5E+4 St. wall (6E+4)	2E+5	7E-5	2E-7	-	-	
		W, oxides, hydroxides, carbides, halides, and nitrates	-	2E+5	8E-5	3E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation	Col. 1	Col. 2	Col. 1	Col. 2
			Air (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)	AIR ($\mu\text{Ci}/\text{ml}$)	($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)	($\mu\text{Ci}/\text{ml}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)
31	Gallium-66	D, see ^{65}Ga W, see ^{65}Ga	1E+3	4E+3	1E-6	5E-9	1E-5	-	1E-4
31	Gallium-67	D, see ^{65}Ga W, see ^{65}Ga	7E+3	1E+4	6E-6	2E-8	1E-4	-	1E-3
31	Gallium-68 ²	D, see ^{65}Ga W, see ^{65}Ga	2E+4	4E+4	2E-5	6E-8	2E-4	-	2E-3
31	Gallium-70 ²	D, see ^{65}Ga W, see ^{65}Ga	5E+4 (7E+4) St. wall	2E+5 - 2E+5	7E-5 - 8E-5	2E-7	-	-	1E-2
31	Gallium-72	D, see ^{65}Ga W, see ^{65}Ga	1E+3	4E+3	1E-6	5E-9	2E-5	-	2E-4
31	Gallium-73	D, see ^{65}Ga W, see ^{65}Ga	5E+3	2E+4	6E-6	2E-8	7E-5	-	7E-4
32	Germanium-66	D, all compounds except those given for W W, oxides, sulfides, and halides	2E+4	3E+4	1E-5	4E-8	3E-4	-	3E-3
32	Germanium-67 ²	D, see ^{66}Ge W, see ^{66}Ge	3E+4 (4E+4) St. wall	9E+4 - 1E+5	4E-5 - 4E-5	1E-7 - 1E-7	-	-	-
32	Germanium-68	D, see ^{66}Ge W, see ^{66}Ge	5E+3	4E+3	2E-6	5E-9	6E-5	-	6E-4
32	Germanium-69	D, see ^{66}Ge W, see ^{66}Ge	1E+4	2E+4	6E-6	2E-8	2E-4	-	2E-3
32	Germanium-71	D, see ^{66}Ge W, see ^{66}Ge	5E+5	4E+5	2E-4	6E-7	7E-3	-	7E-2
32	Germanium-75 ²	D, see ^{66}Ge W, see ^{66}Ge	4E+4 (7E+4) St. wall	8E+4 - 8E+4	3E-5 - 4E-5	1E-7 - 1E-7	-	-	9E-3
32	Germanium-77	D, see ^{66}Ge W, see ^{66}Ge	9E+3	1E+4	4E-6	1E-8	1E-4	-	1E-3
32	Germanium-78 ²	D, see ^{66}Ge W, see ^{66}Ge	2E+4 (2E+4) St. wall	2E+4 - 2E+4	9E-6 - 9E-6	3E-8 - 3E-8	-	-	3E-3

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
33	Arsenic-69 ²	W, all compounds	3E+4 St. wall (4E+4)	1E+5	5E-5	2E-7	-	-	-
33	Arsenic-70 ²	W, all compounds	1E+4	5E+4	2E-5	7E-8	2E-4	2E-3	
33	Arsenic-71	W, all compounds	4E+3	5E+3	2E-6	6E-9	5E-5	5E-4	
33	Arsenic-72	W, all compounds	9E+2	1E+3	6E-7	2E-9	1E-5	1E-4	
33	Arsenic-73	W, all compounds	8E+3	2E+3	7E-7	2E-9	1E-4	1E-3	
33	Arsenic-74	W, all compounds	1E+3	8E+2	3E-7	1E-9	2E-5	2E-4	
33	Arsenic-76	W, all compounds	1E+3	1E+3	6E-7	2E-9	1E-5	1E-4	
33	Arsenic-77	W, all compounds	4E+3 Lil. wall (5E+3)	5E+3	2E-6	7E-9	-	-	
33	Arsenic-78 ²	W, all compounds	8E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
34	Selenium-70 ²	D, all compounds except those given for W	2E+4	4E+4	2E-5	5E-8	1E-4	1E-3	
		W, oxides, hydroxides, carbides, and elemental Se	1E+4-	4E+4	2E-5	6E-8	-	-	
34	Selenium-73m ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	6E+4	2E+5	6E-5	2E-7	4E-4	4E-3	
34	Selenium-73	D, see ⁷⁰ Se W, see ⁷⁰ Se	3E+4	1E+5	6E-5	2E-7	-	-	
34	Selenium-75	D, see ⁷⁰ Se W, see ⁷⁰ Se	3E+3	1E+4	5E-6	2E-8	4E-5	4E-4	
34	Selenium-79	D, see ⁷⁰ Se W, see ⁷⁰ Se	5E+2	7E+2	3E-7	1E-9	7E-6	7E-5	
34	Selenium-81 ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	6E+2	6E+2	3E-7	6E-10	-	-	
34	Selenium-81m ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	4E+4	7E+4	3E-5	9E-8	3E-4	3E-3	
34	Selenium-81 ²	D, see ⁷⁰ Se	2E+4	7E+4	3E-5	1E-7	-	-	
34	Selenium-83 ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	6E+4 St. wall (8E+4)	2E+5	9E-5	3E-7	-	-	
34	Selenium-83 ²	W, see ⁷⁰ Se	-	2E+5	1E-4	3E-7	1E-3	1E-2	
34	Selenium-83 ²	D, see ⁷⁰ Se W, see ⁷⁰ Se	4E+4	1E+5	5E-5	2E-7	4E-4	4E-3	
34	Selenium-83 ²	W, see ⁷⁰ Se	3E+4	1E+5	5E-5	2E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				ACT (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
35	Bromine-74 ²	D, bromides of H, Li, Na, K, Rb, Cs, and Fr W, bromides of lanthanides, Be, Mg, Ca, Sr, Ba, Ra, Al, Ga, In, Tl, Ge, Sn, Pb, As, Sb, Bi, Fe, Ru, Os, Co, Rh, Ir, Ni, Pd, Pt, Cu, Ag, Au, Zn, Cd, Hg, Sc, Y, Ti, Zr, Hf, V, Nb, Ta, Mn, Tc, and Re	1E+4 St. wall (2E+4)	4E+4	2E-5	5E-8	-	-	-
35	Bromine-74 ²	D, see ^{74m} Br W, see ^{74m} Br	2E+4 St. wall (4E+4)	7E+4	3E-5	1E-7	-	-	-
35	Bromine-75 ²	D, see ^{74m} Br W, see ^{74m} Br	3E+4 St. wall (4E+4)	5E+4	2E-5	7E-8	-	-	-
35	Bromine-76	D, see ^{74m} Br W, see ^{74m} Br	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	-
35	Bromine-77	D, see ^{74m} Br W, see ^{74m} Br	2E+4	2E+4	1E-5	3E-8	2E-4	2E-3	-
35	Bromine-80m	D, see ^{74m} Br W, see ^{74m} Br	2E+4	2E+4	7E-6	2E-8	3E-4	3E-3	-
35	Bromine-80 ²	D, see ^{74m} Br W, see ^{74m} Br	5E+4 St. wall (9E+4)	2E+5	8E-5	3E-7	-	-	-
35	Bromine-82	D, see ^{74m} Br W, see ^{74m} Br	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	-
35	Bromine-83	D, see ^{74m} Br W, see ^{74m} Br	5E+4 St. wall (7E+4)	6E+4	3E-5	9E-8	-	-	-
35	Bromine-84 ²	D, see ^{74m} Br W, see ^{74m} Br	2E+4 St. wall (3E+4)	6E+4	2E-5	8E-8	-	-	-
36	Krypton-74 ²	Submersion ¹	-	-	3E-6	1E-8	-	-	-
36	Krypton-76	Submersion ¹	-	-	9E-6	4E-8	-	-	-
36	Krypton-77 ²	Submersion ¹	-	-	4E-6	2E-8	-	-	-
36	Krypton-79	Submersion ¹	-	-	2E-5	7E-8	-	-	-
36	Krypton-81	Submersion ¹	-	-	7E-4	3E-6	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Oral Ingestion		Inhalation	Col. 1 Air (μCi)	Col. 2 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)						
36	Krypton-83 ²	Submersion ¹	-	-	1E-2	5E-5	-	-	-	
36	Krypton-85m	Submersion ¹	-	-	2E-5	1E-7	-	-	-	
36	Krypton-85	Submersion ¹	-	-	1E-4	7E-7	-	-	-	
36	Krypton-87 ²	Submersion ¹	-	-	5E-6	2E-8	-	-	-	
36	Krypton-88	Submersion ¹	-	-	2E-6	9E-9	-	-	-	
37	Rubidium-79 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	5E-5	2E-7	-	-	-	
37	Rubidium-81 ²	D, all compounds	2E+5 St. wall (3E+5)	3E+5	1E-4	5E-7	-	-	-	
37	Rubidium-81	D, all compounds	4E+4	5E+4	2E-5	7E-8	5E-4	5E-3		
37	Rubidium-82m	D, all compounds	1E+6	2E+4	7E-6	2E-8	2E-4	2E-3		
37	Rubidium-83	D, all compounds	6E+2	1E+3	4E-7	1E-9	9E-6	9E-5		
37	Rubidium-84	D, all compounds	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5		
37	Rubidium-86	D, all compounds	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5		
37	Rubidium-87	D, all compounds	1E+3	2E+3	6E-7	2E-9	1E-5	1E-4		
37	Rubidium-88 ²	D, all compounds	2E+4 St. wall (3E+4)	6E+4	3E-5	9E-8	-	-		
37	Rubidium-89 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	6E-5	2E-7	-	-		
38	Strontrium-80 ²	D, all soluble compounds except SrTiO ₃ , Y, all insoluble compounds and SrTiO ₃	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4		
38	Strontrium-81 ²	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+4 2E+4	8E+4 8E+4	3E-5 3E-5	1E-7 1E-7	3E-4 -	3E-3		
38	Strontrium-82	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+2 (2E+2)	4E+2	2E-7	6E-10	-	-		
38	Strontrium-83	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+3 2E+3	7E+3 4E+3	3E-6 1E-6	1E-8 5E-9	3E-5 -	3E-4		
38	Strontrium-85 ²	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	2E+5	6E+5 8E+5	3E-4 4E-4	9E-7 1E-6	3E-3 -	3E-2		
38	Strontrium-85	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	3E+3	3E+3 2E+3	1E-6 6E-7	4E-9 2E-9	4E-5 -	4E-4		
38	Strontrium-87m	D, see ⁸⁰ Sr Y, see ⁸⁰ Sr	5E+4 4E+4	1E+5 2E+5	5E-5 6E-5	2E-7 2E-7	6E-4 -	6E-3		

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			LILI wall ($6E+2$)	SE+2	1E+2	6E-8	2E-10	8E-6	8E-5
38	Strontium-89	D, see ^{80}Sr	6E+2 LILI wall ($6E+2$)	8E+2	4E-7	1E-9	-	-	-
		Y, see ^{80}Sr	SE+2 5E+2	1E+2	6E-8	2E-10	-	8E-6	8E-5
38	Strontium-90	D, see ^{80}Sr	3E+1 Bone surf ($4E+1$)	2E+1 Bone surf ($2E+1$)	8E-9	-	-	-	-
		Y, see ^{80}Sr	- 4E+0	2E-9	6E-12	3E-11	5E-7	5E-6	-
38	Strontium-91	D, see ^{80}Sr	2E+3	6E+3	2E-6	8E-9	2E-5	2E-4	-
38	Strontium-92	D, see ^{80}Sr	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4	-
38	Strontium-92	Y, see ^{80}Sr	- 7E+3	3E-6	9E-9	-	-	-	-
39	Yttrium-86 ²	W, all compounds except those given for Y	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	-
		Y, oxides and hydroxides	-	5E+4	2E-5	8E-8	-	-	-
39	Yttrium-86	W, see ^{86}Y	1E+3	3E+3	1E-6	5E-9	2E-5	2E-4	-
39	Yttrium-87	W, see ^{86}Y	2E+3	3E+3	1E-6	5E-9	3E-5	3E-4	-
39	Yttrium-88	W, see ^{86}Y	1E+3	3E+2	1E-7	3E-10	1E-5	1E-4	-
39	Yttrium-90 ²	W, see ^{86}Y	8E+3	1E+4	5E-6	2E-8	1E-4	1E-3	-
39	Yttrium-90 ²	Y, see ^{86}Y	1E+4	1E+4	5E-6	2E-8	-	-	-
39	Yttrium-90	W, see ^{86}Y	4E+2 LILI wall ($5E+2$)	7E+2	3E-7	9E-10	-	-	-
		Y, see ^{86}Y	- 6E+2	6E+2	3E-7	9E-10	7E-6	7E-5	-
39	Yttrium-91 ²	W, see ^{86}Y	1E+5	2E+5	1E-4	3E-7	2E-3	2E-2	-
39	Yttrium-91	W, see ^{86}Y	5E+2 LILI wall ($6E+2$)	2E+2	7E-8	2E-10	-	-	-
		Y, see ^{86}Y	- 1E+2	1E+2	5E-8	2E-10	8E-6	8E-5	-
39	Yttrium-92	W, see ^{86}Y	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4	-
39	Yttrium-93	W, see ^{86}Y	1E+3	3E+3	1E-6	4E-9	2E-5	2E-4	-
39	Yttrium-94 ²	W, see ^{86}Y	2E+4 St. wall ($3E+4$)	8E+4	3E-5	1E-7	-	-	-
39	Yttrium-94 ²	Y, see ^{86}Y	- 8E+4	8E+4	3E-5	1E-7	4E-4	4E-3	-
39	Yttrium-95 ²	W, see ^{86}Y	4E+4 St. wall ($5E+4$)	2E+5	6E-5	2E-7	-	-	-
		Y, see ^{86}Y	- 1E+5	1E+5	6E-5	2E-7	7E-4	7E-3	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Inhalation		Col. 1 Oral Ingestion (μCi)	Col. 2 ALT (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{ml}$)	Col. 1 Air ($\mu\text{Ci}/\text{ml}$)	Col. 2 Water ($\mu\text{Ci}/\text{ml}$)	Col. 3 Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)
			Alt	DAC						
40	Zirconium-86	D, all compounds except those given for W and Y	1E+3	4E+3	2E-6	6E-9	2E-5	2E-4		
		W, oxides, hydroxides, halides, and nitrates	-	3E+3	1E-6	4E-9	-	-		
		Y, carbide	-	2E+3	1E-6	3E-9	-	-		
40	Zirconium-88	D, see ^{86}Zr	4E+3	2E+2	9E-8	3E-10	5E-5	5E-4		
		W, see ^{86}Zr	-	5E+2	2E-7	7E-10	-	-		
		Y, see ^{86}Zr	-	3E+2	1E-7	4E-10	-	-		
40	Zirconium-89	D, see ^{86}Zr	2E+3	4E+3	1E-6	5E-9	2E-5	2E-4		
		W, see ^{86}Zr	-	2E+3	1E-6	3E-9	-	-		
		Y, see ^{86}Zr	-	2E+3	1E-6	3E-9	-	-		
40	Zirconium-93	D, see ^{86}Zr	1E+3	6E+0 Bone surf (3E+3)	3E-9	-	-	-		
		W, see ^{86}Zr	-	(2E+1) 2E+1	-	2E-11	4E-5	4E-4		
			-	1E-8	-	-	-	-		
		Y, see ^{86}Zr	-	(6E+1) 6E+1	-	9E-11	-	-		
			-	2E-8	-	-	-	-		
			-	(7E+1)	-	9E-11	-	-		
40	Zirconium-95	D, see ^{86}Zr	1E+3	1E+2 Bone surf (3E+2)	5E-8	-	2E-5	2E-4		
		W, see ^{86}Zr	-	4E+2	2E-7	5E-10	-	-		
		Y, see ^{86}Zr	-	3E+2	1E-7	4E-10	-	-		
40	Zirconium-97	D, see ^{86}Zr	5E+2	2E+3	8E-7	3E-9	9E-6	9E-5		
		W, see ^{86}Zr	-	1E+3	6E-7	2E-9	-	-		
		Y, see ^{86}Zr	-	1E+3	5E-7	2E-9	-	-		
41	Niobium-88 ²	W, all compounds except those given for Y	5E+4 St. wall (7E+4)	2E+5	9E-5	3E-7	-	-		
		Y, oxides and hydroxides	-	2E+5	9E-5	3E-7	1E-3	1E-2		
41	Niobium-89 ² (66 min)	W, see ^{88}Nb	1E+4	4E+4	2E-5	6E-8	1E-4	1E-3		
		Y, see ^{88}Nb	-	4E+4	2E-5	5E-8	-	-		
41	Niobium-89 (122 min)	W, see ^{88}Nb	5E+3	2E+4	8E-6	3E-8	7E-5	7E-4		
		Y, see ^{88}Nb	-	2E+4	6E-6	2E-8	-	-		
41	Niobium-90	W, see ^{88}Nb	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4		
		Y, see ^{88}Nb	-	2E+3	1E-6	3E-9	-	-		
41	Niobium-93m	W, see ^{88}Nb	9E+3 L1 wall (1E+4)	2E+3	8E-7	3E-9	-	-		
		Y, see ^{88}Nb	-	2E+2	7E-8	2E-10	2E-4	2E-3		
41	Niobium-94	W, see ^{88}Nb	9E+2	2E+2	8E-8	3E-10	1E-5	1E-4		
		Y, see ^{88}Nb	-	2E+1	6E-9	2E-11	-	-		
41	Niobium-95m	W, see ^{88}Nb	2E+3 L1 wall (2E+3)	3E+3	1E-6	4E-9	-	-		
		Y, see ^{88}Nb	-	2E+3	9E-7	3E-9	3E-5	3E-4		

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
41	Niobium-95	W, see ^{88}Nb Y, see ^{88}Nb	2E+3	1E+3 1E+3	5E-7 5E-7	2E-9 2E-9	3E-5	3E-4	-
41	Niobium-96	W, see ^{88}Nb Y, see ^{88}Nb	1E+3	3E+3 2E+3	1E-6 1E-6	4E-9 3E-9	2E-5	2E-4	-
41	Niobium-97 ²	W, see ^{88}Nb Y, see ^{88}Nb	2E+4	8E+4 7E+4	3E-5 3E-5	1E-7 1E-7	3E-4	3E-3	-
41	Niobium-98 ²	W, see ^{88}Nb Y, see ^{88}Nb	1E+4	5E+4 5E+4	2E-5 2E-5	8E-8 7E-8	2E-4	2E-3	-
42	Molybdenum-90	D, all compounds except those given for Y	4E+3	7E+3	3E-6	1E-8	3E-5	3E-4	-
		Y, oxides, hydroxides, and MoS_2	2E+3	5E+3	2E-6	6E-9	-	-	-
42	Molybdenum-93m	D, see ^{90}Mo Y, see ^{90}Mo	9E+3 4E+3	2E+4 1E+4	7E-6 6E-6	2E-8 2E-8	6E-5	6E-4	-
42	Molybdenum-93	D, see ^{90}Mo Y, see ^{90}Mo	4E+3 2E+4	5E+3 2E+2	2E-6 8E-8	8E-9 2E-10	5E-5	5E-4	-
42	Molybdenum-99	D, see ^{90}Mo	2E+3 (1E+3) 1E+3	3E+3 1E+3	1E-6 6E-7	4E-9 2E-9	-	-	-
42	Molybdenum-101 ²	D, see ^{90}Mo Y, see ^{90}Mo	4E+4 -	1E+5 (5E+4)	6E-5 1E+5	2E-7 6E-5	-	-	-
43	Technetium-93m ²	D, all compounds except those given for W	7E+4	2E+5	6E-5	2E-7	1E-3	1E-2	-
		W, oxides, hydroxides, halides, and nitrates	-	3E+5	1E-4	4E-7	-	-	-
43	Technetium-93	D, see ^{93m}Tc W, see ^{93m}Tc	3E+4	7E+4 1E+5	3E-5 4E-5	1E-7 1E-7	4E-4	4E-3	-
43	Technetium-94m ²	D, see ^{93m}Tc W, see ^{93m}Tc	2E+4	4E+4 6E+4	2E-5 2E-5	6E-8 8E-8	3E-4	3E-3	-
43	Technetium-94	D, see ^{93m}Tc W, see ^{93m}Tc	9E+3	2E+4 2E+4	8E-6 1E-5	3E-8 3E-8	1E-4	1E-3	-
43	Technetium-95m	D, see ^{93m}Tc W, see ^{93m}Tc	4E+3	5E+3 2E+3	2E-6 8E-7	8E-9 3E-9	5E-5	5E-4	-
43	Technetium-95	D, see ^{93m}Tc W, see ^{93m}Tc	1E+4	2E+4 2E+4	9E-6 8E-6	3E-8 3E-8	1E-4	1E-3	-
43	Technetium-96m ²	D, see ^{93m}Tc W, see ^{93m}Tc	2E+5	3E+5 2E+5	1E-4 1E-4	4E-7 3E-7	2E-3	2E-2	-
43	Technetium-96	D, see ^{93m}Tc W, see ^{93m}Tc	2E+3	3E+3 2E+3	1E-6 9E-7	5E-9 3E-9	3E-5	3E-4	-
43	Technetium-97m	D, see ^{93m}Tc W, see ^{93m}Tc	5E+3	7E+3 (7E+3)	3E-6 -	-	6E-5	6E-4	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
43	Technetium-97	D, see ^{93m}Tc W, see ^{93m}Tc	4E+4 -	5E+4 6E+3	2E-5 2E-6	7E-8 8E-9	5E-4 -	5E-3 -	
43	Technetium-98	D, see ^{93m}Tc W, see ^{93m}Tc	1E+3 -	2E+3 3E+2	7E-7 1E-7	2E-9 4E-10	1E-5 -	1E-4 -	
43	Technetium-99m	D, see ^{93m}Tc W, see ^{93m}Tc	8E+4 -	2E+5 2E+5	6E-5 1E-4	2E-7 3E-7	1E-3 -	1E-2 -	
43	Technetium-99	D, see ^{93m}Tc W, see ^{93m}Tc	4E+3 - -	5E+3 (6E+3) 7E+2	2E-6 - 3E-7	- 8E-9 9E-10	6E-5 -	6E-4 -	
43	Technetium-101 ²	D, see ^{93m}Tc W, see ^{93m}Tc	9E+4 (1E+5) -	3E+5 4E+5	1E-4 2E-4	5E-7 5E-7	- 2E-3	- 2E-2	
43	Technetium-104 ²	D, see ^{93m}Tc W, see ^{93m}Tc	2E+4 (3E+4) -	7E+6 9E+4	3E-5 4E-5	1E-7 1E-7	- 4E-4	- 4E-3	
44	Ruthenium-94 ²	D, all compounds except those given for W and Y W, halides Y, oxides and hydroxides	2E+4 - -	4E+4 6E+4 6E+4	2E-5 3E-5 2E-5	6E-8 9E-8 8E-8	2E-4 -	2E-3 -	
44	Ruthenium-97	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	8E+3 - -	2E+4 1E+4 1E+4	8E-6 5E-6 5E-6	3E-8 2E-8 2E-8	1E-4 -	1E-3 -	
44	Ruthenium-103	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	2E+3 - -	2E+3 1E+3 6E+2	7E-7 4E-7 3E-7	2E-9 1E-9 9E-10	3E-5 -	3E-4 -	
44	Ruthenium-105	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	5E+3 - -	1E+4 1E+4 1E+4	6E-6 6E-6 5E-6	2E-8 2E-8 2E-8	7E-5 -	7E-4 -	
44	Ruthenium-106	D, see ^{94}Ru W, see ^{94}Ru Y, see ^{94}Ru	2E+2 (2E+2) -	9E+1 - 5E+1	4E-8 - 2E-8	1E-10 - 8E-11	- 3E-6 -	- 3E-5 -	
45	Rhodium-95 ⁺	D, all compounds except those given for W and Y W, halides Y, oxides and hydroxides	2E+4 - -	6E+4 8E+4 7E+4	2E-5 3E-5 3E-5	8E-8 1E-7 9E-8	2E-4 -	2E-3 -	
45	Rhodium-99	D, see ^{99m}Rh W, see ^{99m}Rh Y, see ^{99m}Rh	2E+3 - -	3E+3 2E+3 2E+3	1E-6 9E-7 8E-7	4E-9 3E-9 3E-9	3E-5 -	3E-4 -	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation			Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	AIR ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
45	Rhodium-100	D, see $^{99}\text{m}\text{Rh}$	2E+3	5E+3	2E-6	7E-9	2E-5	2E-4	-
		W, see $^{99}\text{m}\text{Rh}$	-	4E+3	2E-6	6E-9	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	4E+3	2E-6	5E-9	-	-	-
45	Rhodium-101 $^\infty$	D, see $^{99}\text{m}\text{Rh}$	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4	-
		W, see $^{99}\text{m}\text{Rh}$	-	8E+3	4E-6	1E-8	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	8E+3	3E-6	1E-8	-	-	-
45	Rhodium-101	D, see $^{99}\text{m}\text{Rh}$	2E+3	5E+2	2E-7	7E-10	3E-5	3E-4	-
		W, see $^{99}\text{m}\text{Rh}$	-	8E+2	3E-7	1E-9	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	2E+2	6E-8	2E-10	-	-	-
45	Rhodium-102 $^\infty$	D, see $^{99}\text{m}\text{Rh}$	1E+3 LLI wall (3E+3)	5E+2	2E-7	7E-10	-	-	-
		W, see $^{99}\text{m}\text{Rh}$	-	-	-	-	2E-5	2E-4	-
		Y, see $^{99}\text{m}\text{Rh}$	-	4E+2	2E-7	5E-10	-	-	-
45	Rhodium-102	D, see $^{99}\text{m}\text{Rh}$	6E+2	9E+1	4E-8	1E-10	8E-6	8E-5	-
		W, see $^{99}\text{m}\text{Rh}$	-	2E+2	7E-9	2E-10	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	6E+1	2E-8	8E-11	-	-	-
45	Rhodium-103 $^\infty$ ²	D, see $^{99}\text{m}\text{Rh}$	4E+5	1E+6	5E-4	2E-6	6E-3	6E-2	-
		W, see $^{99}\text{m}\text{Rh}$	-	1E+6	5E-4	2E-6	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	1E+6	5E-4	2E-6	-	-	-
45	Rhodium-105	D, see $^{99}\text{m}\text{Rh}$	4E+3 LLI wall (4E+3)	1E+4	5E-6	2E-8	-	-	-
		W, see $^{99}\text{m}\text{Rh}$	-	-	-	-	5E-5	5E-4	-
		Y, see $^{99}\text{m}\text{Rh}$	-	6E+3	3E-6	9E-9	-	-	-
45	Rhodium-105 $^\infty$	D, see $^{99}\text{m}\text{Rh}$	8E+3	3E+4	1E-5	4E-8	1E-4	1E-3	-
		W, see $^{99}\text{m}\text{Rh}$	-	4E+4	2E-5	5E-8	-	-	-
		Y, see $^{99}\text{m}\text{Rh}$	-	4E+4	1E-5	9E-8	-	-	-
45	Rhodium-107 $^\infty$ ²	D, see $^{99}\text{m}\text{Rh}$	2E+4 St. wall (9E+4)	2E+5	1E-4	3E-7	-	-	-
		W, see $^{99}\text{m}\text{Rh}$	-	-	-	-	1E-3	1E-2	-
		Y, see $^{99}\text{m}\text{Rh}$	-	3E+5	1E-4	4E-7	-	-	-
46	Palladium-100	D, all compounds except those given for W and Y	1E+3	1E+3	6E-7	2E-9	2E-5	2E-4	-
		W, nitrates	-	1E+3	5E-7	2E-9	-	-	-
		Y, oxides and hydroxides	-	1E+3	6E-7	2E-9	-	-	-
46	Palladium-101	D, see ^{100}Pd	1E+4	3E+4	1E-5	5E-8	2E-4	2E-3	-
		W, see ^{100}Pd	-	3E+4	2E-5	9E-8	-	-	-
		Y, see ^{100}Pd	-	3E+4	1E-5	4E-8	-	-	-
46	Palladium-103	D, see ^{100}Pd	6E+3 LLI wall (7E+3)	6E+3	3E-6	9E-9	-	-	-
		W, see ^{100}Pd	-	-	-	-	1E-4	1E-3	-
		Y, see ^{100}Pd	-	4E+3	2E-6	6E-9	-	-	-
46	Palladium-107	D, see ^{100}Pd	3E+4 LLI wall (4E+4)	2E+4 (2E+4)	9E-6	-	-	-	-
		W, see ^{100}Pd	-	7E+3	3E-6	1E-8	5E-4	5E-3	-
		Y, see ^{100}Pd	-	4E+2	2E-7	6E-10	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration	
			AI (μCi)	ALT ($\mu\text{Ci}/\text{ml}$)	DAC ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)	($\mu\text{Ci}/\text{ml}$)	
46	Palladium-109	D, see ^{100}Pd W, see ^{102}Pd Y, see ^{100}Pd	2E+3 - -	6E+3 5E+3 5E+3	3E-6 2E-6 2E-6	9E-9 8E-9 6E-9	3E-5 - -	3E-4 - -	
47	Silver-102 ²	D, all compounds except those given for W and Y	5E+4 St. wall (6E+4)	2E+5 - -	8E-5 - -	2E-7 - -	- 9E-4 9E-3	- - -	
		W, nitrates and sulfides	-	2E+5	9E-5	3E-7	-	-	
		Y, oxides and hydroxides	-	2E+5	8E-5	3E-7	-	-	
47	Silver-103 ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	4E+4 - -	1E+5 1E+5 1E+5	4E-5 5E-5 5E-5	1E-7 2E-7 2E-7	5E-4 - -	5E-3 - -	
47	Silver-104m ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+4 - -	9E+4 1E+5 1E+5	4E-5 5E-5 5E-5	1E-7 2E-7 2E-7	4E-4 - -	4E-3 - -	
47	Silver-104 ²	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	2E+4 - -	7E+4 1E+5 1E+5	3E-5 6E-5 6E-5	1E-7 2E-7 2E-7	3E-4 - -	3E-3 - -	
47	Silver-105	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+3 - -	1E+3 2E+3 2E+3	4E-7 7E-7 7E-7	1E-9 2E-9 2E-9	4E-5 - -	4E-4 - -	
47	Silver-106m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	8E+2 - -	7E+2 9E+2 9E+2	3E-7 4E-7 4E-7	1E-9 1E-9 1E-9	1E-5 - -	1E-4 - -	
47	Silver-106 ²	D, see ^{102}Ag	6E+4 St. wall (6E+4)	2E+5 - -	8E-5 - -	3E-7 - -	- 9E-4 9E-3	- - -	
		W, see ^{102}Ag Y, see ^{102}Ag	- -	2E+5 2E+5	9E-5 8E-5	3E-7 3E-7	- -	- -	
47	Silver-108m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	6E+2 - -	2E+2 3E+2 2E+1	8E-8 1E-7 1E-8	3E-10 4E-10 3E-11	9E-6 - -	9E-5 - -	
47	Silver-110m	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	5E+2 - -	1E+2 2E+2 9E+1	5E-8 8E-8 4E-8	2E-10 3E-10 1E-10	6E-6 - -	6E-5 - -	
47	Silver-111	D, see ^{102}Ag	9E+2 L1 wall (1E+3)	2E+3 (2E+3)	6E-7 -	- 2E-9	- 2E-5	- 2E-4	
		W, see ^{102}Ag Y, see ^{102}Ag	- -	9E+2 9E+2	4E-7 4E-7	1E-9 1E-9	- -	- -	
47	Silver-112	D, see ^{102}Ag W, see ^{102}Ag Y, see ^{102}Ag	3E+3 - -	8E+3 1E+4 9E+3	3E-6 4E-6 4E-6	1E-8 1E-8 1E-8	4E-5 - -	4E-4 - -	

Atomic No.	Radionuclide	Class	Table 2 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALT (μCi)		Col. 3 Inhalation ALT (μCi)	BPC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			St. wall ($3E+4$)	-	-	-	-	-	
47	Silver-115 ²	D, see ¹⁰² Ag	3E+4 W, see ¹⁰² Ag	9E+4 Y, see ¹⁰² Ag	4E-5	1E-7	-	-	-
			($3E+4$)	-	-	-	4E-4	4E-3	
			-	9E+4 BE+4	4E-5 3E-5	1E-7 1E-7	-	-	
48	Cadmium-104 ²	D, all compounds except those given for W and Y	2E+4	7E+4	3E-5	9E-8	3E-4	3E-3	
		W, sulfides, halides, and nitrates	-	1E+5	5E-5	2E-7	-	-	
		Y, oxides and hydroxides	-	1E+5	5E-5	2E-7	-	-	
48	Cadmium-107	D, see ¹⁰⁴ Cd	2E+4	9E+4	2E-5	8E-8	3E-4	3E-3	
		W, see ¹⁰⁴ Cd	-	8E+4	2E-5	8E-8	-	-	
		Y, see ¹⁰⁴ Cd	-	5E+4	2E-5	7E-8	-	-	
48	Cadmium-109	D, see ¹⁰⁴ Cd	3E+2 Kidneys ($4E+2$)	4E+3 ($5E+1$)	1E-8	-	-	-	-
		W, see ¹⁰⁴ Cd	-	1E+2 5E+0	5E-6	7E-11	6E-6	6E-5	
		Y, see ¹⁰⁴ Cd	-	($1E+2$) 1E+2	5E-8 5E-8	2E-10 2E-10	-	-	
48	Cadmium-113m	D, see ¹⁰⁴ Cd	2E+1 Kidneys ($4E+1$)	2E+0 ($5E+0$)	2E-9	-	-	-	-
		W, see ¹⁰⁴ Cd	-	8E+0 8E+0	4E-9	5E-12	5E-7	5E-6	
		Y, see ¹⁰⁴ Cd	-	($1E+1$) 1E+1	5E-9 5E-9	2E-11 2E-11	-	-	
48	Cadmium-113	D, see ¹⁰⁴ Cd	2E+1 Kidneys ($4E+1$)	2E+0 ($5E+0$)	9E-10	-	-	-	-
		W, see ¹⁰⁴ Cd	-	8E+0 8E+0	3E-9	5E-12	4E-7	4E-6	
		Y, see ¹⁰⁴ Cd	-	($1E+1$) 1E+1	6E-9 6E-9	2E-11 2E-11	-	-	
48	Cadmium-115m	D, see ¹⁰⁴ Cd	3E+2	5E+1 Kidneys ($8E+1$)	2E-8	-	4E-6	4E-5	
		W, see ¹⁰⁴ Cd	-	1E+2 1E+2	5E-8	1E-10	-	-	
		Y, see ¹⁰⁴ Cd	-	1E+2 1E+2	6E-8 6E-8	2E-10 2E-10	-	-	
48	Cadmium-115	D, see ¹⁰⁴ Cd	9E+2 LII wall ($1E+3$)	1E+3	6E-7	2E-9	-	-	
		W, see ¹⁰⁴ Cd	-	1E+3	-	-	1E-5	1E-4	
		Y, see ¹⁰⁴ Cd	-	1E+3	5E-7 6E-7	2E-9 2E-9	-	-	
48	Cadmium-117m	D, see ¹⁰⁴ Cd	5E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
		W, see ¹⁰⁴ Cd	-	2E+4	7E-6	2E-8	-	-	
		Y, see ¹⁰⁴ Cd	-	1E+4	6E-6	2E-8	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 2 Inhalation	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			Alt (μCi)	Alt (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
48	Cadmium-117	D, see ^{104}Cd W, see ^{104}Cd Y, see ^{104}Cd	5E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
			-	2E+4	7E-6	2E-8	-	-	
			-	1E+4	6E-6	2E-8	-	-	
49	Indium-109	D, all compounds except those given for W W, oxides, hydroxides, halides, and nitrates	2E+4	4E+4	2E-5	6E-8	3E-4	3E-3	
			-	6E+4	3E-5	9E-8	-	-	
49	Indium-110 ² (69.1 min)	D, see ^{109}In W, see ^{109}In	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
49	Indium-110 (4.9 h)	D, see ^{109}In W, see ^{109}In	5E+3	2E+4	7E-6	2E-8	7E-5	7E-4	
49	Indium-111	D, see ^{109}In W, see ^{109}In	4E+3	6E+3	3E-6	9E-9	6E-5	6E-4	
49	Indium-112 ²	D, see ^{109}In W, see ^{109}In	2E+5	6E+5	3E-4	9E-7	2E-3	2E-2	
49	Indium-113m ²	D, see ^{109}In W, see ^{109}In	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
49	Indium-114m	D, see ^{109}In W, see ^{109}In	3E+2 (4E+2) LLI wall	6E+1	3E-8	9E-11	-	-	
			-	-	-	-	5E-6	5E-5	
49	Indium-115m	D, see ^{109}In W, see ^{109}In	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
49	Indium-115	D, see ^{109}In W, see ^{109}In	4E+1	1E+0	6E-10	2E-12	5E-7	5E-6	
49	Indium-116m ²	D, see ^{109}In W, see ^{109}In	2E+4	8E+4	3E-5	1E-7	3E-4	3E-3	
49	Indium-117m ²	D, see ^{109}In W, see ^{109}In	3E+4	3E+4	1E-5	5E-8	2E-4	2E-3	
49	Indium-117 ²	D, see ^{109}In W, see ^{109}In	6E+4	2E+5	7E-5	2E-7	8E-4	8E-3	
49	Indium-119m ²	D, see ^{109}In W, see ^{109}In	4E+4 (5E+4) St. wall	1E+5	5E-5	2E-7	-	-	
			-	1E+5	6E-5	2E-7	7E-4	7E-3	
50	Tin-110	D, all compounds except those given for W W, sulfides, oxides, hydroxides, halides, nitrates, and stannic phosphate	4E+3	1E+4	5E-6	2E-8	5E-5	5E-4	
			-	1E+4	5E-6	2E-8	-	-	
50	Tin-111 ²	D, see ^{110}Sn W, see ^{110}Sn	7E+4	2E+5	9E-5	3E-7	1E-3	1E-2	
			-	3E+5	1E-4	4E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			LLI wall ($2E+3$)	-	1E+3	5E-7	2E-9	-	
50	Tin-113	D, see ^{110}Sn	2E+3 LLI wall ($2E+3$)	-	1E+3	5E-7	2E-9	-	-
		W, see ^{110}Sn	-	5E+2	2E-7	8E-10	3E-5	3E-4	-
50	Tin-117m	D, see ^{110}Sn	2E+3 LLI wall ($2E+3$)	1E+3 Bone surf ($2E+3$)	5E-7	-	-	-	-
		W, see ^{110}Sn	-	1E+3	6E-7	3E-9 2E-9	3E-5	3E-4	-
50	Tin-119m	D, see ^{110}Sn	3E+3 LLI wall ($4E+3$)	2E+3	1E-6	3E-9	-	-	-
		W, see ^{110}Sn	-	1E+3	4E-7	1E-9	6E-5	6E-4	-
50	Tin-121m	D, see ^{110}Sn	3E+3 LLI wall ($4E+3$)	9E+2	4E-7	1E-9	-	-	-
		W, see ^{110}Sn	-	5E+2	2E-7	8E-10	5E-5	5E-4	-
50	Tin-121	D, see ^{110}Sn	6E+3 LLI wall ($6E+3$)	2E+4	6E-6	2E-8	-	-	-
		W, see ^{110}Sn	-	1E+4	5E-6	2E-8	8E-5	8E-4	-
50	Tin-123m ²	D, see ^{110}Sn	5E+4	1E+5	5E-5 1E+5	2E-7 2E-7	7E-4	7E-3	-
		W, see ^{110}Sn	-	-	-	-	-	-	-
50	Tin-123	D, see ^{110}Sn	5E+2 LLI wall ($6E+2$)	6E+2	3E-7	9E-10	-	-	-
		W, see ^{110}Sn	-	2E+2	7E-8	2E-10	9E-6	9E-5	-
50	Tin-125	D, see ^{110}Sn	4E+2 LLI wall ($5E+2$)	9E+2	4E-7	1E-9	-	-	-
		W, see ^{110}Sn	-	4E+2	1E-7	5E-10	6E-6	6E-5	-
50	Tin-126	D, see ^{110}Sn	3E+2	6E+1 7E+1	2E-8 3E-8	8E-11 9E-11	4E-6	4E-5	-
		W, see ^{110}Sn	-	-	-	-	-	-	-
50	Tin-127	D, see ^{110}Sn	7E+3	2E+4 2E+4	8E-6 8E-6	3E-8 3E-8	9E-5	9E-4	-
		W, see ^{110}Sn	-	-	-	-	-	-	-
50	Tin-128 ²	D, see ^{110}Sn	9E+3	3E+4 4E+4	1E-5 1E-5	4E-8 5E-8	1E-4	1E-3	-
		W, see ^{110}Sn	-	-	-	-	-	-	-
51	Antimony-115 ²	D, all compounds except those given for W	8E+4	2E+5	1E-4	3E-7	1E-3	1E-2	-
		W, oxides, hydroxides, halides, sulfides, sulfates, and nitrates	-	3E+5	1E-4	4E-7	-	-	-
51	Antimony-116m ²	D, see ^{115}Sb	2E+4	7E+4 1E+5	3E-5 6E-5	1E-7 2E-7	3E-4	3E-3	-
		W, see ^{115}Sb	-	-	-	-	-	-	-
51	Antimony-116 ²	D, see ^{115}Sb	7E+4 St. wall ($9E+4$)	3E+5	1E-4	4E-7	-	-	-
		W, see ^{115}Sb	-	3E+5	1E-4	5E-7	1E-3	1E-2	-
51	Antimony-117	D, see ^{115}Sb	7E+4	2E+5 3E+5	9E-5 1E-4	3E-7 4E-7	9E-4	9E-3	-
		W, see ^{115}Sb	-	-	-	-	-	-	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Oral Ingestion		Inhalation AI (μCi)	Col. 1 AI (μCi)	Col. 2 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			AI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)						
51	Antimony-118 ^m	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	6E+3 5E+3	2E+4 2E+4	8E-6 9E-6	3E-8 3E-8	7E-5 -	7E-4 -		
51	Antimony-119	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	2E+4 2E+4	5E+4 3E+4	2E-5 1E-5	6E-8 4E-8	2E-4 -	2E-3 -		
51	Antimony-120 (16 min)	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	1E+6 (2E+5) -	4E+5 5E+5	2E-4 2E-4	6E-7 7E-7	- 2E-3	- 2E-2		
51	Antimony-120 (5.76 d)	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	1E+3 9E+2	2E+3 1E+3	9E-7 5E-7	3E-9 2E-9	1E-5 -	1E-4 -		
51	Antimony-122	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	8E+2 (8E+2) 7E+2	2E+3 1E+3	1E-6 4E-7	3E-9 2E-9	- 1E-5	- 1E-4		
51	Antimony-124 ^m ²	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	3E+5 2E+5	8E+5 6E+5	4E-4 2E-4	1E-6 8E-7	3E-3 -	3E-2 -		
51	Antimony-124	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	6E+2 5E+2	9E+2 2E+2	4E-7 1E-7	1E-9 3E-10	7E-6 -	7E-5 -		
51	Antimony-125	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	2E+3 -	2E+3 5E+2	1E-6 2E-7	3E-9 7E-10	3E-5 -	3E-4 -		
51	Antimony-126 ^m ²	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	5E+4 (7E+4) -	2E+5 2E+5	8E-5 8E-5	3E-7 3E-7	- 9E-4	- 9E-3		
51	Antimony-126	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	6E+2 5E+2	1E+3 5E+2	5E-7 2E-7	2E-9 7E-10	7E-6 -	7E-5 -		
51	Antimony-127	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	8E+2 (8E+2) 7E+2	2E+3 9E+2	9E-7 4E-7	3E-9 1E-9	- 1E-5	- 1E-4		
51	Antimony-128 ² (10.4 min)	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	8E+4 (1E+5) -	4E+5 4E+5	2E-4 2E-4	5E-7 6E-7	- 1E-3	- 1E-2		
51	Antimony-128 (9.01 h)	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	1E+3 -	4E+3 3E+3	2E-6 1E-6	6E-9 5E-9	2E-5 -	2E-4 -		
51	Antimony-129	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	3E+3 -	9E+3 8E+4	4E-6 3E-5	1E-8 1E-7	4E-5 -	4E-4 -		
51	Antimony-130 ²	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	2E+4 -	6E+4 8E+4	3E-5 3E-5	9E-8 1E-7	3E-4 -	3E-3 -		
51	Antimony-131 ²	D, see ¹¹⁵ Sb W, see ¹¹⁵ Sb	1E+4 (2E+4) -	2E+4 (4E+4) 2E+4 -	1E-5 -	- 6E-8	- 2E-4	- 2E-3		

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 Inhalation DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
52	Tellurium-116	D, all compounds except those given for W	8E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, oxides, hydroxides, and nitrates	-	3E+4	1E-5	4E-8	-	-	
52	Tellurium-121m	D, see ^{116}Te	5E+2 (7E+2)	2E+2 Bone surf (4E+2)	8E-8	-	-	-	
		W, see ^{116}Te	-	4E+2	2E-7	5E-10 6E-10	1E-5	1E-4	
52	Tellurium-121	D, see ^{116}Te	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	
		W, see ^{116}Te	3E+3	1E-6	4E-9	-	-	-	
52	Tellurium-123m	D, see ^{116}Te	6E+2 (1E+3)	2E+2 Bone surf (5E+2)	9E-8	-	-	-	
		W, see ^{116}Te	-	5E+2	2E-7	8E-10 8E-10	1E-5	1E-4	
52	Tellurium-123	D, see ^{116}Te	5E+2 (1E+3)	2E+2 Bone surf (5E+2)	8E-8	-	-	-	
		W, see ^{116}Te	-	4E+2 - (1E+3)	2E-7 - 2E-9	7E-10 - - 2E-9	2E-5 - -	2E-4 -	
52	Tellurium-125m	D, see ^{116}Te	1E+3 (1E+3)	4E+2 Bone surf (1E+3)	2E-7	-	-	-	
		W, see ^{116}Te	-	7E+2	3E-7	1E-9 1E-9	2E-5	2E-4	
52	Tellurium-127m	D, see ^{116}Te	6E+2	3E+2 Bone surf (4E+2)	1E-7	-	9E-6	9E-5	
		W, see ^{116}Te	-	3E+2	1E-7	6E-10 4E-10	-	-	
52	Tellurium-127	D, see ^{116}Te	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, see ^{116}Te	-	2E+4	7E-6	2E-8	-	-	
52	Tellurium-129m	D, see ^{116}Te	5E+2	6E+2	3E-7	9E-10	7E-6	7E-5	
		W, see ^{116}Te	-	2E+2	1E-7	3E-10	-	-	
52	Tellurium-129 ²	D, see ^{116}Te	3E+4	6E+4	3E-5	9E-8	4E-4	4E-3	
		W, see ^{116}Te	-	7E+4	3E-5	1E-7	-	-	
52	Tellurium-131m	D, see ^{116}Te	3E+2 (6E+2)	4E+2 Thyroid (1E+3)	2E-7	-	-	-	
		W, see ^{116}Te	-	4E+2 - (9E+2)	2E-7 - 1E-9	2E-9 - 1E-9	8E-6	8E-5	
52	Tellurium-131 ²	D, see ^{116}Te	3E+3 (6E+3)	5E+3 Thyroid (1E+4)	2E-6	-	-	-	
		W, see ^{116}Te	-	5E+3 - (1E+4)	2E-6 - 2E-8	2E-8 - 2E-8	8E-5	8E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
52	Tellurium-132	D, see ^{116}Te	2E+2 Thyroid (5E+2)	2E+2 Thyroid (5E+2)	9E-8	-	-	-	-
		W, see ^{116}Te	-	2E+2 Thyroid (5E+2)	9E-8	1E-9	9E-6	9E-5	-
52	Tellurium-133 ²	D, see ^{116}Te	3E+3 Thyroid (6E+3)	5E+3 Thyroid (1E+4)	2E-6	-	-	-	-
		W, see ^{116}Te	-	5E+3 Thyroid (1E+4)	2E-6	2E-8	9E-5	9E-4	-
52	Tellurium-133 ²	D, see ^{116}Te	1E+4 Thyroid (3E+4)	2E+4 Thyroid (6E+4)	9E-6	-	-	-	-
		W, see ^{116}Te	-	2E+4 Thyroid (6E+4)	9E-6	8E-8	4E-4	4E-3	-
52	Tellurium-134 ²	D, see ^{116}Te	2E+4 Thyroid (2E+4)	2E+4 Thyroid (5E+4)	1E-5	-	-	-	-
		W, see ^{116}Te	-	2E+4 Thyroid (5E+4)	1E-5	7E-8	3E-4	3E-3	-
53	Iodine-120n ²	D, all compounds	1E+4 Thyroid (1E+4)	2E+4	9E-6	3E-8	-	-	-
		-	-	-	-	2E-4	2E-3	-	-
53	Iodine-120 ²	D, all compounds	4E+3 Thyroid (8E+3)	9E+3 Thyroid (1E+4)	4E-6	-	2E-8	1E-4	1E-3
		-	-	-	-	2E-8	1E-4	1E-3	-
53	Iodine-121	D, all compounds	1E+4 Thyroid (3E+4)	2E+4 Thyroid (5E+4)	8E-6	-	-	-	-
		-	-	-	-	7E-8	4E-4	4E-3	-
53	Iodine-123	D, all compounds	3E+3 Thyroid (1E+4)	6E+3 Thyroid (2E+4)	3E-6	-	-	-	-
		-	-	-	-	2E-8	1E-4	1E-3	-
53	Iodine-124	D, all compounds	5E+1 Thyroid (2E+2)	8E+1 Thyroid (3E+2)	3E-8	-	-	-	-
		-	-	-	-	4E-10	2E-6	2E-5	-
53	Iodine-125	D, all compounds	4E+1 Thyroid (1E+2)	6E+1 Thyroid (2E+2)	3E-8	-	-	-	-
		-	-	-	-	3E-10	2E-6	2E-5	-
53	Iodine-126	D, all compounds	2E+1 Thyroid (7E+1)	4E+1 Thyroid (1E+2)	1E-8	-	-	-	-
		-	-	-	-	2E-10	1E-6	1E-5	-
52	Iodine-128 ²	D, all compounds	4E+4 St. wall (6E+4)	1E+5	5E-5	2E-7	-	-	-
		-	-	-	-	-	8E-4	8E-3	-
53	Iodine-129	D, all compounds	5E+0 Thyroid (2E+1)	9E+0 Thyroid (3E+1)	4E-9	-	-	-	-
		-	-	-	-	4E-11	2E-7	2E-6	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
53	Iodine-130	D, all compounds	4E+2 Thyroid (1E+3)	7E+2 Thyroid (2E+3)	3E-7	-	-	-	-
53	Iodine-131	D, all compounds	3E+1 Thyroid (9E+1)	5E+1 Thyroid (2E+2)	2E-8	-	-	-	-
53	Iodine-132 ²	D, all compounds	4E+3 Thyroid (1E+4)	8E+3 Thyroid (2E+4)	4E-6	-	-	-	-
53	Iodine-132	D, all compounds	4E+3 Thyroid (9E+3)	8E+3 Thyroid (1E+4)	3E-6	-	-	-	-
53	Iodine-133	D, all compounds	1E+2 Thyroid (5E+2)	3E+2 Thyroid (9E+2)	1E-7	-	-	-	-
53	Iodine-134 ²	D, all compounds	2E+4 Thyroid (3E+4)	5E+4	2E-5	6E-8	-	-	-
53	Iodine-135	D, all compounds	8E+2 Thyroid (3E+3)	2E+3 Thyroid (4E+3)	7E-7	-	-	-	-
54	Xenon-120 ²	Submersion ¹	-	-	1E-5	4E-8	-	-	-
54	Xenon-121 ²	Submersion ¹	-	-	2E-6	1E-8	-	-	-
54	Xenon-122	Submersion ¹	-	-	7E-5	3E-7	-	-	-
54	Xenon-123	Submersion ¹	-	-	6E-6	3E-8	-	-	-
54	Xenon-125	Submersion ¹	-	-	2E-5	7E-8	-	-	-
54	Xenon-127	Submersion ¹	-	-	1E-5	6E-8	-	-	-
54	Xenon-129m	Submersion ¹	-	-	2E-4	9E-7	-	-	-
54	Xenon-131m	Submersion ¹	-	-	4E-4	2E-6	-	-	-
54	Xenon-133m	Submersion ¹	-	-	1E-4	6E-7	-	-	-
54	Xenon-133	Submersion ¹	-	-	1E-4	5E-7	-	-	-
54	Xenon-135m ²	Submersion ¹	-	-	9E-6	4E-8	-	-	-
54	Xenon-135	Submersion ¹	-	-	1E-5	7E-8	-	-	-
54	Xenon-138 ²	Submersion ¹	-	-	4E-6	2E-8	-	-	-
55	Cesium-125 ²	D, all compounds	5E+4 St. wall (9E+4)	1E+5	6E-5	2E-7	-	-	-
55	Cesium-127	D, all compounds	6E+4	9E+4	4E-5	1E-7	9E-4	9E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
55	Cesium-129	D, all compounds	2E+4	3E+4	1E-5	5E-8	3E-4	3E-3	
55	Cesium-130 ²	D, all compounds	6E+4 St. wall (1E+5)	2E+5	8E-5	3E-7	-	-	
55	Cesium-131	D, all compounds	2E+4	3E+4	1E-5	4E-8	3E-4	3E-3	
55	Cesium-132	D, all compounds	3E+3	4E+3	2E-6	6E-9	4E-5	4E-4	
55	Cesium-134m	D, all compounds	1E+5 St. wall (1E+5)	1E+5	6E-5	2E-7	-	-	
55	Cesium-134	D, all compounds	7E+1	1E+2	4E-8	2E-10	9E-7	9E-6	
55	Cesium-135m ²	D, all compounds	1E+5	2E+5	8E-5	3E-7	1E-3	1E-2	
55	Cesium-135	D, all compounds	7E+2	1E+3	5E-7	2E-9	1E-5	1E-4	
55	Cesium-136	D, all compounds	4E+2	7E+2	3E-7	9E-10	6E-6	6E-5	
55	Cesium-137	D, all compounds	1E+2	2E+2	6E-8	2E-10	1E-6	1E-5	
55	Cesium-138 ²	D, all compounds	2E+4 St. wall (3E+4)	6E+4	2E-5	8E-8	-	-	
56	Barium-126 ²	D, all compounds	6E+3	2E+4	6E-6	2E-8	8E-5	8E-4	
56	Barium-128	D, all compounds	5E+2	2E+3	7E-7	2E-9	7E-6	7E-5	
56	Barium-131m ²	D, all compounds	4E+5 St. wall (5E+5)	1E+6	6E-4	2E-6	-	-	
56	Barium-131	D, all compounds	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
56	Barium-133m	D, all compounds	2E+3 LLI wall (3E+3)	9E+3	4E-6	1E-8	-	-	
56	Barium-133	D, all compounds	2E+3	7E+2	3E-7	9E-10	2E-5	2E-4	
56	Barium-135m	D, all compounds	3E+3	1E+4	5E-6	2E-8	4E-5	4E-4	
56	Barium-139 ²	D, all compounds	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
56	Barium-140	D, all compounds	5E+2 LLI wall (6E+2)	1E+3	6E-7	2E-9	-	-	
56	Barium-141 ²	D, all compounds	2E+4	7E+4	3E-5	1E-7	3E-4	3E-3	
56	Barium-142 ²	D, all compounds	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
57	Lanthanum-131 ²	D, all compounds except those given for W W, oxides and hydroxides	5E+4	1E+5	5E-5	2E-7	6E-4	6E-3	
			-	2E+5	7E-5	2E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{mL}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{mL}$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
57	Lanthanum-132	D, W, see ^{131}La	3E+3	1E+4 - 1E+4	4E-6 5E-6 - 5E-6	2E-8 - 2E-8	4E-5 - - -	4E-4 - - -	-
57	Lanthanum-135	D, see ^{131}La W, see ^{131}La	4E+4	1E+5 - 9E+4	4E-5 4E-5 - 1E-7	1E-7 1E-7 - -	5E-4 - -	5E-3 - -	-
57	Lanthanum-137	D, see ^{131}La W, see ^{131}La	1E+4	6E+1 Liver (7E+1) 3E+2 Liver (3E+2)	3E-8 - 1E-7 - 4E-10	- 1E-10 - - 4E-10	2E-4 - - - -	2E-3 - - - -	-
57	Lanthanum-138	D, see ^{131}La W, see ^{131}La	9E+2	4E+0 - 1E+1	1E-9 6E-9 - 6E-9	5E-12 2E-11 - -	1E-5 - -	1E-4 - -	-
57	Lanthanum-140	D, see ^{131}La W, see ^{131}La	6E+2	1E+3 - 1E+3	6E-7 5E-7 - 2E-9	2E-9 2E-9 - -	9E-6 - -	9E-5 - -	-
57	Lanthanum-141	D, see ^{131}La W, see ^{131}La	4E+3	9E+3 - 1E+4	4E-6 5E-6 - 2E-8	1E-8 1E-8 - -	5E-5 - -	5E-4 - -	-
57	Lanthanum-142 ²	D, see ^{131}La W, see ^{131}La	8E+3	2E+4 - 3E+4	9E-6 1E-5 5E-8	3E-8 3E-8 - -	1E-4 - -	1E-3 - -	-
57	Lanthanum-143 ²	D, see ^{131}La W, see ^{131}La	4E+4	1E+5 St. wall (4E+4)	4E-5 - 9E+4	1E-7 - 4E-5	- - 1E-7	- -	-
58	Cerium-134	W, all compounds except those given for Y Y, oxides, hydroxides, and fluorides	5E+2 (6E+2)	7E+2 LII wall (6E+2)	3E-7 - - 7E+2	1E-9 - - 3E-7	- - - 9E-10	- - - 8E-6	8E-5 - - -
58	Cerium-135	W, see ^{134}Ce Y, see ^{134}Ce	2E+3	4E+3 4E+3	2E-6 5E-6	5E-9 5E-9	2E-5 -	2E-4 -	-
58	Cerium-137m	W, see ^{134}Ce Y, see ^{134}Ce	2E+3 (2E+3)	4E+3 4E+3	2E-6 5E-6	6E-9 5E-9	- -	- 3E-5	3E-4 -
58	Cerium-127	W, see ^{134}Ce Y, see ^{134}Ce	5E+4	1E+5 1E+5	6E-5 5E-5	2E-7 2E-7	7E-4 -	7E-3 -	-
58	Cerium-139	W, see ^{134}Ce Y, see ^{134}Ce	5E+3	8E+2 7E+2	3E-7 3E-7	1E-9 9E-10	7E-5 -	7E-4 -	-
58	Cerium-141	W, see ^{134}Ce Y, see ^{134}Ce	2E+3 (2E+3)	7E+2 6E+2	3E-7 2E-7	1E-9 8E-10	- -	- 3E-5	3E-4 -
58	Cerium-143	W, see ^{134}Ce Y, see ^{134}Ce	1E+3 (1E+3)	2E+3 2E+3	8E-7 7E-7	3E-9 2E-9	- -	- 2E-5	2E-4 -

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				Alt (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
58	Cerium-144	W, see ^{134}Ce	2E+2 L1 wall (3E+2)	3E+1	1E-8	4E-11	-	-	-
		Y, see ^{134}Ce	-	1E+1	6E-9	-	3E-6	3E-5	-
59	Praseodymium-136 ²	W, all compounds except those given for Y	5E+4 St. wall (7E+4)	2E+5	1E-4	3E-7	-	-	-
		Y, oxides, hydroxides, carbides, and fluorides	-	2E+5	9E-5	3E-7	1E-3	1E-2	-
59	Praseodymium-137 ²	W, see ^{136}Pr	4E+4	2E+5	6E-5	2E-7	5E-4	5E-3	-
		Y, see ^{136}Pr	-	1E+5	6E-5	2E-7	-	-	-
59	Praseodymium-138 ²	W, see ^{136}Pr	1E+4	5E+4	2E-5	8E-8	1E-4	1E-3	-
		Y, see ^{136}Pr	-	4E+4	2E-5	6E-8	-	-	-
59	Praseodymium-139 ²	W, see ^{136}Pr	4E+4	1E+5	5E-5	2E-7	6E-4	6E-3	-
		Y, see ^{136}Pr	-	1E+5	5E-5	2E-7	-	-	-
59	Praseodymium-142m ²	W, see ^{136}Pr	8E+4	2E+5	7E-5	2E-7	1E-3	1E-2	-
		Y, see ^{136}Pr	-	1E+5	6E-5	2E-7	-	-	-
59	Praseodymium-142 ²	W, see ^{136}Pr	1E+3	2E+3	9E-7	3E-9	1E-5	1E-4	-
		Y, see ^{136}Pr	-	2E+3	8E-7	3E-9	-	-	-
59	Praseodymium-143 ²	W, see ^{136}Pr	9E+2 L1 wall (1E+3)	8E+2	3E-7	1E-9	-	-	-
		Y, see ^{136}Pr	-	7E+2	3E-7	9E-10	-	2E-5	2E-4
59	Praseodymium-144 ²	W, see ^{136}Pr	3E+4 St. wall (4E+4)	1E+5	5E-5	2E-7	-	-	-
		Y, see ^{136}Pr	-	1E+5	5E-5	2E-7	6E-4	6E-3	-
59	Praseodymium-145 ²	W, see ^{136}Pr	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4	-
		Y, see ^{136}Pr	-	8E+3	3E-6	1E-8	-	-	-
59	Praseodymium-147 ²	W, see ^{136}Pr	5E+4 St. wall (8E+4)	2E+5	8E-5	3E-7	-	-	-
		Y, see ^{136}Pr	-	2E+5	8E-5	3E-7	1E-3	1E-2	-
60	Neodymium-136 ²	W, all compounds except those given for Y	1E+4	6E+4	2E-5	8E-8	2E-4	2E-3	-
		Y, oxides, hydroxides, carbides, and fluorides	-	5E+4	2E-5	8E-8	-	-	-
60	Neodymium-138	W, see ^{136}Nd	2E+3	6E+3	3E-6	9E-9	3E-5	3E-4	-
		Y, see ^{136}Nd	-	5E+3	2E-6	7E-9	-	-	-
60	Neodymium-139m	W, see ^{136}Nd	5E+3	2E+4	7E-6	2E-8	7E-5	7E-4	-
		Y, see ^{136}Nd	-	1E+4	6E-6	2E-8	-	-	-

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers
			Oral Ingestion		Inhalation	Col. 1	Col. 2	
			All (μCi)	ALT (μCi)	DAC (μCi/ml)	Air (μCi/ml)	Water (μCi/ml)	
60	Neodymium-139 ²	W, see 136Nd Y, see 136Nd	9E+4	3E+5 3E+5	1E-4 1E-4	5E-7 4E-7	1E-3	1E-2
60	Neodymium-141	W, see 136Nd Y, see 136Nd	2E+5	7E+5 6E+5	3E-4 3E-4	1E-6 9E-7	2E-3	2E-2
60	Neodymium-147	W, see 136Nd Y, see 136Nd	1E+3 (1E+3)	9E+2 8E+2	4E-7 4E-7	1E-9 1E-9	-	-
60	Neodymium-149 ²	W, see 136Nd Y, see 136Nd	1E+4	3E+4 2E+4	1E-5 1E-5	4E-8 3E-8	1E-4	1E-3
60	Neodymium-151 ²	W, see 136Nd Y, see 136Nd	7E+4	2E+5 2E+5	8E-5 8E-5	3E-7 3E-7	9E-4	9E-3
61	Promethium-141 ²	W, all compounds except those given for Y Y, oxides, hydroxides, carbides, and fluorides	5E+4 (5E+4)	2E+5 -	8E-5 -	3E-7 -	-	-
61	Promethium-143	W, see 141Pm Y, see 141Pm	5E+3	6E+2 7E+2	2E-7 3E-7	8E-10 1E-9	7E-5	7E-4
61	Promethium-144	W, see 141Pm Y, see 141Pm	1E+3	1E+2 1E+2	5E-8 5E-8	2E-10 2E-10	2E-5	2E-4
61	Promethium-145	W, see 141Pm Y, see 141Pm	1E+4	2E+2 -	7E-8 -	-	1E-4	1E-3
61	Promethium-146	W, see 141Pm Y, see 141Pm	2E+3	5E+1 4E+1	2E-8 2E-8	7E-11 6E-11	2E-5	2E-4
61	Promethium-147	W, see 141Pm Y, see 141Pm	4E+3 (5E+3)	1E+2 (2E+2) 1E+2	5E-8 -	-	-	-
61	Promethium-148m	W, see 141Pm Y, see 141Pm	7E+2	3E+2 3E+2	1E-7 1E-7	4E-10 5E-10	1E-5	1E-4
61	Promethium-148	W, see 141Pm Y, see 141Pm	4E+2 (5E+2)	5E+2 5E+2	2E-7 2E-7	8E-10 7E-10	-	-
61	Promethium-149	W, see 141Pm Y, see 141Pm	1E+3 (1E+3)	2E+3 -	8E-7 -	3E-9 -	-	-
61	Promethium-150	W, see 141Pm Y, see 141Pm	5E+3	2E+4 2E+4	8E-6 7E-6	3E-8 2E-8	7E-5	7E-4
61	Promethium-151	W, see 141Pm Y, see 141Pm	2E+3	4E+3 3E+3	1E-6 1E-6	5E-9 4E-9	2E-5	2E-4

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μ Ci)	Col. 2 Inhalation ALI (μ Ci)	Col. 3 DAS (μ Ci/ml)	Col. 1 Air (μ Ci/ml)	Col. 2 Water (μ Ci/ml)	Monthly Average Concentration (μ Ci/ml)	
62	Samarium-141 ²	W, all compounds	3E+4	1E+5	4E-5	1E-7	4E-4	4E-3	
62	Samarium-141 ²	W, all compounds	5E+4 St. wall (6E+4)	2E+5	8E-5	2E-7	-	-	
62	Samarium-142 ²	W, all compounds	8E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
62	Samarium-145	W, all compounds	6E+3	5E+2	2E-7	7E-10	BE-5	8E-4	
62	Samarium-146	W, all compounds	1E+1 Bone surf (3E+1)	4E-2 Bone surf (6E-2)	1E-11	-	-	-	
62	Samarium-147	W, all compounds	2E+1 Bone surf (3E+1)	4E-2 Bone surf (7E-2)	2E-11	-	-	-	
62	Samarium-151	W, all compounds	1E+4 LL wall (1E+4)	1E+2 Bone surf (2E+2)	4E-8	-	-	-	
62	Samarium-153	W, all compounds	2E+3 LL wall (2E+3)	3E-3	1E-6	4E-9	-	-	
62	Samarium-155 ²	W, all compounds	6E+4 St. wall (8E+4)	2E+5	9E-5	3E-7	-	-	
62	Samarium-156	W, all compounds	5E+3	9E+3	4E-6	1E-8	7E-5	7E-4	
63	Europium-145	W, all compounds	2E+3	2E+3	8E-7	3E-9	2E-5	2E-4	
63	Europium-146	W, all compounds	1E+3	1E+3	5E-7	2E-9	1E-5	1E-4	
63	Europium-147	W, all compounds	9E+3	2E+3	7E-7	2E-9	4E-5	4E-4	
63	Europium-148	W, all compounds	1E+3	4E+2	1E-7	5E-10	1E-5	1E-4	
63	Europium-149	W, all compounds	1E+4	3E+3	1E-6	4E-9	2E-4	2E-3	
63	Europium-150 (12.62 h)	W, all compounds	3E+3	8E+3	4E-6	1E-8	4E-5	4E-4	
63	Europium-150 (34.2 y)	W, all compounds	8E+2	2E+1	8E-9	3E-11	1E-5	1E-4	
63	Europium-152 ^m	W, all compounds	3E+3	6E+3	3E-6	9E-9	4E-5	4E-4	
63	Europium-152	W, all compounds	8E+2	2E+1	1E-8	3E-11	1E-5	1E-4	
63	Europium-154	W, all compounds	5E+2	2E+1	8E-9	3E-11	7E-6	7E-5	
63	Europium-155	W, all compounds	4E+3 -	9E+1 (1E+2) Bone surf	4E-8 -	-	5E-5	5E-4	
63	Europium-156	W, all compounds	6E+2	5E+2	2E-7	6E-10	8E-6	8E-5	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 Inhalation DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
63	Europium-157	W, all compounds	2E+3	5E+3	2E-6	7E-9	3E-5	3E-4	
63	Europium-158 ²	W, all compounds	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
64	Gadolinium-145 ²	D, all compounds except those given for W	5E+4 St. wall (5E+4)	2E+5	6E-5	2E-7	-	-	
		W, oxides, hydroxides, and fluorides	-	2E+5	7E-5	2E-7	-	-	
64	Gadolinium-146	D, see ¹⁴⁵ Gd	1E+3	1E+2	5E-8	2E-10	2E-5	2E-4	
		W, see ¹⁴⁵ Gd	-	3E+2	1E-7	4E-20	-	-	
64	Gadolinium-147	D, see ¹⁴⁵ Gd	2E+3	6E+3	2E-6	6E-9	3E-5	3E-4	
		W, see ¹⁴⁵ Gd	-	6E+3	3E-6	5E-9	-	-	
64	Gadolinium-148	D, see ¹⁴⁵ Gd	1E+1 Bone surf (2E+1)	BE-3 Bone surf (2E-2)	3E-12	-	-	-	
		W, see ¹⁴⁵ Gd	-	3E-2 Bone surf (6E-2)	1E-11	2E-14	3E-7	3E-6	
			-	-	BE-14	-	-	-	
64	Gadolinium-149	D, see ¹⁴⁵ Gd	3E+3	2E+3	9E-7	3E-9	4E-5	4E-4	
		W, see ¹⁴⁵ Gd	-	2E+3	1E-6	3E-9	-	-	
64	Gadolinium-151	D, see ¹⁴⁵ Gd	5E+3	4E+2 Bone surf (6E+2)	2E-7	-	9E-5	9E-4	
		W, see ¹⁴⁵ Gd	-	1E+3	5E-7	9E-10	-	-	
64	Gadolinium-152	D, see ¹⁴⁵ Gd	2E+1 Bone surf (3E+1)	1E-2 Bone surf (2E-2)	4E-12	-	-	-	
		W, see ¹⁴⁵ Gd	-	4E-2 Bone surf (8E-2)	2E-11	3E-14	4E-7	4E-6	
			-	-	1E-13	-	-	-	
64	Gadolinium-153	D, see ¹⁴⁵ Gd	5E+3	1E+2 Bone surf (2E+2)	6E-8	-	6E-5	6E-4	
		W, see ¹⁴⁵ Gd	-	6E+2	2E-7	3E-10	-	-	
64	Gadolinium-159	D, see ¹⁴⁵ Gd	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
		W, see ¹⁴⁵ Gd	-	6E+3	2E-6	8E-9	-	-	
65	Terbium-147 ²	W, all compounds	9E+3	3E+4	1E-5	5E-8	2E-4	1E-3	
65	Terbium-149	W, all compounds	5E+3	7E+2	3E-7	1E-9	7E-5	7E-4	
65	Terbium-150	W, all compounds	5E+3	2E+4	9E-6	3E-8	7E-5	7E-4	
65	Terbium-151	W, all compounds	4E+3	9E+3	9E-6	1E-8	5E-5	5E-4	
65	Terbium-153	W, all compounds	5E+3	2E+3	3E-6	1E-8	7E-5	7E-4	
65	Terbium-154	W, all compounds	2E+3	4E+3	2E-6	6E-9	2E-5	2E-4	
65	T m-155	W, all compounds	6E+3	8E+3	3E-6	1E-8	8E-5	8E-4	
65	T m-156a (5.0 h)	W, all compounds	2E+4	3E+4	1E-5	4E-8	2E-4	2E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
65	Terbium-156 ^a (24.4 h)	W, all compounds	7E+3	8E+3	3E-6	1E-8	1E-4	1E-3	
65	Terbium-156	W, all compounds	1E+3	1E+3	6E-7	2E-9	1E-5	1E-4	
65	Terbium-157	W, all compounds	5E+4 LLI wall (SE+4)	3E+2 Bone surf (6E+2)	1E-7	-	-	-	
65	Terbium-158	W, all compounds	1E+3	2E+1	8E-9	3E-11	2E-5	2E-4	
65	Terbium-160	W, all compounds	8E+2	2E+2	9E-8	3E-10	1E-5	1E-4	
65	Terbium-161	W, all compounds	2E+3 LLI wall (2E+3)	2E+3	7E-7	2E-9	-	-	
66	Dysprosium-155	W, all compounds	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
66	Dysprosium-157	W, all compounds	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3	
66	Dysprosium-159	W, all compounds	1E+4	2E+3	1E-6	3E-9	2E-4	2E-3	
66	Dysprosium-165	W, all compounds	1E+4	5E+4	2E-5	6E-8	2E-4	2E-3	
66	Dysprosium-166	W, all compounds	6E+2 LLI wall (8E+2)	7E+2	3E-7	1E-9	-	-	
67	Holmium-155 ²	W, all compounds	4E+4	2E+5	6E-5	2E-7	6E-4	6E-3	
67	Holmium-157 ²	W, all compounds	3E+5	1E+6	6E-4	2E-6	4E-3	4E-2	
67	Holmium-159 ²	W, all compounds	2E+5	1E+6	4E-4	1E-6	3E-3	3E-2	
67	Holmium-161	W, all compounds	1E+5	4E+5	2E-4	6E-7	3E-3	1E-2	
67	Holmium-162a ²	W, all compounds	5E+4	3E+5	1E-4	4E-7	7E-4	7E-3	
67	Holmium-162 ²	W, all compounds	5E+5 St. wall (8E+5)	2E+6	1E-3	3E-6	-	-	
67	Holmium-164a ²	W, all compounds	1E+5	3E+5	1E-4	4E-7	1E-3	1E-2	
67	Holmium-164 ²	W, all compounds	2E+5 St. wall (2E+5)	6E+5	3E-4	9E-7	-	-	
67	Holmium-166a	W, all compounds	6E+2	7E+0	3E-9	9E-12	9E-6	9E-5	
67	Holmium-166	W, all compounds	9E+2 LLI wall (9E+2)	2E+3	7E-7	2E-9	-	-	
67	Holmium-167	W, all compounds	2E+4	6E+4	2E-5	8E-8	2E-4	2E-3	
68	Erbium-161	W, all compounds	2E+4	6E+4	3E-5	9E-8	2E-4	2E-3	
68	Erbium-165	W, all compounds	6E+4	2E+5	8E-5	3E-7	9E-4	9E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingest ALT (μ Ci))	Col. 2 Inhalation ALT (μ Ci))	Col. 3 DAT (μ Ci/m ³)	Col. 1 Air (μ Ci/m ³)	Col. 2 Water (μ Ci/m ³)	Monthly Average Concentration (μ Ci/m ³)	
68	Erbium-169	W, all compounds	3E+3 LLI wall (4E+3)	3E+3	1E-6	4E-9	-	-	
68	Erbium-171	W, all compounds	4E+3	1E+4	4E-6	1E-8	5E-5	5E-4	
68	Erbium-172	W, all compounds	1E+3 LLI wall (1E+3)	1E+3	6E-7	2E-9	-	-	
69	Thulium-162 ²	W, all compounds	7E+4 St. wall (7E+4)	3E+5	1E-4	4E-7	-	-	
69	Thulium-166	W, all compounds	4E+3	1E+4	6E-6	2E-8	6E-5	6E-4	
69	Thulium-167	W, all compounds	2E+3 LLI wall (2E+3)	2E+3	8E-7	3E-9	-	-	
69	Thulium-170	W, all compounds	8E+2 LLI wall (1E+3)	2E+2	9E-8	3E-10	-	-	
69	Thulium-171	W, all compounds	1E+4 LLI wall (1E+4)	3E+2 Bone surf (6E+2)	1E-7	-	-	-	
69	Thulium-172	W, all compounds	7E+2 LLI wall (8E+2)	1E+3	5E-7	2E-9	-	-	
69	Thulium-173	W, all compounds	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
69	Thulium-175 ²	W, all compounds	7E+4 St. wall (9E+4)	3E+5	1E-4	4E-7	-	-	
70	Ytterbium-162 ²	W, all compounds except those given for Y, oxides, hydroxides, and fluorides	7E+4	3E+5	1E-4	4E-7	1E-3	1E-2	
70	Ytterbium-166	W, see 162Yb Y, see 162Yb	2E+3 - 2E+3	2E+3 - 2E+3	8E-7 3E-9	3E-9 - 2E-5	2E-5 - 2E-4		
70	Ytterbium-167 ²	W, see 162Yb Y, see 162Yb	3E+5 - 7E+5	8E-5 3E-4	3E-4 1E-6	1E-6 - 4E-3	4E-2 - -		
70	Ytterbium-169	W, see 162Yb Y, see 162Yb	2E+3 - 7E+2	8E+2 - 3E-7	4E-7 1E-9	1E-9 - 2E-5	2E-5 - 2E-4		
70	Ytterbium-175	W, see 162Yb Y, see 162Yb	3E+3 - 3E+3	4E+3 - 3E+3	1E-6 - 1E-6	5E-9 - 5E-9	- 4E-5 -	- 4E-4 -	
70	Ytterbium-177 ²	W, see 162Yb Y, see 162Yb	2E+4 - 5E+4	5E+4 2E-5	2E-5 6E-8	7E-8 6E-8	2E-4 -	2E-3 -	
70	Ytterbium-178 ²	W, see 162Yb Y, see 162Yb	1E+4 - 4E+4	4E+4 2E-5	2E-5 5E-8	6E-8 5E-8	2E-4 -	2E-3 -	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)		Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Col. 3 Releases to Sewers ($\mu\text{Ci}/\text{m}^3$)	
71	Lutetium-169	W, all compounds except those given for Y	3E+3	4E+3	2E-6	6E-9	3E-5	3E-4	
		Y, oxides, hydroxides, and fluorides	-	4E+3	2E-6	6E-9	-	-	
71	Lutetium-170	W, see ^{169}Lu Y, see ^{169}Lu	1E+3	2E+3	9E-7 8E-7	3E-9 3E-9	2E-5	2E-4	
71	Lutetium-171	W, see ^{169}Lu Y, see ^{169}Lu	2E+3	2E+3	8E-7 8E-7	3E-9 3E-9	3E-5	3E-4	
71	Lutetium-172	W, see ^{169}Lu Y, see ^{169}Lu	1E+3	1E+3	5E-7 5E-7	2E-9 2E-9	1E-5	1E-4	
71	Lutetium-173	W, see ^{169}Lu	5E+3	3E+2	1E-7	-	7E-5	7E-4	
		Y, see ^{169}Lu	-	(5E+2)	-	6E-10	-	-	
			-	3E+2	1E-7	4E-10	-	-	
71	Lutetium-174m	W, see ^{169}Lu	2E+3 (3E+3)	2E+2 (3E+2)	1E-7	-	-	-	
		Y, see ^{169}Lu	-	2E+2	9E-8	5E-10 3E-10	4E-5	4E-4	
71	Lutetium-174	W, see ^{169}Lu	5E+3	1E+2	5E-8	-	7E-5	7E-4	
		Y, see ^{169}Lu	-	(2E+2)	-	3E-10 2E-10	-	-	
71	Lutetium-176m	W, see ^{169}Lu Y, see ^{169}Lu	8E+3	3E+4 2E+4	1E-5 9E-6	3E-8 3E-8	1E-4	1E-3	
71	Lutetium-176	W, see ^{169}Lu	7E+2	5E+0	2E-9	-	1E-5	1E-4	
		Y, see ^{169}Lu	-	(1E+1) 8E+0	-	2E-11 1E-11	-	-	
71	Lutetium-177m	W, see ^{169}Lu	7E+2	1E+2	5E-8	-	1E-5	1E-4	
		Y, see ^{169}Lu	-	(1E+2) 8E+1	3E-8	2E-10 1E-10	-	-	
71	Lutetium-177	W, see ^{169}Lu	2E+3 (3E+3)	2E+3	9E-7	3E-9	-	-	
		Y, see ^{169}Lu	-	2E+3	9E-7	3E-9	4E-5	4E-4	
71	Lutetium-178m ²	W, see ^{169}Lu	5E+4	2E+5	8E-5	3E-7	-	-	
		Y, see ^{169}Lu	-	(6E+4) 2E+5	-	-	8E-4	8E-3	
71	Lutetium-178 ²	W, see ^{169}Lu	4E+4 (4E+4)	1E+5	5E-5	2E-7	-	-	
		Y, see ^{169}Lu	-	1E+5	5E-5	2E-7	6E-4	6E-3	
71	Lutetium-179	W, see ^{169}Lu Y, see ^{169}Lu	6E+3	2E+4	8E-6	3E-8	9E-5	9E-4	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)		Col. 3 Inhalation ALT (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)	Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1	Col. 2	Col. 3				
72	Hafnium-170	D, all compounds except those given for W	3E+3	6E+3	2E-6	8E-9	4E-5	4E-4	
		W, oxides, hydroxides, carbides, and nitrates	-	5E+3	2E-6	6E-9	-	-	
72	Hafnium-172	D, see ^{170}Hf	1E+3	9E+0	4E-9	-	2E-5	2E-4	
		W, see ^{170}Hf	-	Bone surf (2E+1)	-	3E-11	-	-	
		W, see ^{170}Hf	-	4E+1	2E-8	-	-	-	
72	Hafnium-173	D, see ^{170}Hf	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
		W, see ^{170}Hf	-	1E+4	5E-6	2E-8	-	-	
72	Hafnium-175	D, see ^{170}Hf	3E+3	9E+2	4E-7	-	4E-5	4E-4	
		W, see ^{170}Hf	-	Bone surf (1E+3)	-	1E-9	-	-	
72	Hafnium-177m ²	D, see ^{170}Hf	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
		W, see ^{170}Hf	-	9E+4	4E-5	1E-7	-	-	
72	Hafnium-178m	D, see ^{170}Hf	3E+2	1E+0	5E-10	-	3E-6	3E-5	
		W, see ^{170}Hf	-	Bone surf (2E+0)	-	3E-12	-	-	
		W, see ^{170}Hf	-	5E+0	2E-9	-	-	-	
72	Hafnium-179m	D, see ^{170}Hf	-	Bone surf (9E+0)	-	1E-11	-	-	
		W, see ^{170}Hf	1E+3	3E+2	1E-7	-	1E-5	1E-4	
72	Hafnium-180m	D, see ^{170}Hf	-	Bone surf (6E+2)	-	8E-10	-	-	
		W, see ^{170}Hf	-	3E-7	8E-10	-	-	-	
72	Hafnium-181	D, see ^{170}Hf	7E+3	2E+4	9E-6	3E-8	1E-4	1E-3	
		W, see ^{170}Hf	-	3E+4	1E-5	4E-8	-	-	
72	Hafnium-182m ²	D, see ^{170}Hf	2E+3	2E+2	7E-6	-	2E-5	2E-4	
		W, see ^{170}Hf	-	Bone surf (4E+2)	-	6E-10	-	-	
72	Hafnium-182	D, see ^{170}Hf	4E+4	9E+4	4E-5	1E-7	5E-4	5E-3	
		W, see ^{170}Hf	-	1E+5	6E-5	2E-7	-	-	
72	Hafnium-182	D, see ^{170}Hf	2E+2	8E-1	3E-10	-	-	-	
		W, see ^{170}Hf	(4E+2)	Bone surf (2E+0)	-	6E-10	-	-	
72	Hafnium-183 ²	D, see ^{170}Hf	2E+2	3E+0	1E-9	2E-12	5E-6	5E-5	
		W, see ^{170}Hf	-	Bone surf (7E+0)	-	1E-11	-	-	
72	Hafnium-184	D, see ^{170}Hf	2E+4	5E+4	2E-5	6E-8	3E-4	3E-3	
		W, see ^{170}Hf	-	6E+4	2E-5	6E-8	-	-	
72	Hafnium-184	D, see ^{170}Hf	2E+3	8E+3	3E-6	1E-6	3E-5	3E-4	
		W, see ^{170}Hf	-	6E+3	3E-6	9E-9	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
73	Tantalum-172 ²	W, all compounds except those given for Y	4E+4	1E+5	5E-5	2E-7	5E-4	5E-3	
		Y, elemental Ta, oxides, hydroxides, halides, carbides, nitrates, and nitrides	-	1E+5	4E-5	1E-7	-	-	
73	Tantalum-173	W, see ¹⁷² Ta Y, see ¹⁷² Ta	7E+3	2E+4	8E-6	3E-8	9E-5	9E-4	
73	Tantalum-174 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	3E+4	1E+5	4E-5	1E-7	4E-4	4E-3	
73	Tantalum-175	W, see ¹⁷² Ta Y, see ¹⁷² Ta	6E+3	2E+4	7E-6	2E-8	8E-5	8E-4	
73	Tantalum-176	W, see ¹⁷² Ta Y, see ¹⁷² Ta	4E+3	1E+4	5E-6	2E-8	5E-5	5E-4	
73	Tantalum-177	W, see ¹⁷² Ta Y, see ¹⁷² Ta	1E+4	2E+4	8E-6	3E-8	2E-4	2E-3	
73	Tantalum-178	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4	9E+4	4E-5	1E-7	2E-4	2E-3	
73	Tantalum-179	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4	5E+3	2E-6	8E-9	3E-4	3E-3	
73	Tantalum-180m	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+4	7E+4	3E-5	9E-8	3E-4	3E-3	
73	Tantalum-180	W, see ¹⁷² Ta Y, see ¹⁷² Ta	1E+3	4E+2	2E-7	6E-10	2E-5	2E-4	
73	Tantalum-182m ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+5 (2E+5)	5E+5	2E-4	8E-7	-	-	
73	Tantalum-182	W, see ¹⁷² Ta Y, see ¹⁷² Ta	8E+2	3E+2	1E-7	5E-10	1E-5	1E-4	
73	Tantalum-183	W, see ¹⁷² Ta Y, see ¹⁷² Ta	9E+2 (1E+3)	1E+3	5E-7	2E-9	-	-	
73	Tantalum-184	W, see ¹⁷² Ta Y, see ¹⁷² Ta	2E+3	5E+3	2E-6	8E-9	3E-5	3E-4	
73	Tantalum-185 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	3E+4	7E+4	3E-5	1E-7	4E-4	4E-3	
73	Tantalum-186 ²	W, see ¹⁷² Ta Y, see ¹⁷² Ta	5E+4 (7E+4)	2E+5	1E-4	3E-7	-	-	
74	Tungsten-176	D, all compounds	1E+4	5E+4	2E-5	7E-8	1E-4	1E-3	
74	Tungsten-177	D, all compounds	2E+4	9E+4	4E-5	1E-7	3E-4	3E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 8hr Ingestion All (μCi)	Col. 2 Inhalation All (μCi)	Col. 3 Dust ($\mu\text{Ci}/\text{m}^3$)	Col. 1 8hr ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
					Dust ($\mu\text{Ci}/\text{m}^3$)				
74	Tungsten-178	D, all compounds	5E+3	2E+4	8E-6	3E-8	7E-5	7E-4	
74	Tungsten-179 ²	D, all compounds	5E+5	2E+6	7E-4	2E-6	7E-3	7E-2	
74	Tungsten-181	D, all compounds	2E+4	3E+4	1E-5	5E-8	2E-4	2E-3	
74	Tungsten-185	D, all compounds	2E+3 Lit wall (3E+3)	7E+3	3E-6	9E-9	-	-	
74	Tungsten-187	D, all compounds	2E+3	9E+3	8E-6	1E-8	3E-5	3E-4	
74	Tungsten-188	D, all compounds	4E+2 Lit wall (5E+2)	9E+3	9E-7	2E-9	-	-	
75	Rhenium-177 ²	D, all compounds except those given for W	5E+4 St. wall (1E+5)	3E+5	1E-4	4E-7	-	-	
		W, oxides, hydroxides, and nitrates	-	-	-	-	2E-3	2E-2	
75	Rhenium-178 ²	D, see ¹⁷⁷ Rh	7E+4 St. wall (1E+5)	3E+5	1E-4	4E-7	-	-	
		W, see ¹⁷⁷ Rh	-	-	-	-	1E-3	3E-2	
75	Rhenium-181	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	5E+3 8E+3	9E+3 4E-6	8E-6 1E-8	1E-8	7E-5	7E-4	
75	Rhenium-182	D, see ¹⁷⁷ Rh (12.7 h) W, see ¹⁷⁷ Rh	7E+3 2E+4	1E+4 2E+4	5E-6 5E-6	2E-8	9E-5	9E-4	
75	Rhenium-182	D, see ¹⁷⁷ Rh (64.0 h) W, see ¹⁷⁷ Rh	1E+3 -	1E+3 2E+3	1E-6 9E-7	3E-9 2E-9	2E-5	2E-4	
75	Rhenium-184m	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	3E+3	1E-6 4E-2	4E-9 2E-7	3E-5	3E-4	
75	Rhenium-184	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3 -	4E+3 2E+3	1E-6 5E-7	5E-8 2E-9	3E-5	3E-4	
75	Rhenium-186m	D, see ¹⁷⁷ Rh	1E+3 St. wall (2E+3)	2E+3 St. wall (2E+3)	7E-7 -	-	-	-	
		W, see ¹⁷⁷ Rh	- 2E+2	- 2E+2	- 6E-6	2E-9 2E-10	2E-5	2E-4	
75	Rhenium-186	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	3E+3	1E-6 2E-7	4E-8 2E-9	3E-5	3E-4	
75	Rhenium-187	D, see ¹⁷⁷ Rh	6E+5 -	8E+5 1E+5	4E-4 4E-5	- 1E-6	8E-3 -	8E-2 -	
		W, see ¹⁷⁷ Rh	- 2E+5	- 2E+5	- 4E-5	4E-7 -	-	-	
75	Rhenium-188 ²	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	8E+4 -	1E+5 2E+5	6E-5 6E-5	2E-7 2E-7	1E-3 -	1E-2 -	
75	Rhenium-188	D, see ¹⁷⁷ Rh W, see ¹⁷⁷ Rh	2E+3	3E+3	1E-6 3E-6	4E-9 4E-9	2E-5	2E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)		Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Oral Ingestion AI (μCi)
75	Rhenium-189	D, see ^{177}Re W, see ^{177}Re	3E+3 -	5E+3 4E+3	2E-6 2E-6	7E-9 6E-9	4E-5 -	4E-4 -	
76	Osmium-180 ²	D, all compounds except those given for W and Y	1E+5	4E+5	2E-4	5E-7	1E-3	1E-2	
		W, halides and nitrates	-	5E+5	2E-4	7E-7	-	-	
		Y, oxides and hydroxides	-	5E+5	2E-4	6E-7	-	-	
76	Osmium-181 ²	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	1E+4 -	4E+4 5E+4 4E+4	2E-5 2E-5 2E-5	6E-8 6E-8 6E-8	2E-4 -	2E-3 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	6E+3 4E+3 4E+3	2E-6 2E-6 2E-6	8E-9 6E-9 6E-9	3E-5 -	3E-4 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+2 8E+2 8E+2	2E-7 3E-7 3E-7	7E-10 1E-9 1E-9	3E-5 -	3E-4 -	
76	Osmium-182	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	2E+5 2E+5 2E+5	1E-4 1E-4 1E-5	3E-7 3E-7 2E-7	1E-3 -	1E-2 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	3E+4 2E+4 2E+4	1E-4 8E-6 7E-6	3E-7 3E-7 2E-7	1E-3 -	1E-2 -	
76	Osmium-185	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+2 8E+2 8E+2	2E-7 3E-7 3E-7	7E-10 1E-9 1E-9	3E-5 -	3E-4 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+2 8E+2 8E+2	2E-7 3E-7 3E-7	7E-10 1E-9 1E-9	3E-5 -	3E-4 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+2 8E+2 8E+2	2E-7 3E-7 3E-7	7E-10 1E-9 1E-9	3E-5 -	3E-4 -	
76	Osmium-189m	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	2E+5 2E+5 2E+5	1E-4 9E-5 7E-5	3E-7 3E-7 2E-7	1E-3 -	1E-2 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	8E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
76	Osmium-191m	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	1E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	1E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	1E+4 -	3E+4 2E+4 2E+4	1E-5 8E-6 7E-6	4E-8 3E-8 2E-8	2E-4 -	2E-3 -	
76	Osmium-191	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	2E+3 2E+3 2E+3	9E-7 9E-7 9E-7	3E-9 3E-9 3E-9	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	2E+3 2E+3 2E+3	9E-7 9E-7 9E-7	3E-9 3E-9 3E-9	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	2E+3 2E+3 2E+3	9E-7 9E-7 9E-7	3E-9 3E-9 3E-9	-	-	
76	Osmium-193	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+3 3E+3 3E+3	2E-6 1E-6 1E-6	6E-9 4E-9 4E-9	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+3 3E+3 3E+3	2E-6 1E-6 1E-6	6E-9 4E-9 4E-9	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	2E+3 -	5E+3 3E+3 3E+3	2E-6 1E-6 1E-6	6E-9 4E-9 4E-9	-	-	
76	Osmium-194	D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	4E+2 -	4E+1 6E+1 8E+0	2E-8 2E-8 3E-9	6E-11 6E-11 1E-11	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	4E+2 -	4E+1 6E+1 8E+0	2E-8 2E-8 3E-9	6E-11 6E-11 1E-11	-	-	
		D, see ^{180}Os W, see ^{180}Os Y, see ^{180}Os	4E+2 -	4E+1 6E+1 8E+0	2E-8 2E-8 3E-9	6E-11 6E-11 1E-11	-	-	
77	Iridium-182 ²	D, all compounds except those given for W and Y	4E+4 -	1E+5 -	6E-5 -	2E-7 -	-	-	
		W, halides, nitrates, and metallic iridium	-	2E+5	6E-5	2E-7	-	6E-4	6E-3
		Y, oxides and hydroxides	-	1E+5	5E-5	2E-7	-	-	
77	Iridium-184	D, see ^{182}Ir W, see ^{182}Ir Y, see ^{182}Ir	8E+3 -	2E+4 3E+4 3E+4	1E-5 1E-5 1E-5	3E-8 5E-8 4E-8	1E-4 -	1E-3 -	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Inhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
				ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)				
77	Iridium-185	D, see ^{182}Ir	5E+3	3E+4	5E-6	2E-8	7E-5	7E-4	
		W, see ^{182}Ir	-	1E+4	5E-6	2E-8	-	-	
		Y, see ^{182}Ir	-	1E+4	4E-6	1E-8	-	-	
77	Iridium-186	D, see ^{182}Ir	2E+3	8E+3	3E-6	1E-8	3E-5	3E-4	
		W, see ^{182}Ir	-	6E+3	3E-6	9E-9	-	-	
		Y, see ^{182}Ir	-	6E+3	2E-6	8E-9	-	-	
77	Iridium-187	D, see ^{182}Ir	1E+4	2E+4	1E-5	5E-8	1E-4	1E-3	
		W, see ^{182}Ir	-	3E+4	1E-5	4E-8	-	-	
		Y, see ^{182}Ir	-	2E+4	1E-5	4E-8	-	-	
77	Iridium-188	D, see ^{182}Ir	2E+3	5E+3	2E-6	6E-9	3E-5	3E-4	
		W, see ^{182}Ir	-	4E+3	1E-6	5E-9	-	-	
		Y, see ^{182}Ir	-	3E+3	1E-6	5E-9	-	-	
77	Iridium-189	D, see ^{182}Ir	5E+3 LLT well (5E+3)	5E+3	2E-6	7E-9	-	-	
		W, see ^{182}Ir	-	4E+3	2E-6	9E-9	-	-	
		Y, see ^{182}Ir	-	4E+3	1E-6	5E-9	-	-	
77	Iridium-190m ²	D, see ^{182}Ir	2E+5	2E+5	8E-5	2E-7	2E-3	2E-2	
		W, see ^{182}Ir	-	2E+5	9E-5	3E-7	-	-	
		Y, see ^{182}Ir	-	2E+5	8E-5	3E-7	-	-	
77	Iridium-190	D, see ^{182}Ir	1E+3	9E+2	4E-7	1E-9	1E-5	1E-4	
		W, see ^{182}Ir	-	1E+3	4E-7	1E-9	-	-	
		Y, see ^{182}Ir	-	9E+2	4E-7	1E-9	-	-	
77	Iridium-192m	D, see ^{182}Ir	3E+8	9E+1	4E-8	1E-20	4E-5	4E-4	
		W, see ^{182}Ir	-	2E+2	9E-8	3E-10	-	-	
		Y, see ^{182}Ir	-	2E+1	6E-9	2E-11	-	-	
77	Iridium-192	D, see ^{182}Ir	9E+2	3E+2	1E-7	4E-10	1E-5	1E-4	
		W, see ^{182}Ir	-	4E+2	2E-7	6E-10	-	-	
		Y, see ^{182}Ir	-	2E+2	9E-8	4E-10	-	-	
77	Iridium-194a	D, see ^{182}Ir	6E+2	9E+1	4E-8	1E-30	9E-6	9E-5	
		W, see ^{182}Ir	-	2E+2	7E-8	2E-10	-	-	
		Y, see ^{182}Ir	-	1E+2	4E-8	1E-30	-	-	
77	Iridium-194	D, see ^{182}Ir	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4	
		W, see ^{182}Ir	-	2E+3	9E-7	3E-9	-	-	
		Y, see ^{182}Ir	-	2E+3	8E-7	2E-9	-	-	
77	Iridium-195m	D, see ^{182}Ir	8E+3	2E+4	1E-5	3E-8	1E-4	1E-3	
		W, see ^{182}Ir	-	3E+4	1E-5	4E-8	-	-	
		Y, see ^{182}Ir	-	2E+4	9E-6	3E-8	-	-	
77	Iridium-195	D, see ^{182}Ir	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
		W, see ^{182}Ir	-	5E+4	2E-5	7E-8	-	-	
		Y, see ^{182}Ir	-	4E+4	2E-5	6E-8	-	-	
78	Platinum-186	D, all compounds	1E+4	4E+4	2E-5	5E-8	2E-4	2E-3	
78	Platinum-188	D, all compounds	2E+3	2E+3	7E-7	2E-9	2E-5	2E-4	
78	Platinum-189	D, all compounds	1E+4	3E+4	1E-5	4E-8	1E-4	1E-3	
78	Platinum-191	D, all compounds	4E+3	6E+3	4E-6	1E-8	5E-5	5E-4	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
78	Platinum-193m	D, all compounds	3E+3 L1 wall (3E+4)	6E+3	3E-6	8E-9	-	-	-
78	Platinum-193	D, all compounds	4E+4 L1 wall (5E+4)	2E+4	1E-5	3E-8	-	-	-
78	Platinum-195m	D, all compounds	2E+3 L1 wall (2E+3)	4E+3	2E-6	6E-9	-	-	-
78	Platinum-197m ²	D, all compounds	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
78	Platinum-197	D, all compounds	3E+3	1E+4	4E-6	1E-8	4E-5	4E-4	
78	Platinum-199 ²	D, all compounds	5E+4	1E+5	6E-5	2E-7	7E-4	7E-3	
78	Platinum-200	D, all compounds	1E+3	3E+3	1E-6	5E-9	2E-5	2E-4	
79	Gold-193	D, all compounds except those given for W and Y	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
		W, halides and nitrates	-	2E+4	9E-6	3E-8	-	-	
		Y, oxides and hydroxides	-	2E+4	9E-6	3E-8	-	-	
79	Gold-194	D, see 193Au	3E+3	8E+3	3E-6	1E-8	4E-5	4E-4	
		W, see 193Au	-	5E+3	2E-6	8E-9	-	-	
		Y, see 193Au	-	5E+3	2E-6	7E-9	-	-	
79	Gold-195	D, see 193Au	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
		W, see 193Au	-	1E+3	6E-7	2E-9	-	-	
		Y, see 193Au	-	4E+2	2E-7	6E-10	-	-	
79	Gold-198m	D, see 193Au	1E+3	3E+3	1E-6	4E-9	1E-5	1E-4	
		W, see 193Au	-	1E+3	5E-7	2E-9	-	-	
		Y, see 193Au	-	1E+3	5E-7	2E-9	-	-	
79	Gold-198	D, see 193Au	1E+3	4E+3	2E-6	5E-9	2E-5	2E-4	
		W, see 193Au	-	2E+3	8E-7	3E-9	-	-	
		Y, see 193Au	-	2E+3	7E-7	2E-9	-	-	
79	Gold-199	D, see 193Au	3E+3 L1 wall (3E+3)	9E+3	4E-6	1E-8	-	-	
		W, see 193Au	-	4E+3	2E-6	6E-9	4E-5	4E-4	
		Y, see 193Au	-	4E+3	2E-6	5E-9	-	-	
79	Gold-200m	D, see 193Au	1E+3	4E+3	1E-6	5E-9	2E-5	2E-4	
		W, see 193Au	-	3E+3	1E-6	4E-9	-	-	
		Y, see 193Au	-	2E+4	1E-6	3E-9	-	-	
79	Gold-200 ²	D, see 193Au	3E+4	6E+4	3E-5	9E-8	4E-4	4E-3	
		W, see 193Au	-	8E+4	3E-5	1E-7	-	-	
		Y, see 193Au	-	7E+4	3E-5	1E-7	-	-	
79	Gold-201 ²	D, see 193Au	7E+4 St. wall (9E+4)	2E+5	9E-5	3E-7	-	-	
		W, see 193Au	-	2E+5	1E-4	3E-7	1E-3	1E-2	
		Y, see 193Au	-	2E+5	9E-5	3E-7	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μ Ci)	Col. 2 Inhalation ALT (μ Ci)	Col. 3 DAC (μ Ci/ml)	Col. 1	Col. 2	Monthly Average Concentration (μ Ci/ml)	
						Air (μ Ci/ml)	Water (μ Ci/ml)		
80	Mercury-193m	Vapor	-	8E+3	4E-6	1E-8	-	-	
		Organic D	4E+3	1E+4	5E-6	2E-8	6E-5	6E-4	
		D, sulfates	3E+3	9E+3	4E-6	1E-8	4E-5	4E-4	
		W, oxides, hydroxides, halides, nitrates, and sulfides	-	8E+3	3E-6	1E-8	-	-	
80	Mercury-193	Vapor	-	3E+4	1E-5	4E-8	-	-	
		Organic D	2E+4	6E+4	3E-5	9E-8	3E-4	3E-3	
		D, see 193mHg	2E+4	4E+4	2E-5	6E-8	2E-4	2E-3	
		W, see 193mHg	-	4E+4	2E-5	6E-8	-	-	
80	Mercury-194	Vapor	-	3E+1	1E-8	4E-11	-	-	
		Organic D	2E+1	3E+1	1E-8	4E-11	2E-7	2E-6	
		D, see 193mHg	8E+2	4E+1	2E-8	6E-11	1E-5	1E-4	
		W, see 193mHg	-	1E+2	5E-8	2E-10	-	-	
80	Mercury-195m	Vapor	-	4E+3	2E-6	6E-9	-	-	
		Organic D	3E+3	6E+3	3E-6	8E-9	4E-5	4E-4	
		D, see 193mHg	2E+3	5E+3	2E-6	7E-9	3E-5	3E-4	
		W, see 193mHg	-	4E+3	2E-6	5E-9	-	-	
80	Mercury-195	Vapor	-	3E+4	1E-5	4E-8	-	-	
		Organic D	2E+4	5E+4	2E-5	6E-8	2E-4	2E-3	
		D, see 193mHg	1E+4	4E+4	1E-5	5E-8	2E-4	2E-3	
		W, see 193mHg	-	3E+4	1E-5	5E-8	-	-	
80	Mercury-197m	Vapor	-	5E+3	2E-6	7E-9	-	-	
		Organic D	4E+3	9E+3	4E-6	1E-8	5E-5	5E-4	
		D, see 193mHg	3E+3	7E+3	3E-6	1E-8	4E-5	4E-4	
		W, see 193mHg	-	5E+3	2E-6	7E-9	-	-	
80	Mercury-197	Vapor	-	8E+3	4E-6	1E-8	-	-	
		Organic D	7E+3	1E+4	6E-6	2E-8	9E-5	9E-4	
		D, see 193mHg	6E+3	1E+4	5E-6	2E-8	8E-5	8E-4	
		W, see 193mHg	-	9E+3	4E-6	1E-8	-	-	
80	Mercury-199m ²	Vapor	-	8E+4	3E-5	1E-7	-	-	
		Organic D	6E+4	2E+5	7E-5	2E-7	-	-	
		D, see 193mHg	(1E+5)	-	-	-	1E-3	1E-2	
		W, see 193mHg	6E+4	1E+5	6E-5	2E-7	8E-4	8E-3	
80	Mercury-203	Vapor	-	8E+2	4E-7	1E-9	-	-	
		Organic D	5E+2	8E+2	3E-7	1E-9	7E-6	7E-5	
		D, see 193mHg	2E+3	1E+3	5E-7	2E-9	-	-	
		W, see 193mHg	-	1E+3	5E-7	2E-9	-	-	
81	Thallium-194m ²	D, all compounds	5E+4 St. wall (7E+4)	2E+5	6E-5	2E-7	-	-	
				-	-	-	1E-3	1E-2	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Imhalation		Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{mL}$)	Monthly Average Concentration ($\mu\text{Ci}/\text{mL}$)	
				ALT (μCi)	DAC ($\mu\text{Ci}/\text{mL}$)				
81	Thallium-194 ²	D, all compounds	3E+5 St. wall (3E+5)	6E-5	2E-4	8E-7	-	-	-
81	Thallium-195 ²	D, all compounds	6E+4	1E+5	5E-5	2E-7	9E-4	9E-3	
81	Thallium-197	D, all compounds	7E+4	1E+5	5E-5	2E-7	1E-3	1E-2	
81	Thallium-198 ²	D, all compounds	3E+4	5E+4	2E-5	8E-8	4E-4	4E-3	
81	Thallium-198	D, all compounds	2E+4	3E+4	1E-5	5E-8	3E-4	3E-3	
81	Thallium-199	D, all compounds	6E+4	8E+4	4E-5	1E-7	9E-4	9E-3	
81	Thallium-200	D, all compounds	8E+3	1E+4	5E-6	2E-8	1E-4	1E-3	
81	Thallium-201	D, all compounds	2E+4	2E+4	9E-6	3E-8	2E-4	2E-3	
81	Thallium-202	D, all compounds	4E+3	5E+3	2E-6	7E-9	5E-5	5E-4	
81	Thallium-204	D, all compounds	2E+3	2E+3	9E-7	3E-9	2E-5	2E-4	
82	Lead-195 ²	D, all compounds	6E+4	2E+5	8E-5	3E-7	8E-4	8E-3	
82	Lead-198	D, all compounds	3E+4	6E+4	3E-5	9E-8	6E-4	6E-3	
82	Lead-199 ²	D, all compounds	2E+4	7E+4	3E-5	1E-7	3E-4	3E-3	
82	Lead-200	D, all compounds	3E+3	6E+3	3E-6	9E-9	4E-5	4E-4	
82	Lead-201	D, all compounds	7E+3	2E+4	8E-6	3E-8	1E-4	1E-3	
82	Lead-202m	D, all compounds	9E+3	3E+4	1E-5	4E-8	1E-4	1E-3	
82	Lead-202	D, all compounds	1E+2	5E+1	2E-8	7E-11	2E-6	2E-5	
82	Lead-203	D, all compounds	5E+3	9E+3	4E-6	1E-8	7E-5	7E-4	
82	Lead-205	D, all compounds	4E+3	1E+3	6E-7	2E-9	5E-5	5E-4	
82	Lead-209	D, all compounds	2E+4	6E+4	2E-5	8E-8	3E-4	3E-3	
82	Lead-210	D, all compounds	8E-1 Bone surf (1E+0)	2E-1 Bone surf (4E-1)	1E-10	-	-	-	
82	Lead-211 ²	D, all compounds	1E+4	6E+2	3E-7	9E-10	2E-4	2E-3	
82	Lead-212	D, all compounds	8E+1 Bone surf (1E+2)	3E+1	2E-8	5E-11	-	-	
82	Lead-214 ²	D, all compounds	9E+3	8E+2	3E-7	1E-9	1E-4	1E-3	
83	Bismuth-200 ²	D, nitrates W, all other compounds	3E+4	8E+4	4E-5	1E-7	4E-4	4E-3	
83	Bismuth-201 ²	D, see 200 _{Bi} W, see 200 _{Bi}	1E+4	3E+4	1E-5	4E-8	2E-4	2E-3	
83	Bismuth-202 ²	D, see 200 _{Bi} W, see 200 _{Bi}	1E+4	4E+4	2E-5	6E-8	2E-4	2E-3	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)		Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			D, see ^{200}Bi	W, see ^{200}Bi	-	-	-	-	
83	Bismuth-203	D, see ^{200}Bi W, see ^{200}Bi	2E+3	7E+3 6E+3	3E-6 3E-6	9E-9 9E-9	3E-5	3E-4	
83	Bismuth-205	D, see ^{200}Bi W, see ^{200}Bi	1E+3	3E+3 1E+3	1E-6 5E-7	3E-9 2E-9	2E-5	2E-4	
83	Bismuth-206	D, see ^{200}Bi W, see ^{200}Bi	6E+2	1E+3 9E+2	6E-7 4E-7	2E-9 1E-9	9E-6	9E-5	
83	Bismuth-207	D, see ^{200}Bi W, see ^{200}Bi	1E+3	2E+3 4E+2	7E-7 1E-7	2E-9 5E-10	1E-5	1E-4	
83	Bismuth-210 ²	D, see ^{200}Bi W, see ^{200}Bi	4E+1 (6E+1)	5E+0 (6E+0)	2E-9 -	-	-	-	
83	Bismuth-210	D, see ^{200}Bi W, see ^{200}Bi	8E+2	2E+2 (4E+2) 3E+1	1E-7 1E-8 1E-8	5E-10 4E-11	8E-7	8E-6	
83	Bismuth-212 ²	D, see ^{200}Bi W, see ^{200}Bi	5E+3	2E+2 3E+2	1E-7 1E-7	3E-10 4E-10	7E-5	7E-4	
83	Bismuth-213 ²	D, see ^{200}Bi W, see ^{200}Bi	7E+3	3E+2 4E+2	1E-7 1E-7	4E-10 5E-10	1E-4	1E-3	
83	Bismuth-214 ²	D, see ^{200}Bi W, see ^{200}Bi	2E+4 (2E+4)	8E+2	3E-7	1E-9	-	-	
83	Polonium-203 ²	D, all compounds except those given for W W, oxides, hydroxides, and nitrates	3E+4	6E+4	3E-5	9E-6	3E-4	3E-3	
84	Polonium-205 ²	D, see ^{203}Po W, see ^{203}Po	2E+4	4E+4 7E+4	2E-5 3E-5	5E-8 1E-7	3E-8	3E-3	
84	Polonium-207	D, see ^{203}Po W, see ^{203}Po	8E+3	3E+4 3E+4	1E-5 1E-5	3E-8 4E-8	1E-4	1E-3	
84	Polonium-210	D, see ^{203}Po W, see ^{203}Po	3E+0	6E-1 6E-1	3E-10 3E-10	9E-13 9E-13	4E-8	4E-7	
85	Astatine-207 ²	D, halides W	6E+3	3E+3 2E+3	1E-6 9E-7	4E-9 3E-9	8E-5	8E-4	
85	Astatine-211	D, halides W	1E+2	8E+1 5E+1	3E-8 2E-8	1E-10 8E-11	2E-6	2E-5	
86	Radon-220	With daughters removed With daughters present	-	2E+4 2E+1 (or 12 working level months)	7E-6 9E-9 (or 1.0 working level)	2E-8 3E-11	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
86	Radon-222	With daughters removed With daughters present	-	1E+4 (or 4 working level months)	4E-6 (or 0.33 working level)	1E-8 2E-10	-	-	
87	Francium-222 ²	D, all compounds	2E+3	5E+2	2E-7	6E-10	3E-5	3E-4	
87	Francium-223 ²	D, all compounds	6E+2	8E+2	3E-7	1E-9	8E-6	8E-5	
88	Radium-223	W, all compounds	5E+0 Bone surf (9E+0)	7E-1	3E-10	9E-13	-	-	
88	Radium-224	W, all compounds	8E+0 Bone surf (2E+1)	2E+0	7E-10	2E-12	-	-	
88	Radium-225	W, all compounds	8E+0 Bone surf (2E+1)	7E-1	3E-10	9E-13	-	-	
88	Radium-226	W, all compounds	2E+0 Bone surf (5E+0)	6E-1	3E-10	9E-13	-	-	
88	Radium-227 ²	W, all compounds	2E+4 Bone surf (2E+4)	1E+4 (2E+4)	6E-6	-	-	-	
8	Radium-228	W, all compounds	2E+0 Bone surf (4E+0)	1E+0	5E-10	2E-12	-	-	
89	Actinium-224	D, all compounds except those given for W and Y	2E+3 LLI wall (2E+3)	3E+1 Bone surf (4E+1)	1E-8	-	-	-	
		W, halides and nitrates	-	5E+1	2E-8	7E-11	-	-	
		Y, oxides and hydroxides	-	5E+1	2E-8	6E-11	-	-	
89	Actinium-225	D, see ²²⁴ Ac	5E+1 LLI wall (5E+1)	3E-1 Bone surf (SE-1)	1E-10	-	-	-	
		W, see ²²⁴ Ac	-	6E-1	3E-10	7E-13	7E-7	7E-6	
		Y, see ²²⁴ Ac	-	6E-1	3E-10	9E-13	-	-	
89	Actinium-226	D, see ²²⁴ Ac	1E+2 LLI wall (1E+2)	3E+0 Bone surf (4E+0)	1E-9	-	-	-	
		W, see ²²⁴ Ac	-	5E+0	2E-9	5E-12	2E-6	2E-5	
		Y, see ²²⁴ Ac	-	5E+0	2E-9	6E-12	-	-	
89	Actinium-227	D, see ²²⁴ Ac	2E-1 Bone surf (4E-1)	4E-4 Bone surf (8E-4)	2E-13	-	-	-	
		W, see ²²⁴ Ac	-	2E-3	7E-13	1E-15	5E-9	5E-8	
		Y, see ²²⁴ Ac	-	(3E-3)	-	4E-15	-	-	
			-	4E-3	2E-12	6E-15	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion		Col. 3 Inhalation	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
			AI (μCi)	DAC ($\mu\text{Ci}/\text{ml}$)	AIR ($\mu\text{Ci}/\text{ml}$)	Air ($\mu\text{Ci}/\text{ml}$)	Water ($\mu\text{Ci}/\text{ml}$)		
89	Actinium-228	D, see ^{224}Ac	2E+3	9E+0 Bone surf	4E-9	-	3E-5	3E-4	
		W, see ^{224}Ac	-	(2E+1) 4E+1 Bone surf	- 2E-8	2E-11	-	-	
		Y, see ^{224}Ac	-	(6E+1) 4E+1	- 2E-8	8E-11	-	-	
90	Thorium-226 ²	W, all compounds except those given for Y	8E+3 (5E+3)	2E+2 St. wall	6E-8	2E-10	-	-	
		Y, oxides and hydroxides	-	1E+2	6E-8	2E-10	-	-	
		W, see ^{226}Th	1E+2	3E-1 3E-1	1E-10 1E-10	5E-13 5E-13	2E-6	2E-5	
90	Thorium-228	W, see ^{226}Th	6E+0 (1E+1)	1E-2 Bone surf (2E-2)	4E-12	-	-	-	
		Y, see ^{226}Th	-	2E-2	7E-12	3E-14 2E-14	2E-7	2E-6	
		W, see ^{226}Th	6E-1 (1E+0)	9E-4 Bone surf (2E-3)	4E-13	-	-	-	
90	Thorium-229	Y, see ^{226}Th	-	2E-3	1E-12	3E-15	2E-8	2E-7	
		W, see ^{226}Th	-	3E-3 (3E-3)	-	4E-15	-	-	
		Y, see ^{226}Th	-	6E-3 Bona surf (9E+0)	3E-12	-	-	-	
90	Thorium-230	W, see ^{226}Th	4E+0 (9E+0)	6E-3 Bona surf	-	2E-14	1E-7	1E-6	
		Y, see ^{226}Th	-	2E-2 Bone surf (2E-2)	6E-12	-	-	-	
		W, see ^{226}Th	-	-	3E-14	-	-	-	
90	Thorium-231	W, see ^{226}Th	4E+3	6E+3 6E+3	3E-6 3E-6	9E-9 9E-9	5E-5	5E-4	
		Y, see ^{226}Th	-	7E-1 (2E+0)	1E-3 Bone surf (3E-3)	5E-13	-	-	
		Y, see ^{226}Th	-	3E-3 (4E-3)	1E-12	4E-15	3E-8	3E-7	
90	Thorium-232	W, see ^{226}Th	7E-1 (2E+0)	1E-3 Bone surf (3E-3)	5E-13	-	-	-	
		Y, see ^{226}Th	-	3E-3 (4E-3)	1E-12	-	-	-	
		W, see ^{226}Th	-	-	6E-15	-	-	-	
90	Thorium-234	W, see ^{226}Th	3E+2 (4E+2)	2E+2 LL1 wall	8E-8	3E-10	-	-	
		Y, see ^{226}Th	-	-	-	-	5E-6	5E-5	
		W, all compounds except those given for Y	4E+3	1E+2	5E-8	2E-10	5E-5	5E-4	
91	Protactinium-227 ²	Y, oxides and hydroxides	-	1E+2	4E-8	1E-10	-	-	
		W, see ^{227}Pa	1E+3	1E+1 Bone surf	5E-9	-	2E-5	2E-4	
		Y, see ^{226}Pa	-	(2E+1) 1E+1	5E-9	3E-11 2E-11	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			Bone surf (9E+2)	-	2E-9	7E-12	-		
91	Protactinium-230	W, see ^{227}Pa	6E+2	5E+0	2E-9	7E-12	-	-	
		Y, see ^{227}Pa	-	4E+0	1E-9	-	1E-5	1E-4	
91	Protactinium-231	W, see ^{227}Pa	2E-1	2E-3	6E-13	-	-	-	
		Y, see ^{226}Pa	(5E-1)	(4E-3)	-	6E-15	6E-9	6E-8	
91	Protactinium-232	W, see ^{227}Pa	1E+3	2E+1	9E-9	-	2E-5	2E-4	
		Y, see ^{227}Pa	-	(6E+1)	-	8E-11	-	-	
91	Protactinium-233	W, see ^{227}Pa	1E+3	7E+2	3E-7	1E-9	-	-	
		Y, see ^{227}Pa	(2E+3)	-	-	-	2E-5	2E-4	
91	Protactinium-234	W, see ^{227}Pa	2E+3	8E+3	3E-6	1E-8	3E-5	3E-4	
		Y, see ^{227}Pa	-	7E+3	3E-6	9E-9	-	-	
92	Uranium-230	D, UF_6 , UO_2F_2 , $\text{UO}_2(\text{NO}_3)_2$	4E+0	4E-1	2E-10	-	-	-	
		W, UO_3 , UF_4 , UCl_4	(6E+0)	(6E-1)	-	8E-13	8E-8	8E-7	
		Y, U_3O_8	-	4E-1	1E-10	5E-13	-	-	
92	Uranium-231	D, see ^{230}U	5E+3	8E+3	3E-6	1E-8	-	-	
		W, see ^{230}U	(4E+3)	-	-	-	6E-5	6E-4	
		Y, see ^{230}U	-	6E+3	2E-6	8E-9	-	-	
92	Uranium-232	D, see ^{230}U	2E+0	2E-1	9E-11	-	-	-	
		W, see ^{230}U	(4E+0)	(4E-1)	-	6E-13	6E-8	6E-7	
		Y, see ^{230}U	-	4E-1	2E-10	5E-13	-	-	
92	Uranium-233	D, see ^{230}U	1E+1	1E+0	5E-10	-	-	-	
		W, see ^{230}U	(2E+1)	(2E+0)	-	3E-12	3E-7	3E-6	
		Y, see ^{230}U	-	7E-1	3E-10	1E-12	-	-	
92	Uranium-234 ³	D, see ^{230}U	1E+1	1E+0	5E-10	-	-	-	
		W, see ^{230}U	(2E+1)	(2E+0)	-	3E-12	3E-7	3E-6	
		Y, see ^{230}U	-	7E-1	3E-10	1E-12	-	-	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 Dose Rate AI ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						AIR	DAC		
92	Uranium-235 ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	6E-10	-	-	-	
			W, see ²³⁰ U	-	3E-12	3E-7	3E-6	-	
			Y, see ²³⁰ U	-	1E-12	-	-	-	
92	Uranium-236	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	5E-10	-	-	-	
			W, see ²³⁰ U	-	3E-12	3E-7	3E-6	-	
			Y, see ²³⁰ U	-	1E-12	-	-	-	
92	Uranium-237	D, see ²³⁰ U	2E+3 (2E+3)	3E+3	1E-6	4E-9	-	-	
			W, see ²³⁰ U	-	-	-	3E-5	3E-4	
			Y, see ²³⁰ U	-	2E+3	7E-7	2E-9	-	
92	Uranium-238 ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	6E-10	-	-	-	
			W, see ²³⁰ U	-	3E-12	3E-7	3E-6	-	
			Y, see ²³⁰ U	-	1E-12	-	-	-	
92	Uranium-239 ²	D, see ²³⁰ U	7E+4	2E+5	8E-5	3E-7	9E-4	9E-3	
			W, see ²³⁰ U	-	2E+5	7E-5	2E-7	-	
			Y, see ²³⁰ U	-	2E+5	6E-5	2E-7	-	
92	Uranium-240	D, see ²³⁰ U	1E+3	4E+3	2E-6	5E-9	2E-5	2E-4	
			W, see ²³⁰ U	-	3E+3	1E-6	4E-9	-	
			Y, see ²³⁰ U	-	2E+3	1E-6	3E-9	-	
92	Uranium-natural ³	D, see ²³⁰ U	1E+1 (2E+1)	1E+0 (2E+0)	5E-10	-	-	-	
			W, see ²³⁰ U	-	-	3E-12	3E-7	3E-6	
			Y, see ²³⁰ U	-	8E-1	3E-10	9E-13	-	
93	Neptunium-232 ²	W, all compounds	1E+5	2E+3 (5E+2)	7E-7	-	2E-3	2E-2	
			-	-	6E-9	-	-	-	
			8E+5	3E+6	1E-3	4E-6	1E-2	1E-1	
93	Neptunium-234	W, all compounds	2E+3	3E+3	1E-6	4E-9	3E-5	3E-4	
			2E+4 (2E+4)	8E+2 (1E+3)	3E-7	-	-	-	
			3E+0 (6E+0)	2E+2 (5E+2)	-	2E-9	3E-4	3E-3	
93	Neptunium-236 ² (1.15E+5 y)	W, all compounds	3E+0 (6E+0)	2E+2 (5E+2)	9E-12	-	-	-	
			-	-	8E-14	9E-8	9E-7	-	
			3E+3 (4E+3)	3E+1 (7E+1)	1E-8	-	-	-	
93	Neptunium-236m (22.5 h)	W, all compounds	3E+3 (4E+3)	3E+1 (7E+1)	1E-8	1E-10	5E-5	5E-4	
			5E-1 (1E+0)	4E-3 (1E-2)	2E-12	-	-	-	
			-	-	1E-14	2E-8	2E-7	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Inhalation		Col. 1 Oral Ingestion ALI (μCi)	Col. 2 ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			ALI (μCi)	DAC ($\mu\text{Ci}/\text{m}^3$)						
93	Neptunium-238	W, all compounds	1E+3	6E-1 Bone surf (2E-2)	3E-8	-	2E-5	2E-4		
			-	-	-	2E-10	-	-		
93	Neptunium-239	W, all compounds	2E+3 LSI wall (2E+3)	2E+3	9E-7	3E-9	-	-		
			-	-	-	-	2E-5	2E-4		
93	Neptunium-240 ²	W, all compounds	2E+4	6E+4	3E-5	1E-7	3E-4	3E-3		
94	Plutonium-234	W, all compounds except PuO ₂ Y, PuO ₂	8E+3	2E+2 2E+2	9E-8 8E-8	3E-10 3E-10	1E-4	1E-3		
94	Plutonium-235 ²	W, see ²³⁴ Pu Y, see ²³⁴ Pu	9E+5	3E+6 3E+6	1E-3 1E-3	4E-6 3E-6	1E-2	1E-1		
94	Plutonium-236	W, see ²³⁴ Pu Y, see ²³⁴ Pu	2E+0 -	2E-2 Bone surf (4E+0) 4E-2	8E-12	-	-	-		
			-	-	-	5E-14 6E-14	6E-8	6E-7		
94	Plutonium-237	W, see ²³⁴ Pu Y, see ²³⁴ Pu	1E+4	3E+3 3E+3	1E-6 1E-6	5E-9 4E-9	2E-4	2E-3		
94	Plutonium-238	W, see ²³⁴ Pu Y, see ²³⁴ Pu	9E-1 Bone surf (2E+0)	7E-3 Bone surf (1E-2)	3E-12	-	-	-		
			-	-	-	2E-14 2E-14	2E-8	2E-7		
94	Plutonium-239	W, see ²³⁴ Pu Y, see ²³⁴ Pu	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-		
			-	-	-	2E-14 7E-12	2E-8	2E-7		
			-	2E-2 Bone surf (2E-2)	-	2E-14	-	-		
94	Plutonium-240	W, see ²³⁴ Pu Y, see ²³⁴ Pu	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-		
			-	-	-	2E-14 7E-12	2E-8	2E-7		
			-	2E-2 Bone surf (2E-2)	-	2E-14	-	-		
94	Plutonium-241	W, see ²³⁴ Pu Y, see ²³⁴ Pu	4E+1 Bone surf (7E+1)	3E-1 Bone surf (6E-1)	1E-10	-	-	-		
			-	-	-	8E-13 3E-10	1E-6	1E-5		
			-	(1E+0)	-	1E-12	-	-		

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion AI (μCi)	Col. 2 Inhalation AI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
						Air ($\mu\text{Ci}/\text{m}^3$)	Water ($\mu\text{Ci}/\text{m}^3$)		
94	Plutonium-242	W, see ^{234}Pu	8E-1 Bone surf (1E+0)	7E-3 Bone surf (1E-2)	3E-12	-	-	-	
		Y, see ^{234}Pu	- - -	2E-2 Bone surf (2E-2)	7E-12	2E-14	2E-8	2E-7	
94	Plutonium-243	W, see ^{234}Pu Y, see ^{234}Pu	2E+4 - -	4E+4 4E+4 -	2E-5 2E-5 -	5E-8 5E-8 -	2E-4 - -	2E-3 - -	
94	Plutonium-244	W, see ^{234}Pu	8E-1 Bone surf (2E+0)	7E-3 Bone surf (1E-2)	3E-12	-	-	-	
		Y, see ^{234}Pu	- - -	2E-2 Bone surf (2E-2)	7E-12	2E-14	2E-8	2E-7	
94	Plutonium-245	W, see ^{234}Pu Y, see ^{234}Pu	2E+3 - -	5E+3 4E+3 -	2E-6 2E-6 6E-9	6E-9 - -	3E-5 - -	3E-4 - -	
94	Plutonium-246	W, see ^{234}Pu Y, see ^{234}Pu	4E+2 LLI wall (4E+2)	3E+2 - 3E+2	1E-7 - 1E-7	4E-10 - 4E-10	- - -	- 6E-6 6E-5	- - -
95	Americium-237 ²	W, all compounds	8E+4	3E+5	1E-4	4E-7	1E-3	1E-2	
95	Americium-238 ²	W, all compounds	4E+4	3E+3 Bone surf (6E+3)	1E-6	-	5E-4	5E-3	
95	Americium-239	W, all compounds	5E+3	1E+4	5E-6	2E-8	7E-5	7E-4	
95	Americium-240	W, all compounds	2E+3	3E+3	1E-6	4E-9	3E-5	3E-4	
95	Americium-241	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-242m	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-242	W, all compounds	4E+3 - (5E+1)	8E+1 Bone surf -	4E-8 -	5E-5 -	5E-4 -	5E-4 -	
95	Americium-243	W, all compounds	8E-1 Bone surf (1E+0)	6E-3 Bone surf (1E-2)	3E-12	-	-	-	
95	Americium-244a ²	W, all compounds	6E+4 St. wall (8E+4)	4E+3 Bone surf (7E+3)	2E-6 -	1E-8 1E-3	1E-3	1E-2	
95	Americium-244	W, all compounds	3E+3 - -	2E+2 Bone surf (3E+2)	8E-8 -	4E-10 -	4E-5 -	4E-4 -	
95	Americium-245	W, all compounds	3E+4	8E+4	3E-5	1E-7	4E-4	4E-3	

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Col. 1 Oral Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAP ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
			St. wall ($6E+4$)	-	-	-	-		
95	Americium-246 ²	W, all compounds	5E+4 St. wall ($6E+4$)	2E+5	8E-5	3E-7	-	-	
95	Americium-246 ²	W, all compounds	3E+4	1E+5	4E-5	1E-7	4E-4	4E-3	
96	Curium-238	W, all compounds	2E+4	1E+3	5E-7	2E-9	2E-4	2E-3	
96	Curium-240	W, all compounds	6E+1 Bone surf ($8E+1$)	6E-1 Bone surf ($6E-1$)	2E-10	-	9E-13	1E-6	
96	Curium-241	W, all compounds	1E+3	3E+1 Bone surf ($4E+1$)	1E-8	-	2E-5	2E-4	
96	Curium-242	W, all compounds	3E+1 Bone surf ($5E+1$)	3E-1 Bone surf ($3E-1$)	1E-10	-	4E-13	7E-7	
96	Curium-243	W, all compounds	1E+0 Bone surf ($2E+0$)	9E-3 Bone surf ($2E-2$)	4E-12	-	-	-	
96	Curium-244	W, all compounds	1E+0 Bone surf ($3E+0$)	1E-2 Bone surf ($2E-2$)	5E-12	-	-	-	
96	Curium-245	W, all compounds	7E-1 Bone surf ($1E+0$)	6E-3 Bone surf ($1E-2$)	3E-12	-	-	-	
96	Curium-246	W, all compounds	7E-1 Bone surf ($1E+0$)	6E-3 Bone surf ($1E-2$)	3E-12	-	-	-	
96	Curium-247	W, all compounds	8E-1 Bone surf ($1E+0$)	6E-3 Bone surf ($1E-2$)	3E-12	-	-	-	
96	Curium-248	W, all compounds	2E-1 Bone surf ($4E-1$)	2E-3 Bone surf ($3E-3$)	7E-13	-	-	-	
96	Curium-249 ²	W, all compounds	5E+4	2E+4 Bone surf ($3E+4$)	7E-6	-	7E-4	7E-3	
96	Curium-250	W, all compounds	4E-2 Bone surf ($6E-2$)	3E-4 Bone surf ($5E-4$)	1E-13	-	-	-	
97	Berkelium-245	W, all compounds	2E+3	1E+3	5E-7	2E-9	3E-5	3E-4	
97	Berkelium-246	W, all compounds	3E+3	3E+3	1E-6	4E-9	4E-5	4E-4	
97	Berkelium-247	W, all compounds	5E-1 Bone surf ($1E+0$)	4E-3 Bone surf ($9E-3$)	2E-12	-	1E-14	2E-8	
97	Berkelium-249	W, all compounds	2E+2 Bone surf ($5E+2$)	2E+0 Bone surf ($4E+0$)	7E-10	-	-	-	
						5E-12	6E-6	6E-5	

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
			Oral Ingestion		Inhalation	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)
			Col. 1 AI (μCi)	Col. 2 AI (μCi)					
97	Berkelium-250	W, all compounds	9E+3	3E+2 (7E+2)	1E-7	-	1E-4	1E-3	-
-	-	-	-	-	-	1E-9	-	-	-
98	Californium-244 ²	W, all compounds except those given for Y	3E+4 St. wall (3E+4)	6E+2	2E-7	8E-10	-	-	-
-	-	-	-	-	-	4E-4	4E-3	-	-
-	-	Y, oxides and hydroxides	-	6E+2	2E-7	8E-10	-	-	-
98	Californium-246	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	4E+2 9E+0	9E+0 4E-9	4E-9 1E-11	1E-11 1E-11	5E-6	5E-5	-
98	Californium-248	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	8E+0 2E+1	6E-2 (1E-1) 1E-1	3E-11 - 4E-11	-	-	-	-
98	Californium-249	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	5E-1 Bone surf (1E+0)	4E-3 Bone surf (9E-3) 1E-2	2E-12 - 4E-12	-	2E-8	2E-7	-
-	-	-	-	-	2E-14	-	-	-	-
98	Californium-250	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	1E+0 Bone surf (2E+0)	9E-3 Bone surf (2E-2) 3E-2	4E-12 - 1E-11	-	3E-8	3E-7	-
-	-	-	-	-	3E-14 4E-14	-	-	-	-
98	Californium-251	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	5E-1 Bone surf (1E+0)	4E-3 Bone surf (9E-3) 1E-2	2E-12 - 4E-12	-	2E-8	2E-7	-
-	-	-	-	-	2E-14	-	-	-	-
98	Californium-252	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+0 Bone surf (5E+0)	2E-2 Bone surf (4E-2) 3E-2	BE-12 - 1E-11	-	5E-14 5E-14	7E-8	7E-7
-	-	-	-	-	5E-14 5E-14	-	-	-	-
98	Californium-253	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+2 Bone surf (4E+2)	2E+0 Bone surf (4E+2) 2E+0	8E-10 - 7E-10	3E-12 - 2E-12	-	5E-6	5E-5
-	-	-	-	-	5E-12 5E-12	-	-	-	-
98	Californium-254	W, see ²⁴⁴ Cf Y, see ²⁴⁴ Cf	2E+0 2E-2	2E-2 2E-2	9E-12 7E-12	3E-14 2E-14	3E-8	3E-7	-
-	-	-	-	-	3E-14 2E-14	-	-	-	-
99	Einsteinium-250	W, all compounds	4E+4	5E+2 Bone surf (1E+3)	2E-7 -	-	6E-4	6E-3	-
-	-	-	-	-	2E-9	-	-	-	-
99	Einsteinium-251	W, all compounds	7E+3	9E+2 Bone surf (1E+3)	4E-7 -	-	1E-4	1E-3	-
-	-	-	-	-	2E-9	-	-	-	-
99	Einsteinium-253	W, all compounds	2E+2	1E+0	6E-10	2E-12	2E-6	2E-5	-

Nuclear Regulatory Commission

Pt. 20, App. B

Atomic No.	Radionuclide	Class	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers		
			Oral Ingestion		Inhalation	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)
			Col. 1 All (μCi)	Col. 2 LLI wall ($3E+2$)						
99	Einsteinium-254m	W, all compounds	3E+2	1E+1	4E-9	1E-11	-	-	-	
			LLI wall ($3E+2$)	-	-	-	4E-6	4E-5		
99	Einsteinium-254	W, all compounds	8E-0	7E-2	3E-11	-	-	-	-	
			Bone surf ($2E+1$)	($1E-1$)	-	2E-13	2E-7	2E-6		
100	Fermium-252	W, all compounds	5E+2	1E+1	5E-9	2E-11	6E-6	6E-5		
100	Fermium-253	W, all compounds	1E+3	1E+1	4E-9	1E-11	1E-5	1E-4		
100	Fermium-254	W, all compounds	3E+3	9E+1	4E-8	1E-10	4E-5	4E-4		
100	Fermium-255	W, all compounds	5E+2	2E+1	9E-9	3E-11	7E-6	7E-5		
100	Fermium-257	W, all compounds	2E+1	2E-1	7E-11	-	-	-		
			Bone surf ($4E+1$)	($2E-1$)	-	3E-13	5E-7	5E-6		
101	Mendelevium-257	W, all compounds	7E+3	8E+1	4E-8	-	1E-4	1E-3		
			-	($9E+1$)	-	1E-10	-	-		
101	Mendelevium-258	W, all compounds	3E+1	2E-1	1E-10	-	-	-		
			Bone surf ($5E+1$)	($3E-1$)	-	5E-13	6E-7	6E-6		
-	Any single radionuclide not listed above with decay mode other than alpha emission or spontaneous fission and with radioactive half-life less than 2 hours			Submersion ¹	-	2E+2	1E-7	1E-9	-	
-	Any single radionuclide not listed above with decay mode other than alpha emission or spontaneous fission and with radioactive half-life greater than 2 hours			-	-	2E-1	1E-10	1E-12	1E-8	
-	Any single radionuclide not listed above that decays by alpha emission or spontaneous fission, or any mixture for which either the identity or the concentration of any radionuclide in the mixture is not known			-	-	4E-4	2E-13	1E-15	2E-9	
									2E-8	

FOOTNOTES:

¹"Submersion" means that values given are for submersion in a hemispherical semi-infinite cloud of airborne material.

²These radionuclides have radiological half-lives of less than 2 hours. The total effective dose equivalent received during operations with these radionuclides might include a significant contribution from external exposure. The DAC values for all radionuclides, other than those designated Class "Submersion," are based upon the committed effective dose equivalent due to the intake of the radionuclide into the body and do NOT include potentially significant contributions to dose equivalent from external exposures. The licensee may substitute 1E-7 $\mu\text{Ci}/\text{ml}$ for the listed DAC to account for the submersion dose prospectively, but should use individual monitoring devices or other radiation measuring instruments that measure external exposure to demonstrate compliance with the limits. (See § 20.1203.)

³For soluble mixtures of U-238, U-234, and U-235 in air, chemical toxicity may be the limiting factor (see § 20.1201(e)). If the percent by weight (enrichment) of U-235 is not greater than 5, the concentration value for a 40-hour workweek is 0.2 milligrams uranium per cubic meter of air average. For any enrichment, the product of the average concentration and time of exposure during a 40-hour workweek shall not exceed 8E-3 (SA) $\mu\text{Ci}\cdot\text{hr}/\text{m}^3$, where SA is the specific activity of the uranium inhaled. The specific activity for natural uranium is 6.77E-7 curies per gram U. The specific activity for other mixtures of U-238, U-235, and U-234, if not known, shall be:

$$\text{SA} = 3.6E-7 \text{ curies/gram U} \quad \text{U-depleted}$$

$$\text{SA} = [0.4 + 0.38 (\text{enrichment}) + 0.0034 (\text{enrichment})^2] E-6, \quad \text{enrichment} \geq 0.72$$

where enrichment is the percentage by weight of U-235, expressed as percent.

NOTE:

- If the identity of each radionuclide in a mixture is known but the concentration of one or more of the radionuclides in the mixture is not known, the DAC for the mixture shall be the most restrictive DAC of any radionuclide in the mixture.
- If the identity of each radionuclide in the mixture is not known, but it is known that certain radionuclides specified in this appendix are not present in the mixture, the inhalation ALI, DAC, and effluent and sewage concentrations for the mixture are the lowest values specified in this appendix for any radionuclide that is not known to be absent from the mixture; or

Radionuclide	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
	Col. 1 Draught Ingestion ALI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{ml}$)	Col. 1	Col. 2	Monthly Average Concentration ($\mu\text{Ci}/\text{ml}$)	
If it is known that Ac-227-D and Cm-250-W are not present	-	7E-4	3E-13	-	-	-	
If, in addition, it is known that Ac-227-W,Y, Th-229-W,Y, Th-232-W,Y, Pa-231-W,Y, Np-237-W, Pu-239-W, Pu-240-W, Pu-242-W, Am-241-W, Am-242-W, Am-243-W, Cm-245-W, Cm-246-W, Cm-247-W, Cm-248-W, Bk-247-W, Cf-249-W, and Cf-251-W are not present	-	7E-3	3E-12	-	-	-	
If, in addition, it is known that Sm-146-W, Sm-147-W, Gd-148-D,W, Gd-152-D,W, Th-228-W,Y, Th-230-Y, U-232-Y, U-233-Y, U-234-Y, U-235-Y, U-236-Y, U-238-Y, Np-236-W, Pu-236-W,Y, Pu-238-W,Y, Pu-239-Y, Pu-240-Y, Pu-242-Y, Pu-244-W,Y, Cm-243-W, Cm-244-W, Cf-248-W, Cf-249-Y, Cf-250-W,Y, Cf-251-Y, Cf-252-W,Y, and Cf-254-W,Y are not present	-	7E-2	3E-11	-	-	-	
If, in addition, it is known that Pb-210-D, Bi-210-W, Po-210-D,W, Ra-223-W, Ra-225-W, Ra-226-W, Ac-225-D,W,Y, Th-227-W,Y, U-230-D,W,Y, U-232-D,W, Pu-241-W, Cm-240-W, Cm-242-W, Cf-248-Y, Es-254-W, Fm-257-W, and Md-258-W are not present	-	7E-1	3E-10	-	-	-	

Nuclear Regulatory Commission

Pt. 20, App. B

Radionuclide	Table 1 Occupational Values			Table 2 Effluent Concentrations		Table 3 Releases to Sewers	
	Col. 1 Oral Ingestion AtI (μCi)	Col. 2 Inhalation ALI (μCi)	Col. 3 DAC ($\mu\text{Ci}/\text{m}^3$)	Col. 1 Air ($\mu\text{Ci}/\text{m}^3$)	Col. 2 Water ($\mu\text{Ci}/\text{m}^3$)	Monthly Average Concentration ($\mu\text{Ci}/\text{m}^3$)	
If, in addition, it is known that Si-32-Y, Ti-44-Y, Fe-60-D, Sr-90-Y, Zr-93-D, Cd-113m-D, Cd-113-D, In-115-D,W, La-138-D, Lu-176-W, Hf-178m-D,W, Hf-182-D,W, Bi-210m-D, Ra-224-W, Ra-228-W, Ac-226-D,W,Y, Pa-230-W,Y, U-233-D,W, U-234-D,W, U-235-D,W, U-236-D,W, U-238-D,W, Pu-242-Y, Bk-249-W, Cf-253-W,Y, and Es-253-W are not present	-	7E+0	3E-9	-	-	-	
If it is known that Ac-227-D,W,Y, Th-229-W,Y, Th-232-W,Y, Pa-231-W,Y, Cm-246-W, and Cm-250-W are not present	-	-	1E-14	-	-	-	
If, in addition, it is known that Sm-146-W, Gd-148-D,W, Gd-152-D, Th-228-W,Y, Th-230-W,Y, U-232-Y, U-233-Y, U-234-Y, U-235-Y, U-236-Y, U-238-Y, U-Mn-Y, Mp-236-W, Mp-237-W, Pu-236-W,Y, Pu-239-W,Y, Pu-240-W,Y, Pu-242-W,Y, Pu-244-W,Y, Am-241-W, Am-242m-W, Am-243-W, Cm-243-W, Cm-244-W, Cm-245-W, Cm-246-W, Cm-247-W, Bk-247-W, Cf-249-W,Y, Cf-250-W,Y, Cf-251-W,Y, Cf-252-W,Y, and Cf-254-W,Y, are not present	-	1E-13	-	-	-		
If, in addition, it is known that Sm-147-W, Gd-152-W, Pb-210-D, Bi-210m-W, Po-210-D,W, Ra-223-W, Ra-225-W, Ra-226-W, Ac-225-D,W,Y, Th-227-W,Y, U-230-D,W,Y, U-232-D,W, U-Mn-Y, Pu-241-W, Cm-240-W, Cm-242-W, Cf-248-W,Y, Es-254-W, Fm-257-W, and Md-258-W are not present	-	1E-12	-	-	-	-	
If, in addition it is known that Fe-60, Sr-90, Cd-113m, Cd-113, In-115, I-129, Cs-134, Sm-145, Sm-147, Gd-148, Gd-152, Ho-154 (organic), Bi-210m, Ra-223, Ra-224, Ra-225, Ac-225, Th-228, Th-230, U-233, U-234, U-235, U-236, U-238, U-Mn, Cm-242, Cf-248, Es-254, Fm-257, and Md-258 are not present	-	-	-	1E-6	1E-5	-	
3 If a mixture of radionuclides consists of uranium and its daughters in ore dust ($10 \mu\text{m}$ AMAD particle distribution assumed) prior to chemical separation of the uranium from the ore, the following values may be used for the DAC of the mixture: $6E-11 \mu\text{Ci}$ of gross alpha activity from uranium-238, uranium-234, thorium-230, and radium-226 per milliliter of air; $3E-11 \mu\text{Ci}$ of natural uranium per milliliter of air; or 45 micrograms of natural uranium per cubic meter of air.	-	-	-	-	-	-	
4 If the identity and concentration of each radionuclide in a mixture are known, the limiting values should be derived as follows: determine, for each radionuclide in the mixture, the ratio between the concentration present in the mixture and the concentration otherwise established in Appendix B for the specific radionuclide when not in a mixture. The sum of such ratios for all of the radionuclides in the mixture may not exceed "1" (i.e., "unity").	-	-	-	-	-	-	

Example: If radionuclides "A," "B," and "C" are present in concentrations C_A , C_B , and C_C , and if the applicable DACs are DAC_A , DAC_B , and DAC_C , respectively, then the concentrations shall be limited so that the following relationship exists:

$$\frac{C_A}{DAC_A} + \frac{C_B}{DAC_B} + \frac{C_C}{DAC_C} < 1$$

[56 FR 23409, May 21, 1991; 56 FR 61352, Dec. 3, 1991, as amended at 57 FR 57879, Dec. 8, 1992. Redesignated at 58 FR 67659, Dec. 22, 1993]

Pt. 20, App. C

APPENDIX C TO PART 20—QUANTITIES OF LICENSED MATERIAL REQUIRING LABELING

Radionuclide	Quantity (μCi)
Hydrogen-3	1,000
Beryllium-7	1,000
Beryllium-10	1
Carbon-11	1,000
Carbon-14	100
Fluorine-18	1,000
Sodium-22	10
Sodium-24	100
Magnesium-28	100
Aluminum-26	10
Silicon-31	1,000
Silicon-32	1
Phosphorus-32	10
Phosphorus-33	100
Sulfur-35	100
Chlorine-36	10
Chlorine-38	1,000
Chlorine-39	1,000
Argon-39	1,000
Argon-41	1,000
Potassium-40	100
Potassium-42	1,000
Potassium-43	1,000
Potassium-44	1,000
Potassium-45	1,000
Calcium-41	100
Calcium-45	100
Calcium-47	100
Scandium-43	1,000
Scandium-44m	100
Scandium-44	100
Scandium-46	10
Scandium-47	100
Scandium-48	100
Scandium-49	1,000
Titanium-44	1
Titanium-45	1,000
Vanadium-47	1,000
Vanadium-48	100
Vanadium-49	1,000
Chromium-48	1,000
Chromium-49	1,000
Chromium-51	1,000
Manganese-51	1,000
Manganese-52m	1,000
Manganese-52	100
Manganese-53	1,000
Manganese-54	100
Manganese-56	1,000
Iron-52	100
Iron-55	100
Iron-59	10
Iron-60	1
Cobalt-55	100
Cobalt-56	10
Cobalt-57	100
Cobalt-58m	1,000
Cobalt-58	100
Cobalt-60m	1,000
Cobalt-60	1
Cobalt-61	1,000
Cobalt-62m	1,000
Nickel-56	100
Nickel-57	100
Nickel-59	100
Nickel-63	100
Nickel-65	1,000
Nickel-66	10
Copper-60	1,000

10 CFR Ch. I (1-1-01 Edition)

Radionuclide	Quantity (μCi)
Copper-61	1,000
Copper-64	1,000
Copper-67	1,000
Zinc-62	100
Zinc-63	1,000
Zinc-65	10
Zinc-69m	100
Zinc-69	1,000
Zinc-71m	1,000
Zinc-72	100
Gallium-65	1,000
Gallium-66	100
Gallium-67	1,000
Gallium-68	1,000
Gallium-70	1,000
Gallium-72	100
Gallium-73	1,000
Germanium-66	1,000
Germanium-67	1,000
Germanium-68	10
Germanium-69	1,000
Germanium-71	1,000
Germanium-75	1,000
Germanium-77	1,000
Germanium-78	1,000
Arsenic-69	1,000
Arsenic-70	1,000
Arsenic-71	100
Arsenic-72	100
Arsenic-73	100
Arsenic-74	100
Arsenic-76	100
Arsenic-77	100
Arsenic-78	1,000
Selenium-70	1,000
Selenium-73m	1,000
Selenium-73	100
Selenium-75	100
Selenium-79	100
Selenium-81m	1,000
Selenium-81	1,000
Selenium-83	1,000
Bromine-74m	1,000
Bromine-74	1,000
Bromine-75	1,000
Bromine-76	100
Bromine-77	1,000
Bromine-80m	1,000
Bromine-80	1,000
Bromine-82	100
Bromine-83	1,000
Bromine-84	1,000
Krypton-74	1,000
Krypton-76	1,000
Krypton-77	1,000
Krypton-79	1,000
Krypton-81	1,000
Krypton-83m	1,000
Krypton-85m	1,000
Krypton-85	1,000
Krypton-87	1,000
Krypton-88	1,000
Rubidium-79	1,000
Rubidium-81m	1,000
Rubidium-81	1,000
Rubidium-82m	1,000
Rubidium-83	100
Rubidium-84	100
Rubidium-86	100
Rubidium-87	100
Rubidium-88	1,000
Rubidium-89	1,000
Strontium-80	100

Nuclear Regulatory Commission

Pt. 20, App. C

Radionuclide	Quantity (μ Ci)	Radionuclide	Quantity (μ Ci)
Strontium-81	1,000	Palladium-101	1,000
Strontium-83	100	Palladium-103	100
Strontium-85m	1,000	Palladium-107	10
Strontium-85	100	Palladium-109	100
Strontium-87m	1,000	Silver-102	1,000
Strontium-89	10	Silver-103	1,000
Strontium-90	0.1	Silver-104m	1,000
Strontium-91	100	Silver-104	1,000
Strontium-92	100	Silver-105	100
Yttrium-86m	1,000	Silver-106m	100
Yttrium-86	100	Silver-106	1,000
Yttrium-87	100	Silver-108m	1
Yttrium-88	10	Silver-110m	10
Yttrium-90m	1,000	Silver-111	100
Yttrium-90	10	Silver-112	100
Yttrium-91m	1,000	Silver-115	1,000
Yttrium-91	10	Cadmium-104	1,000
Yttrium-92	100	Cadmium-107	1,000
Yttrium-93	100	Cadmium-109	1
Yttrium-94	1,000	Cadmium-113m	0.1
Yttrium-95	1,000	Cadmium-113	100
Zirconium-86	100	Cadmium-115m	10
Zirconium-88	10	Cadmium-115	100
Zirconium-89	100	Cadmium-117m	1,000
Zirconium-93	1	Cadmium-117	1,000
Zirconium-95	10	Indium-109	1,000
Zirconium-97	100	Indium-110 (69.1min.)	1,000
Niobium-88	1,000	Indium-110
Niobium-89m (66 min)	1,000	(4.9h)	1,000
Niobium-89 (122 min)	1,000	Indium-111	100
Niobium-90	100	Indium-112	1,000
Niobium-93m	10	Indium-113m	1,000
Niobium-94	1	Indium-114m	10
Niobium-95m	100	Indium-115m	1,000
Niobium-95	100	Indium-115	100
Niobium-96	100	Indium-116m	1,000
Niobium-97	1,000	Indium-117m	1,000
Niobium-98	1,000	Indium-117	1,000
Molybdenum-90	100	Indium-119m	1,000
Molybdenum-93m	100	Tin-110	100
Molybdenum-93	10	Tin-111	1,000
Molybdenum-99	100	Tin-113	100
Molybdenum-101	1,000	Tin-117m	100
Technetium-93m	1,000	Tin-119m	100
Technetium-93	1,000	Tin-121m	100
Technetium-94m	1,000	Tin-121	1,000
Technetium-94	1,000	Tin-123m	1,000
Technetium-96m	1,000	Tin-123	10
Technetium-96	100	Tin-125	10
Technetium-97m	100	Tin-126	10
Technetium-97	1,000	Tin-127	1,000
Technetium-98	10	Tin-128	1,000
Technetium-99m	1,000	Antimony-115	1,000
Technetium-99	100	Antimony-116m	1,000
Technetium-101	1,000	Antimony-116	1,000
Technetium-104	1,000	Antimony-117	1,000
Ruthenium-94	1,000	Antimony-118m	1,000
Ruthenium-97	1,000	Antimony-119	1,000
Ruthenium-103	100	Antimony-120 (16min.)	1,000
Ruthenium-105	1,000	Antimony-120 (5.76d)	100
Ruthenium-106	1	Antimony-122	100
Rhodium-99m	1,000	Antimony-124m	1,000
Rhodium-99	100	Antimony-124	10
Rhodium-100	100	Antimony-125	100
Rhodium-101m	1,000	Antimony-126m	1,000
Rhodium-101	10	Antimony-126	100
Rhodium-102m	10	Antimony-127	100
Rhodium-102	10	Antimony-128 (10.4min.)	1,000
Rhodium-103m	1,000	Antimony-128 (9.01h)	100
Rhodium-105	100	Antimony-129	100
Rhodium-106m	1,000	Antimony-130	1,000
Rhodium-107	1,000	Antimony-131	1,000
Palladium-100	100	Tellurium-116	1,000

Pt. 20, App. C

10 CFR Ch. I (1-1-01 Edition)

Radionuclide	Quantity (μCi)	Radionuclide	Quantity (μCi)
Tellurium-121m	10	Lanthanum-140	100
Tellurium-121	100	Lanthanum-141	100
Tellurium-123m	10	Lanthanum-142	1,000
Tellurium-123	100	Lanthanum-143	1,000
Tellurium-125m	10	Cerium-134	100
Tellurium-127m	10	Cerium-135	100
Tellurium-127	1,000	Cerium-137m	100
Tellurium-129m	10	Cerium-137	1,000
Tellurium-129	1,000	Cerium-139	100
Tellurium-131m	10	Cerium-141	100
Tellurium-131	100	Cerium-143	100
Tellurium-132	10	Cerium-144	1
Tellurium-133m	100	Praseodymium-136	1,000
Tellurium-133	1,000	Praseodymium-137	1,000
Tellurium-134	1,000	Praseodymium-138m	1,000
Iodine-120m	1,000	Praseodymium-139	1,000
Iodine-120	100	Praseodymium-142m	1,000
Iodine-121	1,000	Praseodymium-142	100
Iodine-123	100	Praseodymium-143	100
Iodine-124	10	Praseodymium-144	1,000
Iodine-125	1	Praseodymium-145	100
Iodine-126	1	Praseodymium-147	1,000
Iodine-128	1,000	Neodymium-136	1,000
Iodine-129	1	Neodymium-138	100
Iodine-130	10	Neodymium-139m	1,000
Iodine-131	1	Neodymium-139	1,000
Iodine-132m	100	Neodymium-141	1,000
Iodine-132	100	Neodymium-147	100
Iodine-133	10	Neodymium-149	1,000
Iodine-134	1,000	Neodymium-151	1,000
Iodine-135	100	Promethium-141	1,000
Xenon-120	1,000	Promethium-143	100
Xenon-121	1,000	Promethium-144	10
Xenon-122	1,000	Promethium-145	10
Xenon-123	1,000	Promethium-146	1
Xenon-125	1,000	Promethium-147	10
Xenon-127	1,000	Promethium-148m	10
Xenon-129m	1,000	Promethium-148	10
Xenon-131m	1,000	Promethium-149	100
Xenon-133m	1,000	Promethium-150	1,000
Xenon-133	1,000	Promethium-151	100
Xenon-135m	1,000	Samarium-141m	1,000
Xenon-135	1,000	Samarium-141	1,000
Xenon-138	1,000	Samarium-142	1,000
Cesium-125	1,000	Samarium-145	100
Cesium-127	1,000	Samarium-146	1
Cesium-129	1,000	Samarium-147	100
Cesium-130	1,000	Samarium-151	10
Cesium-131	1,000	Samarium-153	100
Cesium-132	100	Samarium-155	1,000
Cesium-134m	1,000	Samarium-156	1,000
Cesium-134	10	Europium-145	100
Cesium-135m	1,000	Europium-146	100
Cesium-135	100	Europium-147	100
Cesium-136	10	Europium-148	10
Cesium-137	10	Europium-149	100
Cesium-138	1,000	Europium-150 (12.62h)	100
Barium-126	1,000	Europium-150 (34.2y)	1
Barium-128	100	Europium-152m	100
Barium-131m	1,000	Europium-152	1
Barium-131	100	Europium-154	1
Barium-133m	100	Europium-155	10
Barium-133	100	Europium-156	100
Barium-135m	100	Europium-157	100
Barium-139	1,000	Europium-158	1,000
Barium-140	100	Gadolinium-145	1,000
Barium-141	1,000	Gadolinium-146	10
Barium-142	1,000	Gadolinium-147	100
Lanthanum-131	1,000	Gadolinium-148	0.001
Lanthanum-132	100	Gadolinium-149	100
Lanthanum-135	1,000	Gadolinium-151	10
Lanthanum-137	10	Gadolinium-152	100
Lanthanum-138	100	Gadolinium-153	10

Nuclear Regulatory Commission

Pt. 20, App. C

Radionuclide	Quantity (μCi)	Radionuclide	Quantity (μCi)
Gadolinium-159	100	Hafnium-181	10
Terbium-147	1,000	Hafnium-182m	1,000
Terbium-149	100	Hafnium-182	0.1
Terbium-150	1,000	Hafnium-183	1,000
Terbium-151	100	Hafnium-184	100
Terbium-153	1,000	Tantalum-172	1,000
Terbium-154	100	Tantalum-173	1,000
Terbium-155	1,000	Tantalum-174	1,000
Terbium-156 (5.0h)	1,000	Tantalum-175	1,000
Terbium-156m (24.4h)	1,000	Tantalum-176	100
Terbium-156	100	Tantalum-177	1,000
Terbium-157	10	Tantalum-178	1,000
Terbium-158	1	Tantalum-179	100
Terbium-160	10	Tantalum-180m	1,000
Terbium-161	100	Tantalum-180	100
Dysprosium-155	1,000	Tantalum-182m	1,000
Dysprosium-157	1,000	Tantalum-182	10
Dysprosium-159	100	Tantalum-183	100
Dysprosium-165	1,000	Tantalum-184	100
Dysprosium-166	100	Tantalum-185	1,000
Holmium-155	1,000	Tantalum-186	1,000
Holmium-157	1,000	Tungsten-176	1,000
Holmium-159	1,000	Tungsten-177	1,000
Holmium-161	1,000	Tungsten-178	1,000
Holmium-162m	1,000	Tungsten-179	1,000
Holmium-162	1,000	Tungsten-181	1,000
Holmium-164m	1,000	Tungsten-185	100
Holmium-164	1,000	Tungsten-187	100
Holmium-166m	1	Tungsten-188	10
Holmium-166	100	Rhenium-177	1,000
Holmium-167	1,000	Rhenium-178	1,000
Erbium-161	1,000	Rhenium-181	1,000
Erbium-165	1,000	Rhenium-182 (12.7h)	1,000
Erbium-169	100	Rhenium-182 (64.0h)	100
Erbium-171	100	Rhenium-184m	10
Erbium-172	100	Rhenium-184	100
Thulium-162	1,000	Rhenium-186m	10
Thulium-166	100	Rhenium-186	100
Thulium-167	100	Rhenium-187	1,000
Thulium-170	10	Rhenium-188m	1,000
Thulium-171	10	Rhenium-188	100
Thulium-172	100	Rhenium-189	100
Thulium-173	100	Osmium-180	1,000
Thulium-175	1,000	Osmium-181	1,000
Ytterbium-162	1,000	Osmium-182	100
Ytterbium-166	100	Osmium-185	100
Ytterbium-167	1,000	Osmium-189m	1,000
Ytterbium-169	100	Osmium-191m	1,000
Ytterbium-175	100	Osmium-191	100
Ytterbium-177	1,000	Osmium-193	100
Ytterbium-178	1,000	Osmium-194	1
Lutetium-169	100	Iridium-182	1,000
Lutetium-170	100	Iridium-184	1,000
Lutetium-171	100	Iridium-185	1,000
Lutetium-172	100	Iridium-186	100
Lutetium-173	10	Iridium-187	1,000
Lutetium-174m	10	Iridium-188	100
Lutetium-174	10	Iridium-189	100
Lutetium-176m	1,000	Iridium-190m	1,000
Lutetium-176	100	Iridium-190	100
Lutetium-177m	10	Iridium-192 (73.8d)	1
Lutetium-177	100	Iridium-192m (1.4min.)	10
Lutetium-178m	1,000	Iridium-194m	10
Lutetium-178	1,000	Iridium-194	100
Lutetium-179	1,000	Iridium-195m	1,000
Lutetium-179	100	Iridium-195	1,000
Hafnium-170	100	Platinum-186	1,000
Hafnium-172	1	Platinum-188	100
Hafnium-173	1,000	Platinum-189	1,000
Hafnium-175	100	Platinum-191	100
Hafnium-177m	1,000	Platinum-193m	100
Hafnium-178m	0.1	Platinum-193	1,000
Hafnium-179m	10	Platinum-195m	100
Hafnium-180m	1,000		

Pt. 20, App. C

10 CFR Ch. I (1-1-01 Edition)

Radionuclide	Quantity (μCi)	Radionuclide	Quantity (μCi)
Platinum-197m	1,000	Radium-227	1,000
Platinum-197	100	Radium-228	0.1
Platinum-199	1,000	Actinium-224	1
Platinum-200	100	Actinium-225	0.01
Gold-193	1,000	Actinium-226	0.1
Gold-194	100	Actinium-227	0.001
Gold-195	10	Actinium-228	1
Gold-198m	100	Thorium-226	10
Gold-198	100	Thorium-227	0.01
Gold-199	100	Thorium-228	0.001
Gold-200m	100	Thorium-229	0.001
Gold-200	1,000	Thorium-230	0.001
Gold-201	1,000	Thorium-231	100
Mercury-193m	100	Thorium-232	100
Mercury-193	1,000	Thorium-234	10
Mercury-194	1	Thorium-natural	100
Mercury-195m	100	Protactinium-227	10
Mercury-195	1,000	Protactinium-228	1
Mercury-197m	100	Protactinium-230	0.1
Mercury-197	1,000	Protactinium-231	0.001
Mercury-199m	1,000	Protactinium-232	1
Mercury-203	100	Protactinium-233	100
Thallium-194m	1,000	Protactinium-234	100
Thallium-194	1,000	Uranium-230	0.01
Thallium-195	1,000	Uranium-231	100
Thallium-197	1,000	Uranium-232	0.001
Thallium-198m	1,000	Uranium-233	0.001
Thallium-198	1,000	Uranium-234	0.001
Thallium-199	1,000	Uranium-235	0.001
Thallium-200	1,000	Uranium-236	0.001
Thallium-201	1,000	Uranium-237	100
Thallium-202	100	Uranium-238	100
Thallium-204	100	Uranium-239	1,000
Lead-195m	1,000	Uranium-240	100
Lead-198	1,000	Uranium-natural	100
Lead-199	1,000	Neptunium-232	100
Lead-200	100	Neptunium-233	1,000
Lead-201	1,000	Neptunium-234	100
Lead-202m	1,000	Neptunium-235	100
Lead-202	10	Neptunium-236 (1.15×10^5 y)	0.001
Lead-203	1,000	Neptunium-236 (22.5h)	1
Lead-205	100	Neptunium-237	0.001
Lead-209	1,000	Neptunium-238	10
Lead-210	0.01	Neptunium-239	100
Lead-211	100	Neptunium-240	1,000
Lead-212	1	Plutonium-234	10
Lead-214	100	Plutonium-235	1,000
Bismuth-200	1,000	Plutonium-236	0.001
Bismuth-201	1,000	Plutonium-237	100
Bismuth-202	1,000	Plutonium-238	0.001
Bismuth-203	100	Plutonium-239	0.001
Bismuth-205	100	Plutonium-240	0.001
Bismuth-206	100	Plutonium-241	0.01
Bismuth-207	10	Plutonium-242	0.001
Bismuth-210m	0.1	Plutonium-243	1,000
Bismuth-210	1	Plutonium-244	0.001
Bismuth-212	10	Plutonium-245	100
Bismuth-213	10	Americium-237	1,000
Bismuth-214	100	Americium-238	100
Polonium-203	1,000	Americium-239	1,000
Polonium-205	1,000	Americium-240	100
Polonium-207	1,000	Americium-241	0.001
Polonium-210	0.1	Americium-242	0.001
Astatine-207	100	Americium-242	10
Astatine-211	10	Americium-243	0.001
Radon-220	1	Americium-244m	100
Radon-222	1	Americium-244	10
Francium-222	100	Americium-245	1,000
Francium-223	100	Americium-246	1,000
Radium-223	0.1	Curium-238	100
Radium-224	0.1	Curium-240	0.1
Radium-225	0.1	Curium-241	1

Nuclear Regulatory Commission

Pt. 20, App. D

Radionuclide	Quantity (μCi)	Radionuclide	Quantity (μCi)
Curium-242	0.01	Fermium-252	1
Curium-243	0.001	Fermium-253	1
Curium-244	0.001	Fermium-254	10
Curium-245	0.001	Fermium-255	1
Curium-246	0.001	Fermium-257	0.01
Curium-247	0.001	Mendelevium-257	10
Curium-248	0.001	Mendelevium-258	0.01
Curium-249	1,000	Any radionuclide other than alpha emitting radionuclides not listed above, or mixtures of beta emitters of unknown composition	0.01
Berkelium-245	100		
Berkelium-246	100		
Berkelium-247	0.001		
Berkelium-249	0.1		
Berkelium-250	10		
Californium-244	100		
Californium-246	1		
Californium-248	0.01		
Californium-249	0.001		
Californium-250	0.001		
Californium-251	0.001		
Californium-252	0.001		
Californium-253	0.1		
Californium-254	0.001		
Any alpha emitting radionuclide not listed above or mixtures of alpha emitters of unknown composition	0.001		
Einsteinium-250	100		
Einsteinium-251	100		
Einsteinium-253	0.1	[56 FR 23465, May 21, 1991; 56 FR 61352, Dec. 3, 1991. Redesignated and amended at 58 FR 67659, Dec. 22, 1993; 60 FR 20186, Apr. 25, 1995]	
Einsteinium-254m	1		
Einsteinium-254	0.01		

¹ The quantities listed above were derived by taking $\frac{1}{10}$ th of the most restrictive ALI listed in table 1, columns 1 and 2, of appendix B to §§20.1001–20.2401 of this part, rounding to the nearest factor of 10, and arbitrarily constraining the values listed between 0.001 and 1,000 μCi . Values of 100 μCi have been assigned for radionuclides having a radioactive half-life in excess of 10^9 years (except rhenium, 1000 μCi) to take into account their low specific activity.

NOTE: For purposes of §§20.1902(e), 20.1905(a), and 20.2201(a) where there is involved a combination of radionuclides in known amounts, the limit for the combination should be derived as follows: determine, for each radionuclide in the combination, the ratio between the quantity present in the combination and the limit otherwise established for the specific radionuclide when not in combination. The sum of such ratios for all radionuclides in the combination may not exceed "1" (i.e., "unity").

APPENDIX D TO PART 20—UNITED STATES NUCLEAR REGULATORY COMMISSION
REGIONAL OFFICES

	Address	Telephone (24 hour)
Region I: Connecticut, Delaware, District of Columbia, Maine, Maryland, Massachusetts, New Hampshire, New Jersey, New York, Pennsylvania, Rhode Island, and Vermont.	USNRC, Region I, 475 Allendale Road, King of Prussia, PA 19406.	(610) 337-5000, (FTS) 346-5000.
Region II: Alabama, Florida, Georgia, Kentucky, Mississippi, North Carolina, Puerto Rico, South Carolina, Tennessee, Virginia, Virgin Islands, and West Virginia.	USNRC, Region II, Atlanta Federal Center, 61 Forsyth Street, SW, Suite 23T85, Atlanta, GA 30303.	(404) 562-4400, (FTS) 841-4503.
Region III: Illinois, Indiana, Iowa, Michigan, Minnesota, Missouri, Ohio, and Wisconsin.	USNRC, Region III, 801 Warrenville Road, Lisle, IL 60532-4351.	(708) 829-9500, (FTS) 829-9500.
Region IV: Alaska, Arizona, Arkansas, California, Colorado, Hawaii, Idaho, Kansas, Louisiana, Montana, Nebraska, Nevada, New Mexico, North Dakota, Oklahoma, Oregon, South Dakota, Texas, Utah, Washington, Wyoming, and the U.S. territories and possessions in the Pacific.	USNRC, Region IV, 611 Ryan Plaza Drive, Suite 400, Arlington, TX 76011.	(817) 860-8100, (FTS) 728-8100.
Region IV: Field Office	USNRC, Region IV, Walnut Creek Field Office, 1450 Maria Lane, Suite 300, Walnut Creek, CA 94596.	(510) 975-0200.

[56 FR 23468, May 21, 1991, as amended at 56 FR 41449, Aug. 21, 1991; 58 FR 64111, Dec. 6, 1993; 59 FR 17465, Apr. 13, 1994; 60 FR 24551, May 9, 1995; 62 FR 22880, Apr. 28, 1997]

Pt. 20, App. G

APPENDIXES E–F TO PART 20 [RESERVED]

APPENDIX G TO PART 20—REQUIREMENTS FOR TRANSFERS OF LOW-LEVEL RA- DIOACTIVE WASTE INTENDED FOR DISPOSAL AT LICENSED LAND DIS- POSAL FACILITIES AND MANIFESTS

I. MANIFEST

A waste generator, collector, or processor who transports, or offers for transportation, low-level radioactive waste intended for ultimate disposal at a licensed low-level radioactive waste land disposal facility must prepare a Manifest (OMB Control Numbers 3150-0164, -0165, and -0166) reflecting information requested on applicable NRC Forms 540 (Uniform Low-Level Radioactive Waste Manifest (Shipping Paper)) and 541 (Uniform Low-Level Radioactive Waste Manifest (Container and Waste Description)) and, if necessary, on an applicable NRC Form 542 (Uniform Low-Level Radioactive Waste Manifest (Manifest Index and Regional Compact Tabulation)). NRC Forms 540 and 540A must be completed and must physically accompany the pertinent low-level waste shipment. Upon agreement between shipper and consignee, NRC Forms 541 and 541A and 542 and 542A may be completed, transmitted, and stored in electronic media with the capability for producing legible, accurate, and complete records on the respective forms. Licensees are not required by NRC to comply with the manifesting requirements of this part when they ship:

(a) LLW for processing and expect its return (i.e., for storage under their license) prior to disposal at a licensed land disposal facility;

(b) LLW that is being returned to the licensee who is the “waste generator” or “generator,” as defined in this part; or

(c) Radioactively contaminated material to a “waste processor” that becomes the processor’s “residual waste.”

For guidance in completing these forms, refer to the instructions that accompany the forms. Copies of manifests required by this appendix may be legible carbon copies, photocopies, or computer printouts that reproduce the data in the format of the uniform manifest.

NRC Forms 540, 540A, 541, 541A, 542 and 542A, and the accompanying instructions, in hard copy, may be obtained from the Information and Records Management Branch, Office of Information Resources Management, U.S. Nuclear Regulatory Commission, Washington, DC 20555, telephone (301) 415-7232.

This appendix includes information requirements of the Department of Transportation, as codified in 49 CFR part 172. Information on hazardous, medical, or other

10 CFR Ch. I (1-1-01 Edition)

waste, required to meet Environmental Protection Agency regulations, as codified in 40 CFR parts 259, 261 or elsewhere, is not addressed in this section, and must be provided on the required EPA forms. However, the required EPA forms must accompany the Uniform Low-Level Radioactive Waste Manifest required by this chapter.

As used in this appendix, the following definitions apply:

Chelating agent has the same meaning as that given in § 61.2 of this chapter.

Chemical description means a description of the principal chemical characteristics of a low-level radioactive waste.

Computer-readable medium means that the regulatory agency's computer can transfer the information from the medium into its memory.

Consignee means the designated receiver of the shipment of low-level radioactive waste.

Decontamination facility means a facility operating under a Commission or Agreement State license whose principal purpose is decontamination of equipment or materials to accomplish recycle, reuse, or other waste management objectives, and, for purposes of this part, is not considered to be a consignee for LLW shipments.

Disposal container means a container principally used to confine low-level radioactive waste during disposal operations at a land disposal facility (also see “high integrity container”). Note that for some shipments, the disposal container may be the transport package.

EPA identification number means the number received by a transporter following application to the Administrator of EPA as required by 40 CFR part 263.

Generator means a licensee operating under a Commission or Agreement State license who (1) is a waste generator as defined in this part, or (2) is the licensee to whom waste can be attributed within the context of the Low-Level Radioactive Waste Policy Amendments Act of 1985 (e.g., waste generated as a result of decontamination or recycle activities).

High integrity container (HIC) means a container commonly designed to meet the structural stability requirements of § 61.56 of this chapter, and to meet Department of Transportation requirements for a Type A package.

Land disposal facility has the same meaning as that given in § 61.2 of this chapter.

NRC Forms 540, 540A, 541, 541A, 542, and 542A are official NRC Forms referenced in this appendix. Licensees need not use originals of these NRC Forms as long as any substitute forms are equivalent to the original documentation in respect to content, clarity, size, and location of information. Upon agreement between the shipper and consignee, NRC Forms 541 (and 541A) and NRC Forms 542 (and 542A) may be completed,

Nuclear Regulatory Commission

Pt. 20, App. G

transmitted, and stored in electronic media. The electronic media must have the capability for producing legible, accurate, and complete records in the format of the uniform manifest.

Package means the assembly of components necessary to ensure compliance with the packaging requirements of DOT regulations, together with its radioactive contents, as presented for transport.

Physical description means the items called for on NRC Form 541 to describe a low-level radioactive waste.

Residual waste means low-level radioactive waste resulting from processing or decontamination activities that cannot be easily separated into distinct batches attributable to specific waste generators. This waste is attributable to the processor or decontamination facility, as applicable.

Shipper means the licensed entity (i.e., the waste generator, waste collector, or waste processor) who offers low-level radioactive waste for transportation, typically consigning this type of waste to a licensed waste collector, waste processor, or land disposal facility operator.

Shipping paper means NRC Form 540 and, if required, NRC Form 540A which includes the information required by DOT in 49 CFR part 172.

Source material has the same meaning as that given in § 40.4 of this chapter.

Special nuclear material has the same meaning as that given in § 70.4 of this chapter.

Uniform Low-Level Radioactive Waste Manifest or uniform manifest means the combination of NRC Forms 540, 541, and, if necessary, 542, and their respective continuation sheets as needed, or equivalent.

Waste collector means an entity, operating under a Commission or Agreement State license, whose principal purpose is to collect and consolidate waste generated by others, and to transfer this waste, without processing or repackaging the collected waste, to another licensed waste collector, licensed waste processor, or licensed land disposal facility.

Waste description means the physical, chemical and radiological description of a low-level radioactive waste as called for on NRC Form 541.

Waste generator means an entity, operating under a Commission or Agreement State license, who (1) possesses any material or component that contains radioactivity or is radioactively contaminated for which the licensee foresees no further use, and (2) transfers this material or component to a licensed land disposal facility or to a licensed waste collector or processor for handling or treatment prior to disposal. A licensee performing processing or decontamination services may be a "waste generator" if the transfer of low-level radioactive waste from its facility is defined as "residual waste."

Waste processor means an entity, operating under a Commission or Agreement State license, whose principal purpose is to process, repackake, or otherwise treat low-level radioactive material or waste generated by others prior to eventual transfer of waste to a licensed low-level radioactive waste land disposal facility.

Waste type means a waste within a disposal container having a unique physical description (i.e., a specific waste descriptor code or description; or a waste sorbed on or solidified in a specifically defined media).

Information Requirements

A. General Information

The shipper of the radioactive waste, shall provide the following information on the uniform manifest:

1. The name, facility address, and telephone number of the licensee shipping the waste;
2. An explicit declaration indicating whether the shipper is acting as a waste generator, collector, processor, or a combination of these identifiers for purposes of the manifested shipment; and
3. The name, address, and telephone number, or the name and EPA identification number for the carrier transporting the waste.

B. Shipment Information

The shipper of the radioactive waste shall provide the following information regarding the waste shipment on the uniform manifest:

1. The date of the waste shipment;
2. The total number of packages/disposal containers;
3. The total disposal volume and disposal weight in the shipment;
4. The total radionuclide activity in the shipment;
5. The activity of each of the radionuclides H-3, C-14, Tc-99, and I-129 contained in the shipment; and
6. The total masses of U-233, U-235, and plutonium in special nuclear material, and the total mass of uranium and thorium in source material.

C. Disposal Container and Waste Information

The shipper of the radioactive waste shall provide the following information on the uniform manifest regarding the waste and each disposal container of waste in the shipment:

1. An alphabetic or numeric identification that uniquely identifies each disposal container in the shipment;
2. A physical description of the disposal container, including the manufacturer and model of any high integrity container;
3. The volume displaced by the disposal container;

Pt. 20, App. G

4. The gross weight of the disposal container, including the waste;
5. For waste consigned to a disposal facility, the maximum radiation level at the surface of each disposal container;
6. A physical and chemical description of the waste;
7. The total weight percentage of chelating agent for any waste containing more than 0.1% chelating agent by weight, plus the identity of the principal chelating agent;
8. The approximate volume of waste within a container;
9. The sorbing or solidification media, if any, and the identity of the solidification media vendor and brand name;
10. The identities and activities of individual radionuclides contained in each container, the masses of U-233, U-235, and plutonium in special nuclear material, and the masses of uranium and thorium in source material. For discrete waste types (i.e., activated materials, contaminated equipment, mechanical filters, sealed source/devices, and wastes in solidification/stabilization media), the identities and activities of individual radionuclides associated with or contained on these waste types within a disposal container shall be reported;
11. The total radioactivity within each container; and
12. For wastes consigned to a disposal facility, the classification of the waste pursuant to §61.55 of this chapter. Waste not meeting the structural stability requirements of §61.56(b) of this chapter must be identified.

D. Uncontainerized Waste Information

The shipper of the radioactive waste shall provide the following information on the uniform manifest regarding a waste shipment delivered without a disposal container:

1. The approximate volume and weight of the waste;
2. A physical and chemical description of the waste;
3. The total weight percentage of chelating agent if the chelating agent exceeds 0.1% by weight, plus the identity of the principal chelating agent;
4. For waste consigned to a disposal facility, the classification of the waste pursuant to §61.55 of this chapter. Waste not meeting the structural stability requirements of §61.56(b) of this chapter must be identified;
5. The identities and activities of individual radionuclides contained in the waste, the masses of U-233, U-235, and plutonium in special nuclear material, and the masses of uranium and thorium in source material; and
6. For wastes consigned to a disposal facility, the maximum radiation levels at the surface of the waste.

10 CFR Ch. I (1-1-01 Edition)**E. Multi-Generator Disposal Container Information**

This section applies to disposal containers enclosing mixtures of waste originating from different generators. (Note: The origin of the LLW resulting from a processor's activities may be attributable to one or more "generators" (including "waste generators") as defined in this part). It also applies to mixtures of wastes shipped in an uncontainerized form, for which portions of the mixture within the shipment originate from different generators.

1. For homogeneous mixtures of waste, such as incinerator ash, provide the waste description applicable to the mixture and the volume of the waste attributed to each generator.
2. For heterogeneous mixtures of waste, such as the combined products from a large compactor, identify each generator contributing waste to the disposal container, and, for discrete waste types (i.e., activated materials, contaminated equipment, mechanical filters, sealed source/devices, and wastes in solidification/stabilization media), the identities and activities of individual radionuclides contained on these waste types within the disposal container. For each generator, provide the following:
 - (a) The volume of waste within the disposal container;
 - (b) A physical and chemical description of the waste, including the solidification agent, if any;
 - (c) The total weight percentage of chelating agents for any disposal container containing more than 0.1% chelating agent by weight, plus the identity of the principal chelating agent;
 - (d) The sorbing or solidification media, if any, and the identity of the solidification media vendor and brand name if the media is claimed to meet stability requirements in 10 CFR 61.56(b); and
 - (e) Radionuclide identities and activities contained in the waste, the masses of U-233, U-235, and plutonium in special nuclear material, and the masses of uranium and thorium in source material if contained in the waste.

II. CERTIFICATION

An authorized representative of the waste generator, processor, or collector shall certify by signing and dating the shipment manifest that the transported materials are properly classified, described, packaged, marked, and labeled and are in proper condition for transportation according to the applicable regulations of the Department of Transportation and the Commission. A collector in signing the certification is certifying that nothing has been done to the collected waste which would invalidate the waste generator's certification.

Nuclear Regulatory Commission

Pt. 20, App. G

III. CONTROL AND TRACKING

A. Any licensee who transfers radioactive waste to a land disposal facility or a licensed waste collector shall comply with the requirements in paragraphs A.1 through 9 of this section. Any licensee who transfers waste to a licensed waste processor for waste treatment or repackaging shall comply with the requirements of paragraphs A.4 through 9 of this section. A licensee shall:

1. Prepare all wastes so that the waste is classified according to § 61.55 and meets the waste characteristics requirements in § 61.56 of this chapter;

2. Label each disposal container (or transport package if potential radiation hazards preclude labeling of the individual disposal container) of waste to identify whether it is Class A waste, Class B waste, Class C waste, or greater than Class C waste, in accordance with § 61.55 of this chapter;

3. Conduct a quality assurance program to assure compliance with §§ 61.55 and 61.56 of this chapter (the program must include management evaluation of audits);

4. Prepare the NRC Uniform Low-Level Radioactive Waste Manifest as required by this appendix;

5. Forward a copy or electronically transfer the Uniform Low-Level Radioactive Waste Manifest to the intended consignee so that either (i) receipt of the manifest precedes the LLW shipment or (ii) the manifest is delivered to the consignee with the waste at the time the waste is transferred to the consignee. Using both (i) and (ii) is also acceptable;

6. Include NRC Form 540 (and NRC Form 540A, if required) with the shipment regardless of the option chosen in paragraph A.5 of this section;

7. Receive acknowledgement of the receipt of the shipment in the form of a signed copy of NRC Form 540;

8. Retain a copy of or electronically store the Uniform Low-Level Radioactive Waste Manifest and documentation of acknowledgement of receipt as the record of transfer of licensed material as required by 10 CFR parts 30, 40, and 70 of this chapter; and

9. For any shipments or any part of a shipment for which acknowledgement of receipt has not been received within the times set forth in this appendix, conduct an investigation in accordance with paragraph E of this appendix.

B. Any waste collector licensee who handles only prepackaged waste shall:

1. Acknowledge receipt of the waste from the shipper within one week of receipt by returning a signed copy of NRC Form 540;

2. Prepare a new manifest to reflect consolidated shipments that meet the requirements of this appendix. The waste collector shall ensure that, for each container of waste

in the shipment, the manifest identifies the generator of that container of waste;

3. Forward a copy or electronically transfer the Uniform Low-Level Radioactive Waste Manifest to the intended consignee so that either: (i) Receipt of the manifest precedes the LLW shipment or (ii) the manifest is delivered to the consignee with the waste at the time the waste is transferred to the consignee. Using both (i) and (ii) is also acceptable;

4. Include NRC Form 540 (and NRC Form 540A, if required) with the shipment regardless of the option chosen in paragraph B.3 of this section;

5. Receive acknowledgement of the receipt of the shipment in the form of a signed copy of NRC Form 540;

6. Retain a copy of or electronically store the Uniform Low-Level Radioactive Waste Manifest and documentation of acknowledgement of receipt as the record of transfer of licensed material as required by 10 CFR parts 30, 40, and 70 of this chapter;

7. For any shipments or any part of a shipment for which acknowledgement of receipt has not been received within the times set forth in this appendix, conduct an investigation in accordance with paragraph E of this appendix; and

8. Notify the shipper and the Administrator of the nearest Commission Regional Office listed in appendix D of this part when any shipment, or part of a shipment, has not arrived within 60 days after receipt of an advance manifest, unless notified by the shipper that the shipment has been cancelled.

C. Any licensed waste processor who treats or repackages waste shall:

1. Acknowledge receipt of the waste from the shipper within one week of receipt by returning a signed copy of NRC Form 540;

2. Prepare a new manifest that meets the requirements of this appendix. Preparation of the new manifest reflects that the processor is responsible for meeting these requirements. For each container of waste in the shipment, the manifest shall identify the waste generators, the preprocessed waste volume, and the other information as required in paragraph I.E. of this appendix;

3. Prepare all wastes so that the waste is classified according to § 61.55 of this chapter and meets the waste characteristics requirements in § 61.56 of this chapter;

4. Label each package of waste to identify whether it is Class A waste, Class B waste, or Class C waste, in accordance with §§ 61.55 and 61.57 of this chapter;

5. Conduct a quality assurance program to assure compliance with §§ 61.55 and 61.56 of this chapter (the program shall include management evaluation of audits);

6. Forward a copy or electronically transfer the Uniform Low-Level Radioactive Waste Manifest to the intended consignee so

Pt. 21

10 CFR Ch. I (1-1-01 Edition)

that either: (i) Receipt of the manifest precedes the LLW shipment or (ii) the manifest is delivered to the consignee with the waste at the time the waste is transferred to the consignee. Using both (i) and (ii) is also acceptable;

7. Include NRC Form 540 (and NRC Form 540A, if required) with the shipment regardless of the option chosen in paragraph C.6 of this section;

8. Receive acknowledgement of the receipt of the shipment in the form of a signed copy of NRC Form 540;

9. Retain a copy of or electronically store the Uniform Low-Level Radioactive Waste Manifest and documentation of acknowledgement of receipt as the record of transfer of licensed material as required by 10 CFR parts 30, 40, and 70 of this chapter;

10. For any shipment or any part of a shipment for which acknowledgement of receipt has not been received within the times set forth in this appendix, conduct an investigation in accordance with paragraph E of this appendix; and

11. Notify the shipper and the Administrator of the nearest Commission Regional Office listed in appendix D of this part when any shipment, or part of a shipment, has not arrived within 60 days after receipt of an advance manifest, unless notified by the shipper that the shipment has been cancelled.

D. The land disposal facility operator shall:

1. Acknowledge receipt of the waste within one week of receipt by returning, as a minimum, a signed copy of NRC Form 540 to the shipper. The shipper to be notified is the licensee who last possessed the waste and transferred the waste to the operator. If any discrepancy exists between materials listed on the Uniform Low-Level Radioactive Waste Manifest and materials received, copies or electronic transfer of the affected forms must be returned indicating the discrepancy;

2. Maintain copies of all completed manifests and electronically store the information required by 10 CFR 61.80(l) until the Commission terminates the license; and

3. Notify the shipper and the Administrator of the nearest Commission Regional Office listed in appendix D of this part when any shipment, or part of a shipment, has not arrived within 60 days after receipt of an advance manifest, unless notified by the shipper that the shipment has been cancelled.

E. Any shipment or part of a shipment for which acknowledgement is not received within the times set forth in this section must:

1. Be investigated by the shipper if the shipper has not received notification or receipt within 20 days after transfer; and

2. Be traced and reported. The investigation shall include tracing the shipment and filing a report with the nearest Commission

Regional Office listed in appendix D to this part. Each licensee who conducts a trace investigation shall file a written report with the appropriate NRC Regional Office within 2 weeks of completion of the investigation.

[60 FR 15664, Mar. 27, 1995, as amended at 60 FR 25983, May 16, 1995]

PART 21—REPORTING OF DEFECTS AND NONCOMPLIANCE

GENERAL PROVISIONS

Sec.

- 21.1 Purpose.
- 21.2 Scope.
- 21.3 Definitions.
- 21.4 Interpretations.
- 21.5 Communications.
- 21.6 Posting requirements.
- 21.7 Exemptions.
- 21.8 Information collection requirements: OMB approval.

NOTIFICATION

- 21.21 Notification of failure to comply or existence of a defect and its evaluation.

PROCUREMENT DOCUMENTS

- 21.31 Procurement documents.

INSPECTIONS, RECORDS

- 21.41 Inspections.
21.51 Maintenance and inspection of records.

ENFORCEMENT

- 21.61 Failure to notify.
21.62 Criminal penalties.

AUTHORITY: Sec. 161, 68 Stat. 948, as amended, sec. 234, 83 Stat. 444, as amended, sec. 1701, 106 Stat. 2951, 2953 (42 U.S.C. 2201, 2282, 2297f); secs. 201, as amended, 206, 88 Stat. 1242, as amended, 1246 (42 U.S.C. 5841, 5846).

Section 21.2 also issued under secs. 135, 141, Pub. L. 97-425, 96 Stat. 2232, 2241 (42 U.S.C. 10155, 10161).

SOURCE: 42 FR 28893, June 6, 1977, unless otherwise noted.

GENERAL PROVISIONS

§ 21.1 Purpose.

The regulations in this part establish procedures and requirements for implementation of section 206 of the Energy Reorganization Act of 1974. That section requires any individual director or responsible officer of a firm constructing, owning, operating or supplying the components of any facility